European Journal of Biochemistry

Author and keyword indexes
Volumes 235–242 (1996)

Honorary Chairman Frederick Sanger, Cambridge

Editorial Board
August Böck (München)
Philipp Christen (Zürich) Chairman
Michael J. Clemens (London)
Hugo Fasold (Frankfurt)
Jean Girard (Paris)
Cornelis W. Hilbers (Nijmegen)
Eberhard Hofmann (Leipzig) Reviews Editor
Hans Jörnvall (Stockholm)
Claude Liébecq (Liège) Honorary Member
Gösta Pettersson (Lund)
Johannes F. G. Vliegenthart (Utrecht)
Andrew H.-J. Wang (Urbana, IL)

Advisory Board
S. P. J. Albracht (Amsterdam)
E. Appella (Bethesda, MD)
P. Argos (Heidelberg)
S. Avrameas (Paris)
B. E. C. Banks (London)
A. Bax (Bethesda, MD)
H. Betz (Frankfurt)
T. A. Bickle (Basel)
A. Billiau (Leuven)
M. Bollen (Leuven)
H. R. Bosshard (Zürich)
M. D. Brand (Cambridge)
R. L. C. Brimacombe (Berlin)
B. Bukau (Heidelberg)
M. Chabre (Valbonne)
K. J. Clemetson (Bern)
A. J. Cornish-Bowden (Marseille)
M. Crompton (London)
P. Dimroth (Zürich)
R. Duncan (Los Angeles, CA)
W. R. Dunham (Ann Arbor, MI)
A. D. Elbein (Little Rock, AR)
J. Engel (Basel)
S. J. Ferguson (Oxford)
A. Finazzi-Agrò (Roma)
D. Gallwitz (Göttingen)
J.-R. Garel (Gif-sur-Yvette)
S. Ghisla (Konstanz)
L. A. Grivell (Amsterdam)
R. Heinrich (Berlin)
J. Hempel (Pittsburgh, PA)
H. P. C. Hogenkamp (Minneapolis, MN)
F. Hucho (Berlin)
R. C. Hughes (London)
A. Ichihara (Tokushima)
P. Jollès (Paris)
A. Kahn (Paris)
T. Kawasaki (Kyoto)
J. E. Kay (Brighton)
W. N. Konings (Haren)
C. J. Leaver (Oxford)
L. Lehle (Regensburg)
G. P. Mannaerts (Leuven)
W. J. Möller (Leiden)
K. Morikawa (Osaka)
S. Morley (Brighton)
Y. Nagai (Tokyo)
S. Natori (Tokyo)
X. Parés (Barcelona)
B. Persson (Stockholm)
N. Pfanner (Freiburg)
L. A. Pinna (Padova)
L. Rask (Uppsala)
J. Rétey (Karlsruhe)
P. R. Rich (London)
M. H. Rider (Bruxelles)
J. F. Riordan (Boston, MA)
H. Rüterjans (Frankfurt)
F. Sakiyama (Osaka)
P. R. Schimmel (Cambridge, MA)
L. Serrano (Heidelberg)
K. Sobue (Osaka)
P. Srere (Dallas, TX)
R. K. Thauer (Marburg)
R. Timpl (Martinsried)
C. Veeger (Wageningen)
G. A. Veldink (Utrecht)
P. Venetianer (Szeged)
A. Verbert (Villeneuve-d'Ascq)
G. von Heijne (Stockholm)
W. Wahli (Lausanne)
H. Weiss (Düsseldorf)
S. G. Wilkinson (Hull)
K. W. A. Wirtz (Utrecht)

Editorial Office L. Rowett, B. Whyte, I. Leighton, S. A. Brooks, D. R. Rutschmann, J. Piket Stähelin, M. E. Vetterli
Kleinstrasse 6, CH-8008 Zürich, Switzerland

Production Office A. Treiber, A. Zimmermann
Springer-Verlag, Tiergartenstrasse 17, Postfach 10 52 80, D-69042 Heidelberg, Germany

Published by Springer International
on behalf of the
Federation of European Biochemical Societies

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Individuals may reproduce material published in this journal when writing a review or book as long as they make proper acknowledgement to the origin of the material and obtain the author(s)' permission if this condition applies.

Springer-Verlag Berlin Heidelberg New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany

Copyright © by the Federation of European Biochemical Societies 1996.

Vol. 235–Vol. 242 (1996)

Author index with article titles

Aarden, J. M., see Knappskog, P. M.

AbdAlla, S., Müller-Esterl, W., Quitterer, U.: Two distinct Ca^{2+} influx pathways activated by the bradykinin B_2 receptor 241: 498

Abe, K., see Misaka, T.

Abe, K., see Yasuoka, A.

Abe, S., see Odani, S.

Abell, C. W., see Shiloff, B. A.

Abraham, N. G., see Lavrovsky, Y.

Achkor, H., see Martínez, M. C.

Achstetter, T., see Dumas, B.

Adachi, H., see Frébort, I.

Adachi, O., see Sakamoto, K.

Adam, O., Vercellone, A., Monsan, P. F., Puzo, G.: Complete NMR structural elucidation of the capsular polysaccharide adjuvant from *Klebsiella* I-714 241: 602

Adam, Z., see Ostersetzer, O.

Adams, H., see Simons, J.-W. F. A.

Adamska, I., Lindahl, M., Roobol-Bóza, M., Andersson, B.: Degradation of the light-stress protein is mediated by an ATP-independent, serine-type protease under low-light conditions 236: 591

Adar, R., Sharon, N.: Mutational studies of the amino acid residues in the combining site of *Erythrina corallodendron* lectin 239: 668

Adobati, E., see Parente, D.

Adolph, H. W., see Hemmingsen, L.

Aerts, J. M. F. G., see Bijsterbosch, M. K.

Aerts, J. M. F. G., see Luiken, J. J. F. P.

Agerberth, B., see Frohm, M.

Agerberth, B., see Gudmundsson, G. H.

Agostinelli, E., see De Biase, D.

Agostinis, P., Donella-Deana, A., Van Hoof, C., Cesaro, L., Brunati, A. M., Ruzzene, M., Merlevede, W., Pinna, L. A., Goris, J.: A comparative study of the phosphotyrosyl phosphatase specificity of protein phosphatase type 2A and phosphotyrosyl phosphatase type 1B using phosphopeptides and the phosphoproteins p50/HS1, c-Fgr and Lyn 236: 548

Agrawal, P., see Weller, U.

Agsteribbe, E., see Huckriede, A.

Aguero, B., see Mendiaz, E. A.

Ahnert, V., May, C., Gerke, R., Kindl, H.: Cucumber T-complex protein – Molecular cloning, bacterial expression and characterization within a 22-S cytosolic complex in cotyledons and hypocotyls 235: 114

Aho, S., see Kristo, P.

Ai, J., see Kroes, S. J.

Airas, R. K.: Differences in the magnesium dependences of the class I and class II aminoacyl-tRNA synthetases from *Escherichia coli* 240: 223

Ajiro, K., Yasuda, H., Tsuji, H.: Vanadate triggers the transition from chromosome condensation to decondensation in a mitotic mutant (tsTM13) – Inactivation of $p34^{cdc2}$/H1 kinase and dephosphorylation of mitosis-specific histone H3 241: 923

Akagi, T., see Sakamoto, K.

Akanuma, H., see Kametani, S.

Akanuma, H., see Suzuki, M.

Akatsuka, A., see Tsuda, M.

Åkerström, G., see Hjälm, G.

Akhundova, A., Getmanova, E., Gorbulev, V., Carnazzi, E., Eggena, P., Fahrenholz, F.: Cloning and functional characterization of the amphibian mesotocin receptor, a member of the oxytocin/vasopressin receptor superfamily 237: 759

Akkerman, J. W. N., see Bekkers, A. C. A. P. A.

Alatalo, E., see Nakari-Setälä, T.

Alattia, T., Padilla, A., Cavé, A.: Assignment of ^{13}C resonances and analysis of relaxation properties and internal dynamics of pike parvalbumin by ^{13}C-NMR at natural abundance 237: 561

Albar, J. P., see Rodríguez-Crespo, I.

Alberati-Giani, D., Buchli, R., Malherbe, P., Broger, C., Lang, G., Köhler, C., Lahm, H.-W., Cesura, A. M.: Isolation and expression of a cDNA clone encoding human kynureninase 239: 460

Albert, M. J., see Ansaruzzaman, M.

Albert, M. J., see Knirel, Y. A.

Albracht, S. P. J., see van der Spek, T. M.

Albrecht, M., Linden, H., Sandmann, G.: Biochemical characterization of purified ζ-carotene desaturase from *Anabaena* PCC 7120 after expression in *Escherichia coli* 236: 115

Alemán, C., see Vega, M. C.

Alengrin, F., see Baron, V.

Alexson, S. E. H., see Svensson, L. T.

Al-Ghanim, A., see Kornblatt, M. J.

Al-Imara, L., see Richards, A.

Aliverti, A., see Corrado, M. E.

Aliverti, A., see Piubelli, L.

Alkazaz, M., Desseaux, V., Marchis-Mouren, G., Payan, F., Forest, E., Santimone, M.: The mechanism of porcine pancreatic α-amylase – Kinetic evidence for two additional carbohydrate-binding sites 241: 787

Allende, C. C., see Antonelli, M.

Allende, C. C., see Pulgar, V.

Allende, J. E., see Antonelli, M.

Allende, J. E., see Pulgar, V.

Allmaier, G., see Briza, P.

Alonso, A., see Daniele, J. J.

Altarocca, V., see Amoresano, A.

Altieri, F., Maras, B., Ferraro, A., Turano, C.: Purification of a 60-kDa protein from chicken liver associated with the internal nuclear matrix and closely related to carboxylesterases 236: 806

Altman, A., see von Willebrand, M.

Alunni-Fabbroni, M., Manzini, G., Quadrifoglio, F., Xodo, L. E.: Guanine-rich oligonucleotides targeted to a critical R · Y site located in the Ki-*ras* promoter – The effect of competing self-structures on triplex formation 238: 143

Alvarez-Martinez, M.-T., Mani, J.-C., Porte, F., Faivre-Sarrailh, C., Liautard, J. P., Sri Widada, J.: Characterization of the interaction between annexin I and profilin 238: 777

Ambrosetti, D.-C., Palla, E., Mirtella, A., Galeotti, C., Solito, E., Navarra, P., Parente, L., Melli, M.: Synthetic alleles at position 121 define a functional domain of human interleukin-1β 238: 308

Amchenkova, A. M., see Turpaev, K. T.

Amiconi, G., see Coletta, M.

Amons, R., see Rosetto, M.

Amoresano, A., Siciliano, R., Orrù, S., Napoleoni, R., Altarocca, V., De Luca, E., Sirna, A., Pucci, P.: Structural characterisation of human recombinant glycohormones follitropin, lutropin and choriogonadotropin expressed in Chinese hamster ovary cells 242: 608

Amoresano, A., see Giardina, P.

Anagli, J., Vilei, E. M., Molinari, M., Calderara, S., Carafoli, E.: Purification of active calpain by affinity chromatography on an immobilized peptide inhibitor 241: 948

Anders, J., see Gimpl, G.

Andersen, F. G., see Madsen, O. D.

Andersen, M. H., see Hvarregaard, J.

Andersson, B., see Adamska, I.

Andersson, K. K., see Svensson, B.

Ando, K., see Yuda, M.

André, C., Erraji, L., Gaston, J., Grimber, G., Briand, P., Guillet, J.-G.: Transgenic mice carrying the human β_2-adrenergic receptor gene with its own promoter overexpress β_2-adrenergic receptors in liver 241: 417

Andreasen, P. A., see Kjøller, L.

Andreasen, P. A., see Schulze, A. J.

Andreeva, L., see Tanveer, A.

Andreola, M. L., see Nevinsky, G. A.

Andrew, C. R., see Kroes, S. J.

Andrieu, N., Salvayre, R., Levade, T.: Comparative study of the metabolic pools of sphingomyelin and phosphatidylcholine sensitive to tumor necrosis factor 236: 738

Angeletti, M., see Coletta, M.

Anke, T., see Kraiczy, P.

Ansaruzzaman, M., Albert, M. J., Holme, T., Jansson, P.-E., Rahman, M. M., Widmalm, G.: A *Klebsiella pneumoniae* strain that shares a type-specific antigen with *Shigella flexneri* serotype 6 – Characterization of the strain and structural studies of the O-antigenic polysaccharide 237: 786

Ansaruzzaman, M., see Knirel, Y. A.

Antonelli, M., Daniotti, J. L., Rojo, D., Allende, C. C., Allende, J. E.: Cloning, expression and properties of the α' subunit of casein kinase 2 from zebrafish (*Danio rerio*) 241: 272

Antonicelli, F., see El Btaouri, H.

Apel, S., see Stengelin, S.

Aperlo, C., Boulukos, K. E., Pognonec, P.: The basic region/helix-loop-helix/leucine repeat transcription factor USF interferes with Ras transformation 241: 249

Apfel, C. M., see LeMotte, P. K.

Appia, C., see Cavazza, C.

Apps, D. K., see Webster, L. C.

Apte, S. S., see Gatsios, P.

Arai, K.-i., see Ikeda, M.

Arai, S., see Misaka, T.

Arai, S., see Yasuoka, A.

Arciero, D. M., see Zahn, J. A.

Arechaga, I., see González-Barroso, M. M.

Arendsen, A. F., see van der Spek, T. M.

Argaud, D., see Chauvin, C.

Argenton, F., Bernardini, S., Puttini, S., Colombo, L., Bortolussi, M.: A TGACG motif mediates growth-hormone-factor-1/pituitary-transcriptional-activator-1-dependent cAMP regulation of the rainbow trout growth-hormone promoter 238: 591
Arias, G., see Serra, D.
Armand, S., Vieille, C., Gey, C., Heyraud, A., Zeikus, J. G., Henrissat, B.: Stereochemical course and reaction products of the action of β-xylosidase from *Thermoanaerobacterium saccharolyticum* strain B6A-RI 236: 706
Armesto, J., Hannappel, E., Leopold, K., Fischer, W., Bublitz, R., Langer, L., Cumme, G. A., Horn, A.: Microheterogeneity of the hydrophobic and hydrophilic part of the glycosylphosphatidylinositol anchor of alkaline phosphatase from calf intestine 238: 259
Armstrong, P. B., see Iwaki, D.
Arnold, U., Rücknagel, K. P., Schierhorn, A., Ulbrich-Hofmann, R.: Thermal unfolding and proteolytic susceptibility of ribonuclease A 237: 862
Aro, N., see Nakari-Setälä, T.
Arpicco, S., see Parente, D.
Arrigo, A.-P., see Garrido, C.
Artaud, I., see Kopf, M.-A.
Arts, J., Grimbergen, J., Bosma, P. J., Kooistra, T.: Role of c-Jun and proximal phorbol 12-myristate-13-acetate-(PMA)-responsive elements in the regulation of basal and PMA-stimulated plasminogen-activator inhibitor-1 gene expression in HepG2 241: 393
Arvidson, G., see Morein, S.
Asano, N., Kato, A., Matsui, K.: Two subsites on the active center of pig kidney trehalase 240: 692
Asano, Y., see Frébort, I.
Ascenzi, P., see Coletta, M.
Ascoli, F., see Pallaoro, M.
Asins, G., see Serra, D.
Aslanidis, C., see Schmiedeknecht, G.
Assem, M., see Garrido, C.
Assemat, K., see Pille, S.
Assfalg-Machleidt, I., see Auerswald, E. A.
Assmann, C., see Link, T. A.
Astier, J.-P., see Gilles, C.
Aszódi, A., Hauser, N., Studer, D., Paulsson, M., Hiripi, L., Bősze, Z.: Cloning, sequencing and expression analysis of mouse cartilage matrix protein cDNA 236: 970
Athauda, S. B. P., see Inoue, H.
Athias, A., see Florentin, E.
Atkinson, R. A., see Saudek, V.
Atlante, A., Passarella, S., Pierro, P., Di Martino, C., Quagliariello, E.: The mechanism of proline/glutamate antiport in rat kidney mitochondria – Energy dependence and glutamate-carrier involvement 241: 171
Atmani, F., Mizon, J., Khan, S. R.: Identification of uronic-acid-rich protein as urinary bikunin, the light chain of inter-α-inhibitor 236: 984
Atomi, H., see Kawachi, H.
Atteia, A., Franzén, L.-G.: Identification, cDNA sequence and deduced amino acid sequence of the mitochondrial Rieske iron-sulfur protein from the green alga *Chlamydomonas reinhardtii* – Implications for protein targeting and subunit interaction 237: 792
Auclair, C., see Sourgen, F.
Auer, M., see Sticht, H.
Auerswald, E. A., Nägler, D. K., Gross, S., Assfalg-Machleidt, I., Stubbs, M. T., Eckerskorn, C., Machleidt, W., Fritz, H.: Hybrids of chicken cystatin with human kininogen domain 2 sequences exhibit novel inhibition of calpain, improved inhibition of actinidin and impaired inhibition of papain, cathepsin L and cathepsin B 235: 534
Aumelas, A., Mangoni, M., Roumestand, C., Chiche, L., Despaux, E., Grassy, G., Calas, B., Chavanieu, A.: Synthesis and solution structure of the antimicrobial peptide protegrin-1 237: 575
Aunis, D., see Goumon, Y.
Aurilia, V., see Giardina, P.
Austen, B. M., see Patel, S.
Austen, K. F., see Lam, B. K.
Auwerx, J., see Saladin, R.
Avallet, O., see Chuzel, F.
Ávalos, J., see Domenech, C. E.
Avéret, N., see Rigoulet, M.
Avila, J., see Sánchez, C.
Aviram, I., see Tisch, D.

Bach, T. J., see Ullmann, P.
Bachellerie, J.-P., see Cavaillé, J.
Bacher, A., see Eberhardt, S.
Bacic, A., see Oxley, D.
Bacou, F., Rouanet, P., Barjot, C., Janmot, C., Vigneron, P., d'Albis, A.: Expression of myosin isoforms in denervated, cross-reinnervated, and electrically stimulated rabbit muscles 236: 539
Bader, R., see Steinebach, V.
Baert, J., see Benetollo, C.
Baert, J., see Demoor, L.
Baes, M., see Vanhooren, J. C. T.
Bäumert, H. G., see Huber, E.
Bäumlein, H., see Mücke, U.
Bag, J., Wu, J.: Translational control of poly(A)-binding protein expression 237: 143
Bagley, K. A., see van der Spek, T. M.
Baier, K., Nicklisch, S., Lockau, W.: Evidence for propeptide-assisted folding of the calcium-dependent protease of the cyanobacterium *Anabaena* 241: 750
Bailly, C., Braña, M., Waring, M. J.: Sequence-selective intercalation of antitumour bis-naphthalimides into DNA – Evidence for an approach via the major groove 240: 195
Baker, D. A., see Li, J.-L.
Baker, D. P., see Nguyen, V. T.
Bakker, B. M., see Richard, P.
Balasubramanian, K., Gupta, C. M.: Transbilayer phosphatidylethanolamine movements in the yeast plasma membrane – Evidence for a protein-mediated, energy-dependent mechanism 240: 798
Baldari, C. T., see Rosetto, M.
Baldasaro, M. H., see Lam, B. K.
Baldwin, J. E., see Roach, P. L.
Ball, K. L., Lane, D. P.: Human and plant proliferating-cell nuclear antigen have a highly conserved binding site for the p53-inducible gene product $p21^{WAF1}$ 237: 854
Balsinde, J., Dennis, E. A.: The incorporation of arachidonic acid into triacylglycerol in $P388D_1$ macrophage-like cells 235: 480
Baltz, T., see Waitumbi, J. N.
Ban, B., see Gdaniec, Z.
Bandtlow, C., Schiweck, W., Tai, H.-H., Schwab, M. E., Skerra, A.: The *Escherichia coli*-derived Fab fragment of the IgM/κ antibody IN-1 recognizes and neutralizes myelin-associated inhibitors of neurite growth 241: 468
Banting, G., see Benharouga, M.
Baqué, S., Roca, À., Guinovart, J. J., Gómez-Foix, A. M.: Direct activating effects of dexamethasone on glycogen metabolizing enzymes in primary cultured rat hepatocytes 236: 772
Barbato, R., see Giacometti, G. M.
Barbisch, M., see Norgauer, J.
Barjot, C., see Bacou, F.
Barnes, M. J., see Tuckwell, D. S.
Barnes, M., see Ramesh, V.
Baron, V., Gual, P., Alengrin, F., Van Obberghen, E.: Role of the insulin receptor C-terminal acidic domain in the modulation of the receptor kinase by polybasic effectors 241: 186
Barra, D., see Maras, B.
Barra, D., see Pallaoro, M.
Barra, D., see Simmaco, M.
Barre, A., see Van Damme, E. J. M.
Barre, A., see Van Damme, E. J. M.
Barrett, M. P., see Hanau, S.
Barrie, P. J., see Gerothanassis, I. P.
Barrow, W. W., see Rivière, M.
Bar-Tana, J., see Hertz, R.
Bartels, C. F., see Masson, P.
Barth, A., see Brandt, W.
Barth, A., see Jacotot, E.
Bartholomeus-van Nooij, I. G. P., see Hermans, S. W. G.
Bartlett, S. M., see O'Rourke, J. F.
Bartsch, R. G., see Samyn, B.
Barzic, M.-R., Guittet, E.: Structure and activity of persicomycins, toxins produced by a *Pseudomonas syringae* pv. *persicae/Prunus persica* isolate 239: 702
Bârzu, O., see Bouhss, A.
Basak, S., see Chakrabarti, A.
Basse, C. W., Lottspeich, F., Steglich, W., Kahmann, R.: Two potential indole-3-acetaldehyde dehydrogenases in the phytopathogenic fungus *Ustilago maydis* 242: 648
Bassi, R., see Giuffra, E.
Bastrygina, A. S., see Shutov, A. D.
Batanero, E., Villalba, M., Ledesma, A., Puente, X. S., Rodríguez, R.: Ole e 3, an olive-tree allergen, belongs to a widespread family of pollen proteins 241: 772
Batanero, E., see González de la Peña, M. A.
Battistuzzi, G., Borsari, M., Dallari, D., Lancellotti, I., Sola, M.: Anion binding to mitochondrial cytochromes *c* studied through electrochemistry – Effects of the neutralization of surface charges on the redox potential 241: 208
Baudoin-Legros, M., see Benharouga, M.
Bauer, C. J., see Carr, M. D.

Bauer, I., Max, N., Fetzner, S., Lingens, F.: 2,4-Dioxygenases catalyzing N-heterocyclic-ring cleavage and formation of carbon monoxide – Purification and some properties of 1*H*-3-hydroxy-4-oxoquinaldine 2,4-dioxygenase from *Arthrobacter* sp. Rü61a and comparison with 1*H*-3-hydroxy-4-oxoquinoline 2,4-dioxygenase from *Pseudomonas putida* 33/1 240: 576
Bauer, R., see Hemmingsen, L.
Baumeister, W., see Kania, M. A.
Baumgart, E., see Dieuaide-Noubhani, M.
Baumgart, E., see Vanhooren, J. C. T.
Baur, H., see Nguyen, V. T.
Bautsch, W., see Raffetseder, U.
Bauvy, C., see Ghidoni, R.
Baverel, G., see Fouque, D.
Bayer, M., Walter, K., Simon, H.: Purification and partial characterisation of a reversible artificial mediator accepting NADH oxidoreductase from *Clostridium thermoaceticum* 239: 686
Bayer, P., see Beissinger, M.
Baykov, A. A., Sergina, N. V., Evtushenko, O. A., Dubnova, E. B.: Kinetic characterization of the hydrolytic activity of the H^+-pyrophosphatase of *Rhodospirillum rubrum* in membrane-bound and isolated states 236: 121
Baykov, A., see Heikinheimo, P.
Beattie, D. S., Howton, M. M.: The presence of rotenone-sensitive NADH dehydrogenase in the long slender bloodstream and the procyclic forms of *Trypanosoma brucei brucei* 241: 888
Beattie, J., Shand, J. H., Flint, D. J.: An immobilised peptide array identifies antibodies to a discontinuous epitope in the extracellular domain of the bovine growth hormone receptor 239: 479
Becerril, B., see Selisko, B.
Becher, B., see Lienard, T.
Becker, B., see Borowski, P.
Becker, K., see Färber, P. M.
Becker, W., Heukelbach, J., Kentrup, H., Joost, H.-G.: Molecular cloning and characterization of a novel mammalian protein kinase harboring a homology domain that defines a subfamily of serine/threonine kinases 235: 736
Becker, W., see Brauers, A.
Becker, W., see Stengelin, S.
Beckers-Bleukx, G., see Maréchal, G.
Beck-Sickinger, A. G., see Behrends, H. W.
Beermann, F., see Tief, K.
Beganton, F., see Tran-Dinh, S.
Begum, N., Ragolia, L., Srinivasan, M.: Effect of tumor necrosis factor-α on insulin-stimulated mitogen-activated protein kinase cascade in cultured rat skeletal muscle cells 238: 214
Beharry, S., Bragg, P. D.: The bound adenine nucleotides of purified bovine mitochondrial ATP synthase 240: 165
Behrends, H. W., Beck-Sickinger, A. G., Folkers, G.: Evaluation of the secondary structure of vaccinia-virus thymidine kinase by circular-dichroism spectroscopy of overlapping synthetic peptides 241: 126
Behrens, P. Q., see Shiloff, B. A.
Beissinger, M., Paulus, C., Bayer, P., Wolf, H., Rösch, P., Wagner, R.: Sequence-specific resonance assignments of the ^{1}H-NMR spectra and structural characterization in solution of the HIV-1 transframe protein p6* 237: 383
Beisson, J., see Madeddu, L.
Bekkers, A. C. A. P. A., Slotboom, A. J., van Willigen, G., Akkerman, J. W. N., Verheij, H. M.: Targeting of porcine pancreatic phospholipase A_2 to human platelets – Introduction of an RGD sequence and acyl-group by chemical modification 238: 70
Belkin, A. M., see Moiseeva, E. P.
Bellé, R., see Minella, O.
Bellido, D., see Fernández-Novell, J. M.
Bellido, D., see Serra, D.
Bellintani, F., see Piubelli, L.
Bellocco, E., see Valentini, G.
Bellon, G., see El Btaouri, H.
Belmouden, A., Lederer, F.: The role of a β barrel loop 4 extension in modulating the physical and functional properties of long-chain 2-hydroxy-acid oxidase isozymes 238: 790
Belyaeva, E. A., see Schönfeld, P.
Ben Khalifa, R., see Bouhaouala-Zahar, B.
Benach, J., Knapp, S., Oppermann, U. C. T., Hägglund, O., Jörnvall, H., Ladenstein, R.: Crystallization and crystal packing of recombinant 3 (or 17) β-hydroxysteroid dehydrogenase from *Comamonas testosteroni* ATTC 11996 236: 144
Bendall, D. S., see Ubbink, M.
Benen, J. A. E., see Steinebach, V.
Benetollo, C., Lambert, G., Talussot, C., Vanloo, B., Van Cauteren, T., Rouy, D., Dubois, H., Baert, J., Kalopissis, A., Denèfle, P., Chambaz, J., Brasseur, R., Rosseneu, M.: Lipid-binding properties of synthetic peptide fragments of human apolipoprotein A-II 242: 657
Benharouga, M., Lipecka, J., Fanen, P., Baudoin-Legros, M., Banting, G., Fritsch, J., Edelman, A.: Properties of a Cl^--conductive pathway(s) in microsomes from rat kidney inner medulla – Involvement of cystic fibrosis transmembrane regulator protein 240: 268
Benian, G. M., see Heierhorst, J.
Benini, S., Ciurli, S., Nolting, H. F., Mangani, S.: X-ray absorption spectroscopy study of native and phenylphosphorodiamidate-inhibited *Bacillus pasteurii* urease 239: 61
Benner, K., see Kost, C.
Bennett, D. C., see Chakraborty, A. K.
Bennett, N., see Kutuzov, M. A.
Benoist, F., Nicodeme, E., Grand-Perret, T.: Microsomal triacylglycerol transfer protein prevents presecretory degradation of apolipoprotein B-100 – A dithiothreitol-sensitive protease is involved 240: 713
Benton, C. M., see Nouri-Sorkhabi, M. H.
Bentrop, D., Bertini, I., Luchinat, C., Mendes, J., Piccioli, M., Teixeira, M.: Paramagnetic NMR analysis of the seven-iron ferredoxin from the hyperthermoacidophilic archaeon *Desulfurolobus ambivalens* reveals structural similarity to other dicluster ferredoxins 236: 92
Bentrop, D., see Sticht, H.
Benvenisty, N., see Cohen, H.
Benz, R., see Döbereiner, A.
Benz, R., see Menzl, K.
Benz, R., see Schmidt, H.
Bera, A. K., see Das, B.
Berchtold, M. W., see Durussel, I.
Berchtold, M. W., see Pauls, T. L.
Berg, M., see Schmid, M.
Berger, E. G., see Malissard, M.
Berger, E. G., see Van Dorst, J. A. L. M.
Bergjohann, U., see Knecht, W.
Bergler, H., Fuchsbichler, S., Högenauer, G., Turnowsky, F.: The enoyl-[acyl-carrier-protein] reductase (FabI) of *Escherichia coli*, which catalyzes a key regulatory step in fatty acid biosynthesis, accepts NADH and NADPH as cofactors and is inhibited by palmitoyl-CoA 242: 689
Berglund, L., see Hvarregaard, J.
Bergman, A.-C., see Frohm, M.
Bergman, A.-C., see Rydlander, L.
Bergman, T., see Frohm, M.
Bergman, T., see Gudmundsson, G. H.
Bergman, T., see Rydlander, L.
Bergsdorf, C., see Kröger, N.
Bergström, J., see Rosén, S.
Berk, H., see Klein, A. R.
Berlose, J.-P., Convert, O., Derossi, D., Brunissen, A., Chassaing, G.: Conformational and associative behaviours of the third helix of antennapedia homeodomain in membrane-mimetic environments 242: 372
Berman, I., see Hertz, R.
Bernard, A., see Poirier, H.
Bernardi, P., see Chernyak, B. V.
Bernardini, S., see Argenton, F.
Bernhardt, R., see Iametti, S.
Bernheiden, M., see Stelter, F.
Berquin, A., see Maréchal, G.
Berry, R. K., see Troeberg, L.
Bertauche, N., Leung, J., Giraudat, J.: Protein phosphatase activity of abscisic acid insensitive 1 (ABI1) protein from *Arabidopsis thaliana* 241: 193
Bertelli, M., see Hanau, S.
Berthois, Y., see Chajry, N.
Bertini, I., Couture, M. M. J., Donaire, A., Eltis, L. D., Felli, I. C., Luchinat, C., Piccioli, M., Rosato, A.: The solution structure refinement of the paramagnetic reduced high-potential iron-sulfur protein I from *Ectothiorhodospira halophila* by using stable isotope labeling and nuclear relaxation 241: 440
Bertini, I., see Bentrop, D.
Bertoldo, C., see Cacciapuoti, G.
Besemer, J., see Sticht, H.
Besnard, P., see Poirier, H.
Bestagno, M., see Li, E.
Beullens, M., Stalmans, W., Bollen, M.: Characterization of a ribosomal inhibitory polypeptide of protein phosphatase-1 from rat liver 239: 183
Bewersdorf, U., see Stengelin, S.
Bhakdi, S., see Weller, U.
Bhatt, T. R., see Taylor III, P. A.
Bialojan, S., see Geyer, H.
Bianchini, E., see Faggioli, L.
Bianco, I. D., see Daniele, J. J.
Bidart, J.-M., see Couture, L.
Biegert, T., Fuchs, G., Heider, J.: Evidence that anaerobic oxidation of toluene in the denitrifying bacterium *Thauera aromatica* is initiated by formation of benzylsuccinate from toluene and fumarate 238: 661

Bieri, S., see Djordjevic, J. T.
Biermann, C., see Weller, U.
Bigot, Y., see Rouleux-Bonnin, F.
Bihain, B. E., see Ziere, G. J.
Biharie, G., see Das, A. T.
Bijsterbosch, M. K., Donker, W., van de Bilt, H., van Weely, S., van Berkel, T. J. C., Aerts, J. M. F. G.: Quantitative analysis of the targeting of mannose-terminal glucocerebrosidase – Predominant uptake by liver endothelial cells 237: 344
Birdsall, B., see Gargaro, A. R.
Birdsall, B., see Gerothanassis, I. P.
Bismuth, J., see Freund, N.
Bittman, R., see Karasavvas, N.
Bizouarn, T., Diggle, C., Jackson, J. B.: The binding of nucleotides to domain I proteins of the proton-translocating transhydrogenases from *Rhodospirillum rubrum* and *Escherichia coli* as measured by equilibrium dialysis 239: 737
Bizouarn, T., see Diggle, C.
Bjerrum, M. J., see Hemmingsen, L.
Björck, L., see Kihlberg, B.-M.
Björk, I., see Murén, E.
Björklund, P., see Rydlander, L.
Bjørn, S. E., see Petersen, L. C.
Blake, C. C. F., see Sunde, M.
Blanchet, A.-M., see Faucheu, C.
Blanco, J., see Jacotot, E.
Blank, J., Nock, S., Kreutzer, R., Sprinzl, M.: Elongation factor Ts from *Thermus thermophilus* – Overproduction in *Escherichia coli*, quaternary structure and interaction with elongation factor Tu 236: 222
Blanquet, S., see Gillet, S.
Blau, N., see Kluge, C.
Blennow, A., see Khoshnoodi, J.
Blin, C., see Lambert, M.
Blobel, F., Erdmann, R.: Identification of a yeast peroxisomal member of the family of AMP-binding proteins 240: 468
Blümel, M., see Knauf, M. A.
Blumberg, S., see Maras, B.
Blume, N., see Madsen, O. D.
Bocco, J. L., see Koritschoner, N. P.
Bock, A.-K., Kunow, J., Glasemacher, J., Schönheit, P.: Catalytic properties, molecular composition and sequence alignments of pyruvate:ferredoxin oxidoreductase from the methanogenic archaeon *Methanosarcina barkeri* (strain Fusaro) 237: 35
Böck, A., see Neuhierl, B.
Boeck, B., Schinzel, R.: Purification and characterisation of an α-glucan phosphorylase from the thermophilic bacterium *Thermus thermophilus* 239: 150
Boekhoff, I., see Kroner, C.
Boelens, R., see De Beer, T.
Boeren, S., see Osman, A. M.
Boers, W., see Ziere, G. J.
Boersma, M. G., see Osman, A. M.
Boersma, M. G., see Spee, J. H.
Bogumil, R., Faller, P., Pountney, D. L., Vašák, M.: Evidence for Cu(I) clusters and Zn(II) clusters in neuronal growth-inhibitory factor isolated from bovine brain 238: 698
Bohnensack, R., see Schönfeld, P.
Bolbach, G., see Girault, S.
Boles, E., see Müller, S.
Bollen, A., see Gourlet, P.
Bollen, M., see Beullens, M.
Bollen, M., see Stefan, C.
Boman, A., see Frohm, M.
Boman, H. G., see Frohm, M.
Bon, C., see Mounier, C.
Bonizzi, G., Dejardin, E., Piret, B., Piette, J., Merville, M.-P., Bours, V.: Interleukin-1β induces nuclear factor κB in epithelial cells independently of the production of reactive oxygen intermediates 242: 544
Bonkovsky, H. L., see Cable, E. E.
Bonmatin, J.-M., see Landon, C.
Bonnec, G., see Le Cahérec, F.
Bonnefoy, V., see Cavazza, C.
Bonnefoy-Bérard, N., see von Willebrand, M.
Bonnet, D., see Kopf, M.-A.
Bonnet-Mathonière, B., Girard, P.-M., Muriaux, D., Paoletti, J.: Nucleocapsid protein 10 activates dimerization of the RNA of Moloney murine leukaemia virus *in vitro* 238: 129
Bonod-Bidaud, C. S., see Rittinger, K.
Bonomi, F., see Iametti, S.
Bonomi, F., see Iametti, S.
Boon, L., see Das, A. T.
Boone, T. C., see Mendiaz, E. A.
Borchani, L., Mansuelle, P., Stankiewicz, M., Grolleau, F., Cestèle, S., Karoui, H., Lapied, B., Rochat, H., Pelhate, M., El Ayeb, M.: A new scorpion venom toxin paralytic to insects that affects Na^+ channel activation – Purification, structure, antigenicity and mode of action 241: 525
Borchani, L., see Bouhaouala-Zahar, B.
Bordin, L., see Brunati, A. M.
Borecký, J., see Schönfeld, P.
Borgeat, P., see Pouliot, M.
Borovsky, D., Janssen, I., Vanden Broeck, J., Huybrechts, R., Verhaert, P., De Bondt, H. L., Bylemans, D., De Loof, A.: Molecular sequencing and modeling of *Neobellieria bullata* trypsin – Evidence for translational control by *Neobellieria* trypsin-modulating oostatic factor 237: 279
Borowski, P., Heiland, M., Oehlmann, K., Becker, B., Kornetzky, L., Feucht, H., Laufs, R.: Non-structural protein 3 of hepatitis C virus inhibits phosphorylation mediated by cAMP-dependent protein kinase 237: 611
Borremans, F. A. M., see Vranken, W. F.
Borsari, M., see Battistuzzi, G.
Borsig, L., see Malissard, M.
Bortolussi, M., see Argenton, F.
Bosma, P. J., see Arts, J.
Bossa, F., see Schininà, M. E.
Bossard, P., see Parsa, R.
Bossenmaier, B., see Tippmer, S.
Bősze, Z., see Aszódi, A.
Both, P., see Rollema, H. S.
Botti, S., see Ghidoni, R.
Bottke, W., see Schüssler, P.
Bouaboula, M., Poinot-Chazel, C., Marchand, J., Canat, X., Bourrié, B., Rinaldi-Carmona, M., Calandra, B., Le Fur, G., Casellas, P.: Signaling pathway associated with stimulation of CB2 peripheral cannabinoid receptor – Involvement of both mitogen-activated protein kinase and induction of Krox-24 expression 237: 704
Bouanani, M., see Molina, F.
Bouet, F., see Tran-Dinh, S.
Bouet, F., see Tran-Dinh, S.
Bougis, P. E., see Rosso, J.-P.
Bouhaouala-Zahar, B., Ducancel, F., Zenouaki, I., Ben Khalifa, R., Borchani, L., Pelhate, M., Boulain, J.-C., El Ayeb, M., Ménez, A., Karoui, H.: A recombinant insect-specific α-toxin of *Buthus occitanus tunetanus* scorpion confers protection against homologous mammal toxins 238: 653
Bouhin, H., see Braquart, C.
Bouhss, A., Vincent, M., Munier, H., Gilles, A.-M., Takahashi, M., Bârzu, O., Danchin, A., Gallay, J.: Conformational transitions within the calmodulin-binding site of *Bordetella pertussis* adenylate cyclase studied by time-resolved fluorescence of Trp242 and *circular dichroism* 237: 619
Bouillaud, F., see González-Barroso, M. M.
Boulain, J.-C., see Bouhaouala-Zahar, B.
Boulay, F., see Raffetseder, U.
Boulez, K., see Vranken, W. F.
Boulukos, K. E., see Aperlo, C.
Bourguignon, J., see Macherel, D.
Bourrié, B., see Bouaboula, M.
Bours, V., see Bonizzi, G.
Boutillon, C., see Demoor, L.
Bouziane, M., see Sourgen, F.
Bowien, S., see Lienard, T.
Bozon, V., see Couture, L.
Brade, H., see Vinogradov, E. V.
Brade, L., see Vinogradov, E. V.
Bragg, P. D., Hou, C.: The role of conserved histidine residues in the pyridine nucleotide transhydrogenase of *Escherichia coli* 241: 611
Bragg, P. D., see Beharry, S.
Brailly, H., see Kalai, M.
Brakenhoff, J. P. J., see Müller-Newen, G.
Brakhage, A. A., see Litzka, O.
Braks, J. A. M., Broers, C. A. M., Danger, J.-M. H. A., Martens, G. J. M.: Structural organization of the gene encoding the neuroendocrine chaperone 7B2 236: 60
Braks, J. A. M., Van Horssen, A. M., Martens, G. J. M.: Dissociation of the complex between the neuroendocrine chaperone 7B2 and prohormone convertase PC2 is not associated with proPC2 maturation 238: 505
Braña, M., see Bailly, C.
Brand, I. A., see Cibelli, G.
Brandt, U., see Kraiczy, P.
Brandt, W., Ludwig, O., Thondorf, I., Barth, A.: A new mechanism in serine proteases catalysis exhibited by dipeptidyl peptidase IV (DP IV) – Results of PM3 semiempirical thermodynamic studies supported by experimental results 236: 109
Branlant, G., see Michels, S.
Braquart, C., Bouhin, H., Quennedey, A., Delachambre, J.: Up-regulation of an adult cuticular gene by 20-hydroxyecdysone in insect metamorphosing epidermis cultured *in vitro* 240: 336
Braslavsky, S. E., see Gärtner, W.
Brasseur, R., see Benetollo, C.
Brauers, A., Schürmann, A., Massmann, S., Mühl-Zürbes, P., Becker, W., Kainulainen, H., Lie, C., Joost, H.-G.: Alternative mRNA splicing of the novel GTPase Rab28 generates isoforms with different C-termini 237: 833
Braun, A., see Charlet, M.

Braun, H., Lichter, A., Häberlein, I.: Kinetic evidence for protein complexes between thioredoxin and NADP–malate dehydrogenase and presence of a thioredoxin binding site at the N-terminus of the enzyme 240: 781
Bray, R. C., see Doyle, W. A.
Brecevic, L., see Kluge, C.
Breer, H., see Kroner, C.
Breitenbach, M., see Briza, P.
Bresciani, R., von Figura, K.: Dephosphorylation of the mannose-6-phosphate recognition marker is localized in late compartments of the endocytic route – Identification of purple acid phosphatase (uteroferrin) as the candidate phosphatase 238: 669
Brèthes, D., see Pinson, B.
Breton, A. M., see Pille, S.
Breton, J., see Naud, I.
Breukink, E., see Van Raalte, A. L. J.
Brewer, C. F., see Gupta, D.
Briand, P., see André, C.
Briké, F., see Van Damme, E. J. M.
Brilloit-Petit, C., see Chauvin, C.
Brimacombe, J. S., see Brown, G. M.
Brisson, J.-R., see Perry, M. B.
Briza, P., Kalchhauser, H., Pittenauer, E., Allmaier, G., Breitenbach, M.: *N,N'*-Bisformyl dityrosine is an *in vivo* precursor of the yeast ascospore wall 239: 124
Brochier, J., see Kalai, M.
Brodbeck, M., Rohling, A., Wohlleben, W., Thompson, C. J., Süsstrunk, U.: Nucleoside-diphosphate kinase from *Streptomyces coelicolor* 239: 208
Broers, C. A. M., see Braks, J. A. M.
Broger, C., see Alberati-Giani, D.
Brom, M., see Leier, I.
Brossmer, R., see Terada, T.
Brown, D. M., Upcroft, J. A., Upcroft, P.: A H_2O-producing NADH oxidase from the protozoan parasite *Giardia duodenalis* 241: 155
Brown, G. M., Millar, A. R., Masterson, C., Brimacombe, J. S., Nikolaev, A. V., Ferguson, M. A. J.: Synthetic phospho-oligosaccharide fragments of lipophosphoglycan as acceptors for *Leishmania major* α-D-mannosylphosphate transferase 242: 410
Brunati, A. M., Bordin, L., Clari, G., Moret, V.: The Lyn-catalyzed Tyr phosphorylation of the transmembrane band-3 protein of human erythrocytes 240: 394
Brunati, A. M., James, P., Guerra, B., Ruzzene, M., Donella-Deana, A., Pinna, L. A.: The spleen protein-tyrosine kinase TPK-IIB is highly similar to the catalytic domain of $p72^{syk}$ 240: 400
Brunati, A. M., see Agostinis, P.
Brunati, A. M., see Donella-Deana, A.
Brunisholz, R. A., see Hu, Q.
Brunissen, A., see Berlose, J.-P.
Brunner, M., see Klaus, C.
Bruschi, M., see Cavazza, C.
Bruzzone, R., White, T. W., Paul, D. L.: *Review*. Connections with connexins: the molecular basis of direct intercellular signaling 238: 1
Bryant, D. A., see Mühlenhoff, U.
Bublitz, R., see Armesto, J.
Buc-Calderon, P. M., see Tinton, S. A.
Buchegger, F., Trowbridge, I. S., Liu, L.-F. S., White, S., Collawn, J. F.: Functional analysis of human/chicken transferrin receptor chimeras indicates that the carboxy-terminal region is important for ligand binding 235: 9
Buchet, R., see Raimbault, C.
Buchholz, U., see Leier, I.
Buchholz, U., see Pulaski, L.
Buchli, R., see Alberati-Giani, D.
Budesinsky, M., see Vranken, W. F.
Büchler, M., see Leier, I.
Bückmann, A. F., see Stocker, A.
Büllesbach, E. E., Schwabe, C.: The chemical synthesis of rat relaxin and the unexpectedly high potency of the synthetic hormone in the mouse 241: 533
Bufler, P., see Stelter, F.
Bulet, P., Urge, L., Ohresser, S., Hetru, C., Otvos, L. Jr: Enlarged scale chemical synthesis and range of activity of drosocin, an O-glycosylated antibacterial peptide of *Drosophila* 238: 64
Bulmaga, V. P., see Shutov, A. D.
Bundell, K. R., see Gordon, R. D.
Bur, D., see Powell, D. J.
Buraggi, G., see Meroni, G.
Burke, J. F., see Doyle, W. A.
Burkhart, R., see Schulte, D.
Burrone, O., see Li, E.
Busch, H., see Li, Y.-P.
Busch, R. K., see Li, Y.-P.
Buskens, C. A. F., see Groffen, A. J. A.
Butterworth, P., see Gauvry, L.
Bylemans, D., see Borovsky, D.
Bzowska, A., Kulikowska, E., Poopeiko, N. E., Shugar, D.: Kinetics of phosphorolysis of 3-(β-D-ribofuranosyl)adenine and 3-(β-D-ribofuranosyl)hypoxanthine, non-conventional substrates of purine-nucleoside phosphorylase 239: 229

Cable, E. E., Gildemeister, O. S., Pepe, J. A., Donohue, S. E., Lambrecht, R. W., Bonkovsky, H. L.: Hepatic 5-aminolevulinic acid synthase mRNA stability is modulated by inhibitors of heme biosynthesis and by metalloporphyrins 240: 112
Cacciapuoti, G., Porcelli, M., Bertoldo, C., Fusco, S., De Rosa, M., Zappia, V.: Extremely thermophilic and thermostable 5'-methylthioadenosine phosphorylase from the archaeon *Sulfolobus solfataricus* – Gene cloning and amino acid sequence determination 239: 632
Cai, Q., Storey, K. B.: Anoxia-induced gene expression in turtle heart – Upregulation of mitochondrial genes for NADH–ubiquinone oxidoreductase subunit 5 and cytochrome *c* oxidase subunit 1 241: 83
Cairns, S. S., Cornish, A., Cooper, R. A.: Cloning, sequencing and expression in *Escherichia coli* of two *Rhizobium* sp. genes encoding haloalkanoate dehalogenases of opposite stereospecificity 235: 744
Calabrese, L., see Schininà, M. E.
Calandra, B., see Bouaboula, M.
Calas, B., see Aumelas, A.
Caldeira, J., see Romero, A.
Calderara, S., see Anagli, J.
Calero, M., see Méndez, E.
Callebaut, C., see Jacotot, E.
Calliot, M.-E., see Lambert, M.
Callus, B. A., Iacopetta, B. J., Kühn, L. C., Morgan, E. H.: Effects of overexpression of the transferrin receptor on the rates of transferrin recycling and uptake of non-transferrin-bound iron 238: 463
Calvaruso, G., see Giuliano, M.
Calvete, J. J., see Reinert, M.
Cambillau, C., see Gilles, C.
Camoin, L., see Federici, C.
Campbell, D. G., see Gordon, R. D.
Canat, X., see Bouaboula, M.
Candita, C., see Papa, S.
Canevari, S., see Parente, D.
Canioni, P., see Merle, M.
Cannio, R., see Giardina, P.
Canofeni, S., see Simmaco, M.
Canters, G. W., see Kroes, S. J.
Canters, G. W., see Spee, J. H.
Carabillo', M., see Giuliano, M.
Carafoli, E., see Anagli, J.
Carafoli, E., see Gabellini, N.
Carafoli, E., see Sacchetto, R.
Carlini, P., see Schininà, M. E.
Carnazzi, E., see Akhundova, A.
Carpenter, K. A., Wilkes, B. C., Weltrowska, G., Schiller, P. W.: Role of hydrophobic substituents in the interaction of opioid Tyr-Tic dipeptide analogs with dodecylphosphocholine micelles – Molecular partitioning in model membrane systems 241: 756
Carr, M. D., Wollborn, U., McIntosh, P. B., Frenkiel, T. A., McCormick, J. E., Bauer, C. J., Klempnauer, K.-H., Feeney, J.: Structure of the B-Myb DNA-binding domain in solution and evidence for multiple conformations in the region of repeat-2 involved in DNA binding – Implications for sequence-specific DNA binding by Myb proteins 235: 721
Carr, M. D., see Williamson, R. A.
Carreira, S., Fueri, C., Chaix, J.-C., Puigserver, A.: Dietary modulation of the mRNA stability of trypsin isozymes and the two forms of secretory trypsin inhibitor in the rat pancreas 239: 117
Carrier, P., see Zorin, N. A.
Carrillo, N., see Ceccarelli, E. A.
Carsana, A., see Faggioli, L.
Cartwright, P., see Martinus, R. D.
Carvalho, D. P., see Gorin, Y.
Carvelli, A., see Falasca, M.
Casellas, P., see Bouaboula, M.
Casset, F., Peters, T., Etzler, M., Korchagina, E., Nifant'ev, N., Pérez, S., Imberty, A.: Conformational analysis of blood group A trisaccharide in solution and in the binding site of *Dolichos biflorus* lectin using transient and transferred nuclear Overhauser enhancement (NOE) and rotating-frame NOE experiments 239: 710
Casteels, M., see Croes, K.
Catarino, T., see Turner, D. L.
Catelloni, F., see Chauvin, C.
Cattel, L., see Parente, D.
Caudwell, F. B., see Johnson, D. F.
Cauet, G., see Dumas, B.
Cavaillé, J., Hadjiolov, A. A., Bachellerie, J.-P.: Processing of mammalian rRNA precursors at the 3' end of 18S rRNA – Identification of *cis*-acting signals suggests the involvement of U13 small nucleolar RNA 242: 206

Cavazza, C., Giudici-Orticoni, M.-T., Nitschke, W., Appia, C., Bonnefoy, V., Bruschi, M.: Characterisation of a soluble cytochrome c_4 isolated from *Thiobacillus ferrooxidans* 242: 308
Cavé, A., see Alattia, T.
Ceccarelli, E. A., Krapp, A. R., Serra, E. C., Carrillo, N.: Conformational requirements of a recombinant ferredoxin-$NADP^+$ reductase precursor for efficient binding to and import into isolated chloroplasts 238: 192
Ceciliani, F., see Tedeschi, G.
Cedergren-Zeppezauer, E., see Hemmingsen, L.
Celano, B., see Parente, D.
Cerdá-Olmedo, E., see Domenech, C. E.
Cerletti, N., see Goetschy, J.-F.
Cerroni, L., see Coletta, M.
Cesaro, L., see Agostinis, P.
Cesaro, L., see Donella-Deana, A.
Cestèle, S., see Borchani, L.
Cesura, A. M., Gottowik, J., Lahm, H.-W., Lang, G., Imhof, R., Malherbe, P., Röthlisberger, U., Da Prada, M.: Investigation on the structure of the active site of monoamine oxidase-B by affinity labeling with the selective inhibitor lazabemide and by site-directed mutagenesis 236: 996
Cesura, A. M., see Alberati-Giani, D.
Cetani, F., see Tonacchera, M.
Cézanne, V., see Hassel, I.
Chaddock, J. A., Monzingo, A. F., Robertus, J. D., Lord, J. M., Roberts, L. M.: Major structural differences between pokeweed antiviral protein and ricin A-chain do not account for their differing ribosome specificity 235: 159
Chaix, J.-C., see Carreira, S.
Chajry, N., Martin, P.-M., Cochet, C., Berthois, Y.: Regulation of p42 mitogen-activated-protein kinase activity by protein phosphatase 2A under conditions of growth inhibition by epidermal growth factor in A431 cells 235: 97
Chakrabarti, A., Basak, S.: Structural alterations of horseradish peroxidase in the presence of low concentrations of guanidinium chloride 241: 462
Chakraborty, A. K., Platt, J. T., Kim, K. K., Kwon, B. S., Bennett, D. C., Pawelek, J. M.: Polymerization of 5,6-dihydroxyindole-2-carboxylic acid to melanin by the pmel 17/silver locus protein 236: 180
Chakraborty, T., see Menzl, K.
Chambaz, J., see Benetollo, C.
Chambers, T. C., see Cloud-Heflin, B. A.
Champeil, P., see de Foresta, B.
Chan, K.-F. J., see Lok, C. N.
Chang, D. G., see Mendiaz, E. A.
Chang, H.-Y., Peng, H.-L., Chao, Y. C., Duggleby, R. G.: The importance of conserved residues in human liver UDPglucose pyrophosphorylase 236: 723
Chang, H.-Y., see Duggleby, R. G.
Chang, L., see Sunde, M.
Chao, Y. C., see Chang, H.-Y.
Chao, Y. C., see Duggleby, R. G.
Chapman, J., see Pyne, S.
Chapman, M. J., see Dentan, C.
Chapman, S. K., see Munro, A. W.
Charalambidis, N. D., Foukas, L. C., Marmaras, V. J.: Covalent association of lipopolysaccharide at the hemocyte surface of insects is an initial step for its internalization – Protein-tyrosine phosphorylation requirement 236: 200
Charlet, M., Lagueux, M., Reichhart, J.-M., Hoffmann, D., Braun, A., Meister, M.: Cloning of the gene encoding the antibacterial peptide drosocin involved in *Drosophila* immunity – Expression studies during the immune response 241: 699
Charrasse, S., see Daujat, M.
Chassaing, G., see Berlose, J.-P.
Chassaing, G., see Girault, S.
Chatani, Y., see Nagamine, K.
Chatelain, F., Kohl, C., Esser, V., McGarry, J. D., Girard, J., Pegorier, J.-P.: Cyclic AMP and fatty acids increase carnitine palmitoyltransferase I gene transcription in cultured fetal rat hepatocytes 235: 789
Chattopadhyay, S., see Das, B.
Chauffert, B., see Garrido, C.
Chauvin, C., Brilloit-Petit, C., Argaud, D., Catelloni, F., Velours, J., Leverve, X. M.: The inhibition of phospho*enol*pyruvate carboxykinase following *in vivo* chronic phenobarbital treatment in the rat is due to a post-translational event 238: 207
Chavanieu, A., see Aumelas, A.
Chédeville, A., see Lavoinne, A.
Chen, F., see Corti, A.
Chen, H.-C., Guan, J.-L.: The association of focal adhesion kinase with a 200-kDa protein that is tyrosine phosphorylated in response to platelet-derived growth factor 235: 495
Chen, J.-H., Webb, T. J., Powls, R., Rees, H. H.: Purification and characterisation of haemolymph 3-dehydroecdysone 3β-reductase in relation to ecdysteroid biosynthesis in the cotton leafworm *Spodoptera littoralis* 242: 394
Chen, J.-K., see Lin, S.-H.
Chen, J.-L., see Li, J.-L.
Chen, M. X., see Johnson, D. F.
Chen, Y. H., see Johnson, D. F.
Chen, Y.-L., see Lin, S.-H.
Chernyak, B. V., Bernardi, P.: The mitochondrial permeability transition pore is modulated by oxidative agents through both pyridine nucleotides and glutathione at two separate sites 238: 623
Chevallier, J., see Pinson, B.
Chevrier, B., D'Orchymont, H., Schalk, C., Tarnus, C., Moras, D.: The structure of the *Aeromonas proteolytica* aminopeptidase complexed with a hydroxamate inhibitor – Involvement in catalysis of Glu151 and two zinc ions of the co-catalytic unit 237: 393
Chiancone, E., see Consalvi, V.
Chiaraluce, R., see Consalvi, V.
Chiaramonte, S., see Giacometti, G. M.
Chiba, A., see Nishikawa, F.
Chiba, K.-i., see Hashida, R.
Chiche, L., see Aumelas, A.
Chin, W. W., see Zhao, D.
Ching, Y. P., Davies, S. P., Hardie, D. G.: Analysis of the specificity of the AMP-activated protein kinase by site-directed mutagenesis of bacterially expressed 3-hydroxy 3-methylglutaryl-CoA reductase, using a single primer variant of the unique-site-elimination method 237: 800
Chinzei, Y., see Yuda, M.
Cho, Y., see Harwig, S. S. L.
Cho-Chung, Y. S., see Nesterova, M.
Choi, B.-S., see Hwang, G.-S.
Choi, C. Y., Park, G. T., Rho, H. M.: A positive regulatory sequence of hepatitis B viral small X promoter 239: 579
Choi, C.-Y., see Kim, D.-M.
Chottard, G., see Gaspard, S.
Chovnick, A., see Doyle, W. A.
Chow, L.-P., see Iwadate, H.
Chow, L.-P., see Lin, S.-H.
Chow, S. C., see Tinton, S. A.
Chowdhury, S., Gotoh, T., Mori, M., Takiguchi, M.: CCAAT/enhancer-binding protein β (C/EBPβ) binds and activates while hepatocyte nuclear factor-4 (HNF-4) does not bind but represses the liver-type arginase promoter 236: 500
Christen, P., see Feifel, B.
Christen, P., see Kasper, P.
Christen, P., see Marković-Housley, Z.
Christensen, T., see Vinther, A.
Christiansen, D., see Milland, J.
Chu, M.-L., see Grässel, S.
Chu, M.-L., see Kohfeldt, E.
Chu, M.-L., see Sasaki, T.
Chung, I. K., see Kim, J.
Chung, J. S., Webster, S. G.: Does the N-terminal pyroglutamate residue have any physiological significance for crab hyperglycemic neuropeptides? 240: 358
Churchich, J. E., see Moreno, F.
Chuzel, F., Clark, A. M., Avallet, O., Saez, J. M.: Transcriptional regulation of the lutropin/human choriogonadotropin receptor and three enzymes of steroidogenesis by growth factors in cultured pig Leydig cells 239: 8
Cibelli, G., Jüngling, S., Schoch, S., Gerdes, H.-H., Thiel, G.: Identification of a functional cAMP response element in the secretogranin II gene 236: 171
Cibelli, G., Schoch, S., Pajunk, H., Brand, I. A., Thiel, G.: A (G+C)-rich motif in the aldolase C promoter functions as a constitutive transcriptional enhancer element 237: 311
Cierniewski, C. S., see Watała, C.
Cifone, M. G., see Toniato, E.
Cilenti, L., see Toniato, E.
Citarella, F., Ravon, D. M., Pascucci, B., Felici, A., Fantoni, A., Hack, C. E.: Structure/function analysis of human factor XII using recombinant deletion mutants – Evidence for an additional region involved in the binding to negatively charged surfaces 238: 240
Citores, L., see Méndez, E.
Ciurli, S., Cremonini, M. A., Kofod, P., Luchinat, C.: ^1H NMR of high-potential iron-sulfur protein from the purple non-sulfur bacterium *Rhodoferax fermentans* 236: 405
Ciurli, S., see Benini, S.
Claisse, D., see El Btaouri, H.
Clari, G., see Brunati, A. M.
Clark, A. M., see Chuzel, F.
Clark, I. D., see Pauls, T. L.
Clarke, A. E., see Ishimizu, T.
Claros, M. G., Vincens, P.: Computational method to predict mitochondrially imported proteins and their targeting sequences 241: 779

Clément-Métral, J. D., see Pille, S.
Clifton, I. J., see Roach, P. L.
Climent, I., see Larsson, Å.
Cloud-Heflin, B. A., McMasters, R. A., Osborn, M. T., Chambers, T. C.: Expression, subcellular distribution and response to phorbol esters of protein kinase C (PKC) isozymes in drug-sensitive and multidrug-resistant KB cells – Evidence for altered regulation of PKC-α 239: 796
Cmiel, E., see Storch, K.-F.
Cocco, T., see Papa, S.
Cochet, C., see Chajry, N.
Cocucci, S., see Sacchi, G. A.
Codogno, P., see Ghidoni, R.
Coetzer, T. H. T., see Troeberg, L.
Coggins, J. R., see Munro, A. W.
Cohen, H., Trus, M., Benvenisty, N., Reshef, L.: Identification of differentially expressed genes during hepatocytes development and characterization of their prenatal hormonal induction 242: 550
Cohen, H., see Prigent-Tessier, A.
Cohen, P. T. W., see Gailly, P.
Cohen, P. T. W., see Johnson, D. F.
Cohen, P., see Gailly, P.
Cohen, P., see Gordon, R. D.
Cohen, P., see Johnson, D. F.
Cohen, P., see Meier, R.
Cohen-Addad, C., see Macherel, D.
Coletta, M., Angeletti, M., De Sanctis, G., Cerroni, L., Giardina, B., Amiconi, G., Ascenzi, P.: Kinetic evidence for the existence of a rate-limiting step in the reaction of ferric hemoproteins with anionic ligands 235: 49
Coll, M., see Vega, M. C.
Collard-Dutilleul, V., see Faucheu, C.
Collawn, J. F., see Buchegger, F.
Collen, D., see Lijnen, H. R.
Collombel, C., see Min, K.-L.
Colman, R. F., see Puri, R. N.
Colman, R. W., see Puri, R. N.
Colnaghi, M. I., see Parente, D.
Colnaghi, R., Pagani, S., Kennedy, C., Drummond, M.: Cloning, sequence analysis and overexpression of the rhodanese gene of *Azotobacter vinelandii* 236: 240
Colnot, S., see Lambert, M.
Colombo, L., see Argenton, F.
Colyer, J., see Quirk, P. G.
Combet, J., see Fouque, D.
Consalvi, V., Chiaraluce, R., Millevoi, S., Pasquo, A., Vecchini, P., Chiancone, E., Scandurra, R.: Refolding pathway and association intermediates of glutamate dehydrogenase from the hyperthermophile *Pyrococcus furiosus* 239: 679
Content, J., see Kalai, M.
Contestabile, R., John, R. A.: The mechanism of high-yielding chiral syntheses catalysed by wild-type and mutant forms of aspartate aminotransferase 240: 150
Convert, O., see Berlose, J.-P.
Cooper, R. A., see Cairns, S. S.
Cooperman, B. S., see Heikinheimo, P.
Coque, J. J. R., de la Fuente, J. L., Liras, P., Martín, J. F.: Overexpression of the *Nocardia lactamdurans* α-aminoadipyl-cysteinyl-valine synthetase in *Streptomyces lividans* – The purified multienzyme uses cystathionine and 6-oxopiperidine 2-carboxylate as substrates for synthesis of the tripeptide 242: 264
Corazza, A., Harvey, I., Sadler, P. J.: $^{1}H,^{13}C$-NMR and X-ray absorption studies of copper(I) glutathione complexes 236: 697
Corcos, L., see Le Jossic, C.
Corda, D., see Falasca, M.
Corfù, N. A., see Sigel, H.
Cormier, P., see Minella, O.
Cornet, B., see Landon, C.
Cornish, A., see Cairns, S. S.
Cornudella, L., see Ruiz-Lara, S. A.
Corrado, M. E., Aliverti, A., Zanetti, G., Mayhew, S. G.: Analysis of the oxidation-reduction potentials of recombinant ferredoxin-$NADP^+$ reductase from spinach chloroplasts 239: 662
Corrales, S., see Moreno, F.
Cortay, J.-C., see Rittinger, K.
Corti, A., Longhi, R., Gasparri, A., Chen, F., Pelagi, M., Siccardi, A. G.: Antigenic regions of human chromogranin A and their topographic relationships with structural/functional domains 235: 275
Costa, M., Medcalf, R. L.: Differential binding of cAMP-responsive-element(CRE)-binding protein-1 and activating transcription factor-2 to a CRE-like element in the human tissue-type plasminogen activator (t-PA) gene promoter correlates with opposite regulation of t-PA by phorbol ester in HT-1080 and HeLa cells 237: 532
Costagliola, S., see Tonacchera, M.
Costanzo, C., see Faggioli, L.
Cotterill, S., see Thömmes, P.
Cotton, N. P. J., see Diggle, C.
Coughlan, S. J., Hastings, C., Winfrey, R. J. Jr: Molecular characterisation of plant endoplasmic reticulum – Identification of protein disulfide-isomerase as the major reticuloplasmin 235: 215
Coulton, G., see Maréchal, G.
Couraud, P.-O., see Federici, C.
Courrent, A., see Rondot, I.
Courtneidge, S. A., see Weijland, A.
Couture, C., see Tailor, P.
Couture, L., Remy, J.-J., Rabesona, H., Troalen, F., Pajot-Augy, E., Bozon, V., Haertle, T., Bidart, J.-M., Salesse, R.: A defined epitope on the human choriogonadotropin α-subunit interacts with the second extracellular loop of the transmembrane domain of the lutropin/choriogonadotropin receptor 241: 627
Couture, M., Guertin, M.: Purification and spectroscopic characterization of a recombinant chloroplastic hemoglobin from the green unicellular alga *Chlamydomonas eugametos* 242: 779
Couture, M. M. J., see Bertini, I.
Cox, H. M., see Otto, W. R.
Cox, J. A., see Durussel, I.
Cox, J. A., see Pauls, T. L.
Cox, R. C., see Simons, J.-W. F. A.
Cozzone, A. J., see Rittinger, K.
Cozzone, P. J., see Lutz, N. W.
Cramer, F., see Freist, W.
Crankson, H. D., see Kendall, G.
Crauwels, M., see de Winde, J. H.
Creaney, A., see Gordon, R. D.
Cremonini, M. A., see Ciurli, S.
Crest, M., see Kharrat, R.
Cresteil, T., see Vieira, I.
Critchley, D. R., see Moiseeva, E. P.
Croce, R., see Giuffra, E.
Croes, K., Casteels, M., de Hoffmann, E., Mannaerts, G. P., Van Veldhoven, P. P.: α-Oxidation of 3-methyl-substituted fatty acids in rat liver – Production of formic acid instead of CO_2, cofactor requirements, subcellular localization and formation of a 2-hydroxy-3-methylacyl-CoA intermediate 240: 674
Crompton, M., see Tanveer, A.
Crumley, G., see Hjälm, G.
Cuenda, A., see Meier, R.
Cugini, D., see Giuffra, E.
Culhane, A. C., see Hale, A. J.
Cullingford, T. E., see Dolphin, C. T.
Cumme, G. A., see Armesto, J.
Cuneo, P., see Magri, E.
Curmi, P. M. G., see Zachara, N. E.
Curti, B., see Vanoni, M. A.
Curtius, H.-C., see Köster, S.
Cusanovich, M. A., see Samyn, B.
Cuzzocrea, G., see Valentini, G.
Czech, W., see Norgauer, J.

Da Prada, M., see Cesura, A. M.
Dachary-Prigent, J., see Pasquet, J.-M.
Daff, S., see Munro, A. W.
Daffé, M., see Lanéelle, M.-A.
Dagher, M.-C., see Wölfl, J.
Dahlén, S.-E., see Strömberg, F.
Dahmani, B., see Krebs, D.
Daignan-Fornier, B., see Gallert, K.-C.
D'Alagni, M., Delfini, M., Di Nola, A., Eisenberg, M., Paci, M., Roda, L. G., Veglia, G.: Conformational study of [Met5]enkephalin-Arg-Phe in the presence of phosphatidylserine vesicles 240: 540
d'Albis, A., see Bacou, F.
d'Albis, A., see Nozais, M.
Dallai, R., see Rosetto, M.
Dallari, D., see Battistuzzi, G.
Dallocchio, F., see Hanau, S.
Dalton, H., see Kazlauskaite, J.
Damante, G., see Esposito, G.
Damhof, R. A., see Lasonder, E.
Dammann, H., Hellstern, S., Husain, Q., Mutzel, R.: Primary structure, expression and developmental regulation of a *Dictyostelium* calcineurin A homologue 238: 391
Dams, T., Ostendorp, R., Ott, M., Rutkat, K., Jaenicke, R.: Tetrameric and octameric lactate dehydrogenase from the hyperthermophilic bacterium *Thermotoga maritima* – Structure and stability of the two active forms 240: 274
Danchin, A., see Bouhss, A.
Daneshrad, Z., see Kuznetsov, A. V.
Danger, J.-M. H. A., see Braks, J. A. M.
Daniele, J. J., Maggio, B., Bianco, I. D., Goñi, F. M., Alonso, A., Fidelio, G. D.: Inhibition by gangliosides of *Bacillus cereus* phospholipase C activity against monolayers, micelles and bilayer vesicles 239: 105
Daniels, L., see Klein, A. R.
Daniotti, J. L., see Antonelli, M.
Danjoh, I., Fujiyama, A.: Enzymic characterization of fission yeast farnesyl transferase – Recognition of the -CAAL motif at the C-terminus 236: 847
Danpure, C. J., see Oatey, P. B.
Dansette, P., see Jean, P.
Darbon, H., see Kharrat, R.
Darchen, F., see Johannes, L.

Darimont, B., see Sticht, H.
Das, A. T., Salvadó, J., Boon, L., Biharie, G., Moorman, A. F. M., Lamers, W. H.: Regulation of glutamate dehydrogenase expression in the developing rat liver – Control at different levels in the prenatal period 235: 677
Das, B., Chattopadhyay, S., Bera, A. K., DasGupta, C.: *In vitro* protein folding by ribosomes from *Escherichia coli*, wheat germ and rat liver – The role of the 50S particle and its 23S rRNA 235: 613
DasGupta, C., see Das, B.
Daujat, M., Charrasse, S., Fabre, I., Lesca, P., Jounaïdi, Y., Larroque, C., Poellinger, L., Maurel, P.: Induction of *CYP1A1* gene by benzimidazole derivatives during Caco-2 cell differentiation – Evidence for an arylhydrocarbon receptor-mediated mechanism 237: 642
Dauter, Z., see Harutyunyan, E. H.
David, L., see Naud, I.
Davidson, G. S., see Wilson, S. B.
Davies, S. P., see Ching, Y. P.
Davis, H., see Hjälm, G.
Day, D. A., see Howitt, C. A.
de Araujo, P. S., see Stambuk, B. U.
de Beer, T., Inui, A., Tsuda, H., Sugahara, K., Vliegenthart, J. F. G.: Polydispersity in sulfation profile of oligosaccharide alditols isolated from the protein-linkage region and the repeating disaccharide region of chondroitin 4-sulfate of bovine nasal septal cartilage 240: 789
De Beer, T., Van Zuylen, C. W. E. M., Leeflang, B. R., Hård, K., Boelens, R., Kaptein, R., Kamerling, J. P., Vliegenthart, J. F. G.: NMR studies of the free α subunit of human chorionic gonadotropin – Structural influences of N-glycosylation and the β subunit on the conformation of the α subunit 241: 229
de Béthune, B., see Vanhooren, J. C. T.
De Biase, D., Agostinelli, E., De Matteis, G., Mondovì, B., Morpurgo, L.: Half-of-the-sites reactivity of bovine serum amine oxidase – Reactivity and chemical identity of the second site 237: 93
de Boer, A. P. N., van der Oost, J., Reijnders, W. N. M., Westerhoff, H. V., Stouthamer, A. H., van Spanning, R. J. M.: Mutational analysis of the *nor* gene cluster which encodes nitric-oxide reductase from *Paracoccus denitrificans* 242: 592
De Bondt, H. L., see Borovsky, D.
De Carolis, E., Denis, D., Riendeau, D.: Oxidative inactivation of human 5-lipoxygenase in phosphatidylcholine vesicles 235: 416
De Corte, V., Gettemans, J., Waelkens, E., Vandekerckhove, J.: *In vivo* phosphorylation of actin in *Physarum polycephalum* – Study of the substrate specificity of the actin-fragmin kinase 241: 901
de Fátima Horta, M., Fu, K.-C., Koizumi, H., Young, J. D.-E., Liu, C.-C.: Cell-free conversion of a ubiquitous nuclear protein into a killer-cell-specific form that binds to the NF-P enhancer element of the mouse perforin gene 238: 639
de Foresta, B., Legros, N., Plusquellec, D., le Maire, M., Champeil, P.: Brominated detergents as tools to study protein–detergent interactions 241: 343
de Gómez-Puyou, M. T., see Garza-Ramos, G.
De Gregori, B., see Iametti, S.
De Gregorio, A., see Valentini, G.
de Hoffmann, E., see Croes, K.
de Jong, G. A. H., see Steinebach, V.
de Kruijff, B., see Demel, R. A.
De Kruijff, B., see Van Raalte, A. L. J.
de la Cruz, F., see Soloaga, A.
de la Fuente, J. L., see Coque, J. J. R.
De Loof, A., see Borovsky, D.
De Luca, E., see Amoresano, A.
De Matteis, G., see De Biase, D.
de Melker, A. A., Sonnenberg, A.: The role of the cytoplasmic domain of α6 integrin in the assembly and function of $\alpha 6\beta 1$ and $\alpha 6\beta 4$ 241: 254
de Montigny, C., Sygusch, J.: Functional characterization of an extreme thermophilic class II fructose-1,6-bisphosphate aldolase 241: 243
De Neef, P., see Gourlet, P.
de Neef, R.-S., Hardy-Dessources, M.-D., Giraud, F.: Relationship between type II phosphatidylinositol 4-kinase activity and protein tyrosine phosphorylation in membranes from normal and sickle red cells 235: 549
De Pont, J. J. H. H. M., see Hermans, S. W. G.
De Rosa, M., see Cacciapuoti, G.
De Sanctis, G., see Coletta, M.
De Santis, A., see Parente, D.
De Smet, L., see Samyn, B.
de Vries, S., see Steinebach, V.
de Vries, S., see Steinebach, V.
de Vries, S., see Stoorvogel, J.
de Winde, J. H., Crauwels, M., Hohmann, S., Thevelein, J. M., Winderickx, J.: Differential requirement of the yeast sugar kinases for sugar sensing in establishing the catabolite-repressed state 241: 633
Dear, A. E., Shen, Y., Rüegg, M., Medcalf, R. L.: Molecular mechanisms governing tumor-necrosis-factor-mediated regulation of plasminogen-activator inhibitor type-2 gene expression 241: 93
Decaux, J.-F., see Parsa, R.
Decker, H., see Eisen, C.
Decottignies, P., see Lemaire, M.
Degrace, P., see Poirier, H.
Degryse, E., see Dumas, B.
Dehning, I., see Hampe, W.
Dejardin, E., see Bonizzi, G.
Dejgaard, K., Leffers, H.: Characterisation of the nucleic-acid-binding activity of KH domains – Different properties of different domains 241: 425
Dekker, N., see Simons, J.-W. F. A.
Delachambre, J., see Braquart, C.
Delachambre, J., see Rondot, I.
Delamarche, C., see Le Cahérec, F.
Delattre, J., see Meunier-Durmort, C.
Delaunay, F., Liden, J., Gustafsson, J.-A., Okret, S.: Glucocorticoid receptor lacking the τ1 transactivation domain is a gene-specific regulator of the wild-type glucocorticoid-receptor activity 242: 839
Delaval, E., see Freund, N.
Delepierre, M., see Selisko, B.
Delfini, M., see D'Alagni, M.
Dell, A., see Taguchi, T.
Delplace, F., see Plancke, Y.
DeMartino, G. N., see Kania, M. A.
DeMartino, G. N., see Tsurumi, C.
Dème, D., see Gorin, Y.
Demel, R. A., Peelen, T., Siezen, R. J., de Kruijff, B., Kuipers, O. P.: Nisin Z, mutant nisin Z and lacticin 481 interactions with anionic lipids correlate with antimicrobial activity – A monolayer study 235: 267
Demel, R. A., see Van Raalte, A. L. J.
Demmano, G., Selegny, E., Vincent, J.-C.: Experimental procedure for a hydrogen peroxide assay based on the peroxidase-oxidase reaction 238: 785
Demoor, L., Boutillon, C., Fievet, C., Vanloo, B., Baert, J., Rosseneu, M., Fruchart, J.-C., Tartar, A.: Branched synthetic constructs that mimic the physico-chemical properties of apolipoprotein AI in reconstituted high-density lipoproteins 239: 74
Denèfle, P., see Benetollo, C.
Denis, D., see De Carolis, E.
Dennis, E. A., see Balsinde, J.
Dent, C. L., Gewert, D. R.: A regulatory domain within the virus-response element of the interferon α1 gene acts as a transcriptional repressor sequence and determinant of cell-specific gene expression 236: 895
Dentan, C., Lesnik, P., Chapman, M. J., Ninio, E.: Phagocytic activation induces formation of platelet-activating factor in human monocyte-derived macrophages and in macrophage-derived foam cells – Relevance to the inflammatory reaction in atherogenesis 236: 48
Dernedde, J., Eitinger, T., Patenge, N., Friedrich, B.: *hyp* gene products in *Alcaligenes eutrophus* are part of a hydrogenase-maturation system 235: 351
Derossi, D., see Berlose, J.-P.
Derst, C., see Lubkowski, J.
Deschamps, S., see Le Cahérec, F.
Despaux, E., see Aumelas, A.
Desseaux, V., see Alkazaz, M.
Deutzmann, F., see Hanisch, F.-G.
Devaux, C., Fourquet, P., Granier, C.: A conserved sequence region of scorpion toxins rendered immunogenic induces broadly cross-reactive, neutralizing antibodies 242: 727
Devin, A., see Rigoulet, M.
Dezier, J.-F., see Le Jossic, C.
Di Lauro, R., see Esposito, G.
Di Marco, S., see Malissard, M.
Di Martino, C., see Atlante, A.
Di Nola, A., see D'Alagni, M.
Di Salvo, C., see Valentini, G.
Dideberg, O., see Nguyen, V. T.
Dierks, T., see Klappa, P.
Dietrich, U., see Markert, R. L. M.
Dietz, H., see Vaupel, M.
Dieuaide-Noubhani, M., Novikov, D., Baumgart, E., Vanhooren, J. C. T., Fransen, M., Goethals, M., Vandekerckhove, J., Van Veldhoven, P. P., Mannaerts, G. P.: Further characterization of the peroxisomal 3-hydroxyacyl-CoA dehydrogenases from rat liver – Relationship between the different dehydrogenases and evidence that fatty acids and the C_{27} bile acids di- and trihydroxycoprostanic acids are metabolized by separate multifunctional proteins 240: 660

Diggle, C., Bizouarn, T., Cotton, N. P. J., Jackson, J. B.: Properties of the purified, recombinant, NADP(H)-binding domain III of the proton-translocating nicotinamide nucleotide transhydrogenase from *Rhodospirillum rubrum* 241: 162
Diggle, C., see Bizouarn, T.
Dijkshoorn, L., see Vinogradov, E. V.
Dimon, B., see Zorin, N. A.
Dimroth, P., see Schmid, M.
Dingermann, T., see Geier, A.
Diot, C., see Le Fur, N.
Diot, C., see Le Jossic, C.
Dirks, R. P. H., Kraft, H. J., Van Genesen, S. T., Klok, E. J., Pfundt, R., Schoenmakers, J. G. G., Lubsen, N. H.: The cooperation between two silencers creates an enhancer element that controls both the lens-preferred and the differentiation stage-specific expression of the rat βB2-crystallin gene 239: 23
Dirr, H. W., see Sluis-Cremer, N. N.
Dirr, H., see Sluis-Cremer, N.
DiSpirito, A. A., see Zahn, J. A.
Diu-Hercend, A., see Faucheu, C.
Divita, G., see Rittinger, K.
Djordjevic, J. T., Bieri, S., Smith, R., Kroon, P. A.: A deletion in the first cysteine-rich repeat of the low-density-lipoprotein receptor leads to the formation of multiple misfolded isomers 239: 214
Do, Q.-T., see Saudek, V.
Döbereiner, A., Schmid, A., Ludwig, A., Goebel, W., Benz, R.: The effects of calcium and other polyvalent cations on channel formation by *Escherichia coli* α-hemolysin in red blood cells and lipid bilayer membranes 240: 454
Döbereiner, A., see Weller, U.
Doeland, C. C. M., see van den Hooven, H. W.
Dörnemann, D., see Stolz, M.
Doi, M., see Morino, S.
Dolinar, M., see Kopitar, G.
Dolly, J. O., see Lawrence, G. W.
Dolmer, K., see Iwaki, D.
Dolphin, C. T., Cullingford, T. E., Shephard, E. A., Smith, R. L., Phillips, I. R.: Differential developmental and tissue-specific regulation of expression of the genes encoding three members of the flavin-containing monooxygenase family of man, FMO1, FMO3 and FMO4 235: 683
Domenech, C. E., Giordano, W., Ávalos, J., Cerdá-Olmedo, E.: Separate compartments for the production of sterols, carotenoids and gibberellins in *Gibberella fujikuroi* 239: 720
Donaire, A., see Bertini, I.
Donath, M.-J. S. H., Lenting, P. J., van Mourik, J. A., Mertens, K.: Kinetics of factor VIII light-chain cleavage by thrombin and factor Xa – A regulatory role of the factor VIII heavy-chain region Lys713–Arg740 240: 365
Donella-Deana, A., James, P., Staudenmann, W., Cesaro, L., Marin, O., Brunati, A. M., Ruzzene, M., Pinna, L. A.: Isolation from spleen of a 57-kDa protein substrate of the tyrosine kinase Lyn – Identification as a protein related to protein disulfide-isomerase and localisation of the phosphorylation sites 235: 18
Donella-Deana, A., see Agostinis, P.
Donella-Deana, A., see Brunati, A. M.
Dong, J.-M., Lim, L.: Selective up-regulation of α1-chimaerin mRNA in SK-N-SH neuroblastoma cells by K^+-induced depolarisation 236: 820
Donker, W., see Bijsterbosch, M. K.
Donner, P., see Krätzschmar, J.
Donohue, S. E., see Cable, E. E.
Doostzadeh, J., Urban, P., Pompon, D., Morfin, R.: Pregnenolone-7β-hydroxylating activities of yeast-expressed mouse cytochrome *P*450-1A1 and mouse-tissue microsomes 242: 641
D'Orchymont, H., see Chevrier, B.
Dosio, F., see Parente, D.
Douaire, M., see Le Fur, N.
Douce, R., see Macherel, D.
Douce, R., see Rolland, N.
Douglas, L., see Gordon, R. D.
Doutheau, A., see Min, K.-L.
Doyle, P. M., see Viles, J. H.
Doyle, W. A., Burke, J. F., Chovnick, A., Dutton, F. L., Whittle, J. R. S., Bray, R. C.: Properties of xanthine dehydrogenase variants from rosy mutant strains of *Drosophila melanogaster* and their relevance to the enzyme's structure and mechanism 239: 782
Drabble, W. T., see Tesfa-Selase, F.
Dräger, U. C., see Zhao, D.
Drago, G. A., see Quirk, P. G.
Drakenberg, T., see Harjunpää, V.
Drakenberg, T., see Wikström, M.
Dressendörfer, R., see Eisen, C.
Dreusch, A., Riester, J., Kroneck, P. M. H., Zumft, W. G.: Mutation of the conserved Cys165 outside of the Cu_A domain destabilizes nitrous oxide reductase but maintains its catalytic activity – Evidence for disulfide bridges and a putative protein disulfide isomerase gene 237: 447
Drews, G., see Porra, R. J.
Driever, E. T. M., see Panneman, H.
Droux, M., see Rolland, N.
Drucker, M., Happel, N., Robinson, D. G.: Localization and properties of kinases in clathrin-coated vesicles from zucchini hypocotyls 240: 570
Drummond, F., Sowden, J., Morrison, K., Edwards, Y. H.: The *caudal*-type homeobox protein Cdx-2 binds to the colon promoter of the carbonic anhydrase 1 gene 236: 670
Drummond, M., see Colnaghi, R.
Dubnova, E. B., see Baykov, A. A.
Dubois, H., see Benetollo, C.
Ducancel, F., see Bouhaouala-Zahar, B.
Ducret, A., Sidler, W., Wehrli, E., Frank, G., Zuber, H.: Isolation, characterization and electron microscopy analysis of a hemidiscoidal phycobilisome type from the cyanobacterium *Anabaena* sp. PCC 7120 236: 1010
Duester, G., see Foglio, M. H.
Dufresne, C., Mignotte, F., Guéride, M.: The presence of tandem repeats and the initiation of replication in rabbit mitochondrial DNA 235: 593
Duga, S., see Mortarino, M.
Dugelay, S., see Fouque, D.
Duggleby, R. G., Chao, Y. C., Huang, J. G., Peng, H.-L., Chang, H.-Y.: Sequence differences between human muscle and liver cDNAs for UDPglucose pyrophosphorylase and kinetic properties of the recombinant enzymes expressed in *Escherichia coli* 235: 173
Duggleby, R. G., see Chang, H.-Y.
Duine, J. A., see Steinebach, V.
Duine, J. A., see Steinebach, V.
Duine, J. A., see Stoorvogel, J.
Duk, M., Krotkiewski, H., Forest, E., Rodriguez Parkitna, J. M., Kochman, M., Lisowska, E.: Evidence for glycosylation of the juvenile-hormone-binding protein from *Galleria mellonella* hemolymph 242: 741
Dumas, B., Cauet, G., Lacour, T., Degryse, E., Laruelle, L., Ledoux, C., Spagnoli, R., Achstetter, T.: 11β-Hydroxylase activity in recombinant yeast mitochondria – *In vivo* conversion of 11-deoxycortisol to hydrocortisone 238: 495
Dumur, C. I., see Koritschoner, N. P.
Duñach, M., see Pitard, B.
Duñach, M., see Pitard, B.
Dunn, B. M., see Powell, D. J.
Dunn, I. S.: *In vitro* α-complementation of β-galactosidase on a bacteriophage surface 242: 720
Dupuy, C., see Gorin, Y.
Durussel, I., Pauls, T. L., Cox, J. A., Berchtold, M. W.: Chimeras of parvalbumin and oncomodulin involving exchange of the complete CD site show that the Ca^{2+}/Mg^{2+} specificity is an intrinsic property of the site 242: 256
Durussel, I., see Pauls, T. L.
Duschl, A., see Ezernieks, J.
Duszenko, M., see Wille, U.
Dutton, F. L., see Doyle, W. A.
Dveksler, G., see Kromer, B.
Dzieciątkowska, E., see Watała, C.

Ebbesen, P., see Haaning, J.
Ebel, C., see Mazauric, M.-H.
Eberhardt, S., Richter, G., Gimbel, W., Werner, T., Bacher, A.: Cloning, sequencing, mapping and hyperexpression of the *ribC* gene coding for riboflavin synthase of *Escherichia coli* 242: 712
Eberspaecher, U., see Krätzschmar, J.
Eck, M. J., see Weissenhorn, W.
Eckerskorn, C., see Auerswald, E. A.
Eckerskorn, C., see Ehring, B.
Edelman, A., see Benharouga, M.
Eder, B., see Pohlig, G.
Edwards, Y. H., see Drummond, F.
Egawa, M., see Kono-Sugita, E.
Eggena, P., see Akhundova, A.
Egle, C., see Zeidler, W.
Egorov, T. A., see Vladimirov, S. N.
Egrie, J. C., see Mendiaz, E. A.
Ehnholm, C., see Riento, K.
Ehring, B., Meyer, T. H., Eckerskorn, C., Lottspeich, F., Tampé, R.: Effects of major-histocompatibility-complex-encoded subunits on the peptidase and proteolytic activities of human 20S proteasomes – Cleavage of proteins and antigenic peptides 235: 404
Eigl, B., see Singh, B.
Einarsson, R., see Rydlander, L.

Eisen, C., Meyer, C., Dressendörfer, R., Strasburger, C., Decker, H., Wehling, M.: Biotin-labelled and photoactivatable aldosterone and progesterone derivatives as ligands for affinity chromatography, fluorescence immunoassays and photoaffinity labelling 237: 514
Eisenberg, M., see D'Alagni, M.
Eitinger, T., see Dernedde, J.
Ek, B., see Hjälm, G.
Ek, B., see Khoshnoodi, J.
Ek, B., see Murén, E.
Ek, P., see Trojanek, J.
El Ayeb, M., see Borchani, L.
El Ayeb, M., see Bouhaouala-Zahar, B.
El Ayeb, M., see Kharrat, R.
El Btaouri, H., Claisse, D., Bellon, G., Antonicelli, F., Haye, B.: *In vivo* modulation of annexins I, II and V expression by thyroxine and methylthiouracil 242: 506
El Hadri, K., Pairault, J., Fève, B.: Triiodothyronine regulates β3-adrenoceptor expression in 3T3-F442A differentiating adipocytes 239: 519
El Hage Chahine, J.-M., see Pakdaman, R.
El Khadir-Mounier, C., see Le Fur, N.
Eltis, L. D., see Bertini, I.
Elvin, C., see Wijffels, G.
Emori, Y., see Yasuoka, A.
Enari, M., Hug, H., Hayakawa, M., Ito, F., Nishimura, Y., Nagata, S.: Different apoptotic pathways mediated by Fas and the *tumor-necrosis-factor receptor* – *Cytosolic* phospholipase A_2 is not involved in Fas-mediated *apoptosis* 236: 533
Encinar, J. A., see Rodríguez-Crespo, I.
Endo, T., Fujiwara, T., Ikehara, Y., Kobata, A.: Comparative study of the sugar chains of alkaline phosphatases purified from rat liver and rat AH-130 hepatoma cells – Occurrence of fucosylated high-mannose-type and hybrid-type sugar chains 236: 579
Endo, T., see Iwata, N.
Endo, Y., see Yoshinari, S.
Engelhard, M., Finkler, S., Metz, G., Siebert, F.: Solid-state ^{13}C-NMR of [(3-^{13}C)Pro]bacteriorhodopsin and [(4-^{13}C)Pro]bacteriorhodopsin – Evidence for a flexible segment of the C-terminal tail 235: 526
Engelmann, B., see Hermans, S. W. G.
Engelmann, H., see Stelter, F.
Enger, A., see Ständker, L.
Engström, L., see Trojanek, J.
Ennion, S., see Gauvry, L.
Enríquez, J. A., Fernández-Silva, P., Pérez-Martos, A., López-Pérez, M. J., Montoya, J.: The synthesis of mRNA in isolated mitochondria can be maintained for several hours and is inhibited by high levels of ATP 237: 601
Ensor, E., see Kendall, G.
Eppink, M. H. M., see Seibold, B.
Erdmann, R., see Blobel, F.
Ermler, U., see Voss, R.-H.
Erni, B., see Huber, F.
Erraji, L., see André, C.
Erukulla, R. K., see Karasavvas, N.
Esmon, C. T., see Rezaie, A. R.
Esposito, G., Fogolari, F., Damante, G., Formisano, S., Tell, G., Leonardi, A., Di Lauro, R., Viglino, P.: Analysis of the solution structure of the homeodomain of rat thyroid transcription factor 1 by ^{1}H-NMR spectroscopy and restrained molecular mechanics 241: 101
Essen, L.-O., see Voss, R.-H.
Esser, V., see Chatelain, F.
Eto, S., see Ogawa, R.
Etzler, M., see Casset, F.
Evans, P. A., see Ubbink, M.
Evans, P. D., Jaseja, M., Jeeves, M., Hyde, E. I.: NMR studies of the *Escherichia coli* Trp repressor · *trpR*^{s} operator complex 242: 567
Evtushenko, O. A., see Baykov, A. A.
Ewart, K. V., see Verdier, J.-M.
Ezernieks, J., Schnarr, B., Metz, K., Duschl, A.: The human IgE germline promoter is regulated by interleukin-4, interleukin-13, interferon-α and interferon-γ via an interferon-γ-activated site and its flanking regions 240: 667
Fabre, I., see Daujat, M.
Färber, P. M., Becker, K., Müller, S., Schirmer, R. H., Franklin, R. M.: Molecular cloning and characterization of a putative glutathione reductase gene, the PfGR2 gene, from *Plasmodium falciparum* 239: 655
Fagerström, R., see Kristo, P.
Faggioli, L., Costanzo, C., Merola, M., Bianchini, E., Furia, A., Carsana, A., Palmieri, M.: Nuclear factor κB (NF-κB), nuclear factor interleukin-6 (NFIL-6 or C/EBPβ) and nuclear factor interleukin-6β (NFIL6-β or C/EBPδ) are not sufficient to activate the endogenous interleukin-6 gene in the human breast carcinoma cell line MCF-7 – Comparative analysis with MDA-MB-231 cells, an interleukin-6-expressing human breast carcinoma cell line 239: 624
Fahl, W. E., see Sluis-Cremer, N. N.
Fahrenholz, F., see Akhundova, A.
Fahrenholz, F., see Gimpl, G.
Fairand, A., see Lavoinne, A.
Fairlie, W. D., Stanton, P. G., Hearn, M. T. W.: Contribution of specific disulphide bonds to two epitopes of thyrotropin β-subunit associated with receptor recognition 240: 622
Faivre-Sarrailh, C., see Alvarez-Martinez, M.-T.
Falasca, M., Marino, M., Carvelli, A., Iurisci, C., Leoni, S., Corda, D.: Changes in the levels of glycerophosphoinositols during differentiation of hepatic and neuronal cells 241: 386
Faller, P., see Bogumil, R.
Fanen, P., see Benharouga, M.
Fant, F., see Vranken, W. F.
Fantini, J., see Lutz, N. W.
Fantoni, A., see Citarella, F.
Faotto, L., see Tedeschi, G.
Faro, C., see Veríssimo, P.
Farrés, J., see Martínez, M. C.
Fasold, H., see Hassel, I.
Faucheu, C., Blanchet, A.-M., Collard-Dutilleul, V., Lalanne, J.-L., Diu-Hercend, A.: Identification of a cysteine protease closely related to interleukin-1β-converting enzyme 236: 207
Faure, M., see Macherel, D.
Fautrel, A., see Le Jossic, C.
Fayard, J.-M., see Prigent-Tessier, A.
Fazakerley, G. V., see Gdaniec, Z.
Federici, C., Camoin, L., Hattab, M., Strosberg, A. D., Couraud, P.-O.: Association of the cytoplasmic domain of intercellular-adhesion molecule-1 with glyceraldehyde-3-phosphate dehydrogenase and β-tubulin 238: 173
Feeney, J., see Carr, M. D.
Feeney, J., see Gargaro, A. R.
Feeney, J., see Gerothanassis, I. P.
Feifel, B., Sandmeier, E., Schönfeld, H.-J., Christen, P.: *Priority Paper.* Potassium ions and the molecular-chaperone activity of DnaK 237: 318
Feijlbrief, M., see Lasonder, E.
Feil, C., Süssmuth, R., Jung, G., Poralla, K.: Site-directed mutagenesis of putative active-site residues in squalene-hopene cyclase 242: 51
Felici, A., see Citarella, F.
Felli, I. C., see Bertini, I.
Fendrich, G., see Pohlig, G.
Ferbus, D., Le Chalony, C., Prospéri, M.-T., Muleris, M., Vincent-Salomon, A., Goubin, G.: Identification, nuclear localization, and binding activities of OZF, a human protein solely composed of zinc-finger motifs 236: 991
Ferguson, M. A. J., see Brown, G. M.
Fermandjian, S., see Krebs, D.
Fermandjian, S., see Sourgen, F.
Fernández, M. R., see Martínez, M. C.
Fernández-Novell, J. M., Roca, A., Bellido, D., Vilaró, S., Guinovart, J. J.: Translocation and aggregation of hepatic glycogen synthase during the fasted-to-refed transition in rats 238: 570
Fernández-Silva, P., see Enríquez, J. A.
Ferraro, A., see Altieri, F.
Ferry, N., see Meunier-Durmort, C.
Fetzner, S., see Bauer, I.
Fetzner, S., see Stephan, I.
Feucht, H., see Borowski, P.
Fève, B., see El Hadri, K.
Fiallo, M., see Gallois, L.
Ficner, R., see Köster, S.
Fidelio, G. D., see Daniele, J. J.
Fiedler, U., see Mücke, U.
Fieschi, F., Nivière, V., Fontecave, M.: Cys5 and Cys214 of NAD(P)H:flavin oxidoreductase from *Escherichia coli* are located in the active site 237: 870
Fievet, C., see Demoor, L.
Finel, M., see Majander, A.
Finkenzeller, D., see Kromer, B.
Finkler, S., see Engelhard, M.
Finnie, N., see Grawunder, U.
Fiorucci, L., see Pallaoro, M.
Fischer, W., see Armesto, J.
Fisscher, U., Weisbeek, P., Smeekens, S.: A tobacco nuclear protein that preferentially binds to unmethylated CpG-rich DNA 235: 585
Fitzgerald, C., see Wijffels, G.
Flati, V., see Toniato, E.

Flatmark, T., see Knappskog, P. M.
Fleckenstein, B., Kalbacher, H., Muller, C. P., Stoll, D., Halder, T., Jung, G., Wiesmüller, K.-H.: New ligands binding to the human leukocyte antigen class II molecule DRB1* 0101 based on the activity pattern of an undecapeptide library 240: 71
Flecker, P., see Voss, R.-H.
Fletcher, M. C., Fox, K. R.: Dissociation kinetics of actinomycin D from individual GpC sites in DNA 237: 164
Fleury, C., see González-Barroso, M. M.
Flindt, S., see Kraiczy, P.
Flint, D. J., see Beattie, J.
Flockerzi, V., see Murakami, M.
Flohé, L., see Maiorino, M.
Florentin, E., Athias, A., Lagrost, L.: Modulation of the activity of the human cholesteryl ester transfer protein by carboxylated derivatives – Evidence for 13-*cis*-retinoic acid as a potent activator of the protein's activity in plasma 240: 699
Floss, B., see Nitschke, W.
Flury, A., see Koritschoner, N. P.
Flynn, A., Proud, C. G.: Insulin and phorbol ester stimulate initiation factor eIF-4E phosphorylation by distinct pathways in Chinese hamster ovary cells overexpressing the insulin receptor 236: 40
Fölsch, U. R., see Schäfer, H.
Foerster, J., Harteneck, C., Malkewitz, J., Schultz, G., Koesling, D.: A functional heme-binding site of soluble guanylyl cyclase requires intact N-termini of α_1 and β_1 subunits 240: 380
Foglio, M. H., Duester, G.: Characterization of the functional gene encoding mouse class III alcohol dehydrogenase (glutathione-dependent formaldehyde dehydrogenase) and an unexpressed processed pseudogene with an intact open reading frame 237: 496
Fogolari, F., see Esposito, G.
Folkers, G., see Behrends, H. W.
Folkers, P. J. M., see Rietman, B. H.
Folmer, R. H. A., see Rietman, B. H.
Fontecave, M., see Fieschi, F.
Foran, P., see Lawrence, G. W.
Ford-Hutchinson, A. W., see Scoggan, K. A.
Forest, C., see Meunier-Durmort, C.
Forest, E., see Alkazaz, M.
Forest, E., see Duk, M.
Forest, E., see Macherel, D.
Formisano, S., see Esposito, G.
Forsén, S., see Wikström, M.
Forssmann, W.-G., see Ständker, L.
Foucher, C., Lagrost, L., Maupoil, V., Le Meste, M., Rochette, L., Gambert, P.: Alterations of lipoprotein fluidity by non-esterified fatty acids known to affect cholesteryl ester transfer protein activity – An electron spin resonance study 236: 436
Foukas, L. C., see Charalambidis, N. D.
Fouque, D., Dugelay, S., Martin, G., Combet, J., Baverel, G.: Alanine metabolism in isolated human kidney tubules – Use of a mathematical model 236: 128
Fournier, M., see Nevinsky, G. A.
Fourquet, P., see Devaux, C.
Fox, K. R., see Fletcher, M. C.
Fraaije, M. W., Roubroeks, H. P., Hagen, W. R., van Berkel, W. J. H.: Purification and characterization of an intracellular catalase-peroxidase from *Penicillium simplicissimum* 235: 192
Frangou-Lazaridis, M., see Vareli, K.
Frank, G., see Ducret, A.
Frank, G., see Hu, Q.
Frank, J., see Goossens, K.
Frank, R. W., see Hampe, W.
Frank, R. W., see Willbold, D.
Franken, P. A., see Mounier, C.
Franklin, R. M., see Färber, P. M.
Fransen, M., see Dieuaide-Noubhani, M.
Fransen, M., see Vanhooren, J. C. T.
Franzén, L.-G., see Atteia, A.
Frati, L., see Toniato, E.
Frébort, I., Tamaki, H., Ishida, H., Peč, P., Luhová, L., Tsuno, H., Halata, M., Asano, Y., Kato, Y., Matsushita, K., Toyama, H., Kumagai, O., Adachi, H.: Two distinct quinoprotein amine oxidases are induced by *n*-butylamine in the mycelia of *Aspergillus niger* AKU 3302 – Purification, characterization, cDNA cloning and sequencing 237: 255
Frederick, R. O., see Ramesh, V.
Fredlund, J. O., Oredsson, S. M.: Impairment of DNA replication within one cell cycle after seeding of cells in the presence of a polyamine-biosynthesis inhibitor 237: 539
Freedman, R. B., see Williamson, R. A.
Freemont, P. A., see Otto, W. R.
Freiburg, A., Gautel, M.: A molecular map of the interactions between titin and myosin-binding protein C – Implications for sarcomeric assembly in familial hypertrophic cardiomyopathy 235: 317
Freist, W., Sternbach, H., Cramer, F.: Phenylalanyl-tRNA synthetase from yeast and its discrimination of 19 amino acids in aminoacylation of $tRNA^{Phe}$-C-C-A and $tRNA^{Phe}$-C-C-A(3'NH_2) 240: 526
Frenkiel, T. A., see Carr, M. D.
Frenkiel, T. A., see Gargaro, A. R.
Frère, V., see Sourgen, F.
Freund, N., Prieur, B., Bismuth, J., Delaval, E.: Effect of hyperglycemia on the polyol pathway in rat kidney during the perinatal period 242: 86
Friebertshäuser, J., see Maser, E.
Friedhoff, P., Meiss, G., Kolmes, B., Pieper, U., Gimadutdinow, O., Pingoud, A.: Kinetic analysis of the cleavage of natural and synthetic substates by the *Serratia* nuclease 241: 572
Friedrich, B., see Dernedde, J.
Friedrich, P., see Sánchez, C.
Frisch, W., see Gatsios, P.
Frishman, D., Hentze, M. W.: Conservation of aconitase residues revealed by multiple sequence analysis – Implications for structure/function relationships 239: 197
Friso, G., see Giacometti, G. M.
Fritsch, J., see Benharouga, M.
Fritz, H., see Auerswald, E. A.
Frohm, M., Gunne, H., Bergman, A.-C., Agerberth, B., Bergman, T., Boman, A., Lidén, S., Jörnvall, H., Boman, H. G.: Biochemical and antibacterial analysis of human wound and blister fluid 237: 86
Frolova, L. Y., see Turpaev, K. T.
Froment, M.-T., see Masson, P.
Fromentin, A., see Garrido, C.
Fruchart, J.-C., see Demoor, L.
Fruchart, J.-C., see Saladin, R.
Fu, K.-C., see de Fátima Horta, M.
Fuchs, A., see Wölfl, J.
Fuchs, G., see Biegert, T.
Fuchs, R. P. P., see Milhé, C.
Fuchsbichler, S., see Bergler, H.
Fueri, C., see Carreira, S.
Fujimuro, M., see Tsurumi, C.
Fujino, T., see Iijima, H.
Fujiwara, T., see Endo, T.
Fujiyama, A., see Danjoh, I.
Fukami, Y., see Tokmakov, A. A.
Fukazawa, C., see Totsuka, A.
Fukuda, M. N., see Ogawa, R.
Fukuda, S., see Takakura-Yamamoto, R.
Fukui, T., see Gillet, S.
Fukui, Y., see Kabuyama, Y.
Fukuya, H., see Yoshida, N.
Furenlid, L., see Morante, S.
Furia, A., see Faggioli, L.
Fusco, S., see Cacciapuoti, G.
Futaki, S., see Niwa, Y.

Gabellini, N., Zatti, A., Rispoli, G., Navangione, A., Carafoli, E.: Expression of an active Na^+/Ca^{2+} exchanger isoform lacking the six C-terminal transmembrane segments 239: 897
Gache, C., see Lhomond, G.
Gad'on, N., see Porra, R. J.
Gärtner, W., Hill, C., Worm, K., Braslavsky, S. E., Schaffner, K.: Influence of expression system on chromophore binding and preservation of spectral properties in recombinant phytochrome A 236: 978
Gaggelli, E., see Valensin, G.
Gagnon, J., see Lemaître, C.
Gagnon, J., see Zorin, N. A.
Gaillard, J., Zhuang-Jackson, H., Moulis, J.-M.: Nuclear-magnetic-resonance determination of the electron self-exchange rate constant of *Clostridium pasteurianum* rubredoxin 238: 346
Gaillard, J., see Naud, I.
Gaillard, J., see Zorin, N. A.
Gailly, P., Wu, X., Haystead, T. A. J., Somlyo, A. P., Cohen, P. T. W., Cohen, P., Somlyo, A. V.: Regions of the 110-kDa regulatory subunit M_{110} required for regulation of myosin-light-chain-phosphatase activity in smooth muscle 239: 326
Galat, A.: A note on circular-dichroic-constrained prediction of protein secondary structure 236: 428
Galeotti, C., see Ambrosetti, D.-C.
Gallay, J., see Bouhss, A.
Gallert, K.-C., Ohanjan, T., Daignan-Fornier, B., Lottspeich, F., Krauss, G.: Enzymatic properties and inhibition by single-stranded autonomously replicating sequences of adenylosuccinate synthase from *Saccharomyces cerevisiae* 239: 487
Gallois, L., Fiallo, M., Laigle, A., Priebe, W., Garnier-Suillerot, A.: The overall partitioning of anthracyclines into phosphatidyl-containing model membranes depends neither on the drug charge nor the presence of anionic phospholipids 241: 879
Gambacurta, A., see Pallaoro, M.
Gambert, P., see Foucher, C.
Ganzhorn, A. J., see Saudek, V.

Gao, Y., see Quirk, P. G.
Gao, Y.-g., Priebe, W., Wang, A. H.-J.: Substitutions at C2′ of daunosamine in the anticancer drug daunorubicin alter its DNA-binding sequence specificity 240: 331
García, J. L., see Sanz, J. M.
García, P., see Sanz, J. M.
Garcia, C., see Selisko, B.
Garcia Blanco, F., see Moreno, F.
Gargaro, A. R., Frenkiel, T. A., Nieto, P. M., Birdsall, B., Polshakov, V. I., Morgan, W. D., Feeney, J.: NMR detection of arginine-ligand interactions in complexes of *Lactobacillus casei* dihydrofolate reductase 238: 435
Garnier-Suillerot, A., see Gallois, L.
Garrido, C., Mehlen, P., Fromentin, A., Hammann, A., Assem, M., Arrigo, A.-P., Chauffert, B.: Inconstant association between 27-kDa heat-shock protein (Hsp27) content and doxorubicin resistance in human colon cancer cells – The doxorubicin-protecting effect of Hsp27 237: 653
Garth, G. P., see Martinus, R. D.
Garza-Ramos, G., Pérez-Montfort, R., Rojo-Domínguez, A., de Gómez-Puyou, M. T., Gómez-Puyou, A.: Species-specific inhibition of homologous enzymes by modification of nonconserved amino acids residues – The cysteine residues of triosephosphate isomerase 241: 114
Gase, A., see Gase, K.
Gase, K., Gase, A., Schirmer, H., Malke, H.: Cloning, sequencing and functional overexpression of the *Streptococcus equisimilis* H46A *gapC* gene encoding a glyceraldehyde-3-phosphate dehydrogenase that also functions as a plasmin(ogen)-binding protein – Purification and biochemical characterization of the protein 239: 42
Gase, U., see Schultheiss, J.
Gaspard, S., Chottard, G., Mahy, J.-P., Mansuy, D.: Study of the coordination chemistry of prostaglandin G/H synthase by resonance Raman spectroscopy 238: 529
Gasparri, A., see Corti, A.
Gassen, H. G., see Mortarino, M.
Gast, P., Hemelrijk, P. W., van Gorkom, H. J., Hoff, A. J.: The association of different detergents with the photosynthetic reaction center protein of *Rhodobacter sphaeroides* R26 and the effects on its photochemistry 239: 805
Gaston, J., see André, C.
Gat, U., see Nekrasova, E.
Gatsios, P., Haubeck, H.-D., van de Leur, E., Frisch, W., Apte, S. S., Greiling, H., Heinrich, P. C., Graeve, L.: Oncostatin M differentially regulates tissue inhibitors of metalloproteinases TIMP-1 and TIMP-3 gene expression in human synovial lining cells 241: 56
Gautel, M., see Freiburg, A.
Gauvry, L., Ennion, S., Hansen, E., Butterworth, P., Goldspink, G.: The characterisation of the 5′ regulatory region of a temperature-induced myosin-heavy-chain gene associated with myotomal muscle growth in the carp 236: 887
Gavilanes, F., see Rodríguez-Crespo, I.
Gavurníková, G., Šabova, L., Kiššová, I., Haviernik, P., Kolarov, J.: Transcription of the *AAC1* gene encoding an isoform of mitochondrial ADP/ATP carrier in *Saccharomyces cerevisiae* is regulated by oxygen in a heme-independent manner 239: 759
Gawlik, D., see Maiorino, M.
Gazit, A., see Willbold, D.
Gdaniec, Z., Ban, B., Sowers, L. C., Fazakerley, G. V.: Methoxyamine-induced mutagenesis of nucleic acids – A proton NMR study of oligonucleotides containing N^4-methoxycytosine paired with adenine or guanine 242: 271
Gebinoga, M., Oehlenschläger, F.: Comparison of self-sustained sequence-replication reaction systems 235: 256
Gedamu, L., see Pati, D.
Gee, C. K., see Williamson, R. A.
Gehring, H., see Kasper, P.
Gehring, S., see Markert, R. L. M.
Geier, A., Horn, J., Dingermann, T., Winckler, T.: A nuclear protein factor binds specifically to the 3′-regulatory module of the long-interspersed-nuclear-element-like *Dictyostelium* repetitive element 241: 70
Geiszt, M., see Wölfl, J.
Gencic, S., see Kraiczy, P.
Genieser, H.-G., see Kroner, C.
Gerard, R. D., see Tucker, H. M.
Gerdes, H.-H., see Cibelli, G.
Gerke, R., see Ahnert, V.
Germer, M., see Ständker, L.
Gerothanassis, I. P., Barrie, P. J., Birdsall, B., Feeney, J.: ^{31}P solid-state NMR measurements used to detect interactions between NADPH and water and to determine the ionisation state of NADPH in a protein-ligand complex subjected to low-level hydration 235: 262
Gersonde, K., see Zhang, W.
Getmanova, E., see Akhundova, A.
Gettemans, J., see De Corte, V.
Gewert, D. R., see Dent, C. L.
Gey, C., see Armand, S.
Geyer, H., Jacobi, I., Linder, D., Stirm, S., Bialojan, S., Strube, K.-H., Geyer, R.: Glycosylation of recombinant ancrod from *Agkistrodon rhodostoma* after expression in mouse epithelial cells 237: 113
Geyer, M., see Raditsch, M.
Geyer, R., see Geyer, H.
Ghidoni, R., Houri, J.-J., Giuliani, A., Ogier-Denis, E., Parolari, E., Botti, S., Bauvy, C., Codogno, P.: The metabolism of sphingo(glyco)lipids is correlated with the differentiation-dependent autophagic pathway in HT-29 cells 237: 454
Ghiglione, C., see Lhomond, G.
Ghisla, S., see Köster, S.
Giacometti, G. M., Barbato, R., Chiaramonte, S., Friso, G., Rigoni, F.: Effects of ultraviolet-B radiation on photosystem II of the cyanobacterium *Synechocystis* sp. PCC 6083 242: 799
Giardina, B., see Coletta, M.
Giardina, P., Aurilia, V., Cannio, R., Marzullo, L., Amoresano, A., Siciliano, R., Pucci, P., Sannia, G.: The gene, protein and glycan structures of laccase from *Pleurotus ostreatus* 235: 508
Gibson, L. C. D., see Willows, R. D.
Giegé, R., see Mazauric, M.-H.
Gietz, C., see Raffetseder, U.
Giffard, C. J., see Martin, I.
Gigot, D., see Nguyen, V. T.
Gildemeister, O. S., see Cable, E. E.
Gilfoyle, D. J., Rodriguez-Lopez, J. N., Smith, A. T.: Probing the aromatic-donor-binding site of horseradish peroxidase using site-directed mutagenesis and the suicide substrate phenylhydrazine 236: 714
Gilles, A.-M., see Bouhss, A.
Gilles, C., Astier, J.-P., Marchis-Mouren, G., Cambillau, C., Payan, F.: Crystal structure of pig pancreatic α-amylase isoenzyme II, in complex with the carbohydrate inhibitor acarbose 238: 561
Gillet, S., Hoang, C. B. M., Schmitter, J.-M., Fukui, T., Blanquet, S., Hountondji, C.: Affinity labeling of *Escherichia coli* histidyl-tRNA synthetase with reactive ATP analogues – Identification of labeled amino acid residues by matrix assisted laser desorption-ionization mass spectrometry 241: 133
Gilliland, G. L., see Lubkowski, J.
Gimadutdinow, O., see Friedhoff, P.
Gimbel, W., see Eberhardt, S.
Giménez-Gallego, G., see Romero, A.
Gimpl, G., Anders, J., Thiele, C., Fahrenholz, F.: Photoaffinity labeling of the human brain cholecystokinin receptor overexpressed in insect cells – Solubilization, deglycosylation and purification 237: 768
Giordano, P. C., see Rosetto, M.
Giordano, W., see Domenech, C. E.
Giovannini, E., see Talesa, V.
Girard, J., see Chatelain, F.
Girard, J., see Parsa, R.
Girard, P.-M., see Bonnet-Mathonière, B.
Giraud, F., see de Neef, R.-S.
Giraudat, J., see Bertauche, N.
Girault, G., see Pitard, B.
Girault, S., Sagan, S., Bolbach, G., Lavielle, S., Chassaing, G.: The use of photolabelled peptides to localize the substance-P-binding site in the human neurokinin-1 tachykinin receptor 240: 215
Girbés, T., see Méndez, E.
Girbig, F., see Stengelin, S.
Giudici-Orticoni, M.-T., see Cavazza, C.
Giuffra, E., Cugini, D., Croce, R., Bassi, R.: Reconstitution and pigment-binding properties of recombinant CP29 238: 112
Giuliani, A., see Ghidoni, R.
Giuliano, M., Vento, R., Lauricella, M., Calvaruso, G., Carabillo', M., Tesoriere, G.: Role of insulin-like growth factors in autocrine growth of human retinoblastoma Y79 cells 236: 523
Glaise, D., see Le Jossic, C.
Glasemacher, J., see Bock, A.-K.
Glaser, E., see Sjöling, S.
Gliozzi, A., see Vilalta, I.
Gnau, V., see Völkel, H.
Goebel, W., see Döbereiner, A.
Göhring, W., see Kohfeldt, E.
Göringer, H. U., see Schmid, B.
Goethals, M., see Dieuaide-Noubhani, M.
Goetschy, J.-F., Letourneur, O., Cerletti, N., Horisberger, M. A.: The unglycosylated extracellular domain of type-II receptor for transforming growth factor-β – A novel assay for characterizing ligand affinity and specificity 241: 355

Götz, F., see Simons, J.-W. F. A.
Gold, M. H., see Joshi, D. K.
Goldberg, A. L., see Kania, M. A.
Goldberg, M. E., see Planchenault, T.
Goldman, A., see Heikinheimo, P.
Goldspink, G., see Gauvry, L.
Goldstein, I. J., see Van Damme, E. J. M.
Goldstein, J. L., see Jean, P.
Gómez-Foix, A. M., see Baqué, S.
Gómez-Gutiérrez, J., see Rodríguez-Crespo, I.
Gómez-Puyou, A., see Garza-Ramos, G.
Gondet, L., see Ullmann, P.
Goñi, F. M., see Daniele, J. J.
Goñi, F. M., see Soloaga, A.
Gonski, S., see Knecht, W.
González de la Peña, M. A., Monsalve, R. I., Batanero, E., Villalba, M., Rodríguez, R.: Expression in *Escherichia coli* of Sin a 1, the major allergen from mustard 237: 827
González-Barroso, M. M., Fleury, C., Arechaga, I., Zaragoza, P., Levi-Meyrueis, C., Raimbault, S., Ricquier, D., Bouillaud, F., Rial, E.: Activation of the uncoupling protein by fatty acids is modulated by mutations in the C-terminal region of the protein 239: 445
González-Ros, J. M., see Rodríguez-Crespo, I.
Goodlad, R. A., see Otto, W. R.
Goody, R., see Rittinger, K.
Gooley, A. A., see Zachara, N. E.
Goossens, K., Smeller, L., Frank, J., Heremans, K.: Pressure-tuning the conformation of bovine pancreatic trypsin inhibitor studied by Fourier-transform infrared spectroscopy 236: 254
Gorbulev, V., see Akhundova, A.
Gordon, P. B., see Holen, I.
Gordon, R. D., Leighton, I. A., Campbell, D. G., Cohen, P., Creaney, A., Wilton, D. C., Masters, D. J., Ritchie, G. A. F., Mott, R., Taylor, I. W. F., Bundell, K. R., Douglas, L., Morten, J., Needham, M.: Cloning and expression of cytosolic phospholipase A_2 ($cPLA_2$) and a naturally occurring variant – Phosphorylation of Ser505 of recombinant $cPLA_2$ by p42 mitogen-activated protein kinase results in an increase in specific activity 238: 690
Gore, M. G., see Krauss, O.
Gore, M. G., see Moreno, F.
Goretzki, L., see Magdolen, V.
Gorin, Y., Ohayon, R., Carvalho, D. P., Dème, D., Leseney, A.-M., Haye, B., Kaniewski, J., Pommier, J., Virion, A., Dupuy, C.: Solubilization and characterization of a thyroid Ca^{2+}-dependent and NADPH-dependent $K_3Fe(CN)_6$ reductase – Relationship with the NADPH-dependent H_2O_2-generating system 240: 807
Goris, J., see Agostinis, P.
Gorman, M., see Otto, W. R.
Gotoh, T., see Chowdhury, S.
Gotoh, Y., see Kawasaki, H.
Gottowik, J., see Cesura, A. M.
Gottschalk, G., see Lienard, T.
Goubin, G., see Ferbus, D.
Gough, J., see Wijffels, G.
Gough, S. L., see Viles, J. H.
Goumon, Y., Strub, J.-M., Moniatte, M., Nullans, G., Poteur, L., Hubert, P., Van Dorsselaer, A., Aunis, D., Metz-Boutigue, M.-H.: The C-terminal bisphosphorylated proenkephalin-A-(209–237)- peptide from adrenal medullary chromaffin granules possesses antibacterial activity 235: 516
Gouranton, J., see Le Cahérec, F.
Gourlet, P., Vilardaga, J.-P., De Neef, P., Vandermeers, A., Waelbroeck, M., Bollen, A., Robberecht, P.: Interaction of amino acid residues at positions 8–15 of secretin with the N-terminal domain of the secretin receptor 239: 349
Goytisolo, F. A., Packman, L. C., Thomas, J. O.: Photoaffinity labelling of a DNA-binding site on the globular domain of histone H5 242: 619
Graeff, H., see Magdolen, V.
Grässel, S., Timpl, R., Tan, E. M. L., Chu, M.-L.: Biosynthesis and processing of type XVI collagen in human fibroblasts and smooth muscle cells 242: 576
Graeve, L., see Gatsios, P.
Grand-Perret, T., see Benoist, F.
Granier, C., see Devaux, C.
Granier, C., see Molina, F.
Granner, D. K., see Parsa, R.
Grant, J. R., see Mendiaz, E. A.
Gras-Masse, H., see Vranken, W. F.
Grassy, G., see Aumelas, A.
Grawunder, U., Finnie, N., Jackson, S. P., Riwar, B., Jessberger, R.: Expression of DNA-dependent protein kinase holoenzyme upon induction of lymphocyte differentiation and V(D)J recombination 241: 931
Grazi, E., Magri, E., Schwienbacher, C., Trombetta, G.: A model relating protein osmotic pressure to the stiffness of the cross-bridge components and the contractile force of skeletal muscle 241: 25
Grazi, E., see Magri, E.
Greenblatt, H. M., see Maras, B.
Greiling, H., see Gatsios, P.
Gremer, L., Meyer, O.: Characterization of xanthine dehydrogenase from the anaerobic bacterium *Veillonella atypica* and identification of a molybdopterin-cytosine-dinucleotide-containing molybdenum cofactor 238: 862
Grieshaber, M. K., see Völkel, S.
Griesinger, C., see Markert, R. L. M.
Griffith, M., see Verdier, J.-M.
Grimber, G., see André, C.
Grimbergen, J., see Arts, J.
Grimm, R., see Valentini, G.
Gröbner, P., see Köhrer, C.
Grötzinger, J., see Kalai, M.
Grötzinger, J., see Raffetseder, U.
Grötzinger, T., Sternsdorf, T., Jensen, K., Will, H.: Interferon-modulated expression of genes encoding the nuclear-dot-associated proteins Sp100 and promyelocytic leukemia protein (PML) 238: 554
Groffen, A. J. A., Buskens, C. A. F., Tryggvason, K., Veerkamp, J. H., Monnens, L. A. H., van den Heuvel, L. P. W. J.: Expression and characterization of human perlecan domains I and II synthesized by baculovirus-infected insect cells 241: 827
Grolleau, F., see Borchani, L.
Gross, H. J., see Papadimitriou, A.
Gross, S., see Auerswald, E. A.
Grosso, E. D., see Toniato, E.
Grouix, B., see Vadas, P.
Grünberg, J., see Jacob, R.
Grütter, M. G., see Malissard, M.
Grzonka, Z., see Valensin, G.
Gschwendt, M., see Rennecke, J.
Gual, P., see Baron, V.
Guan, J.-L., see Chen, H.-C.
Gubenšek, F., see Kordiš, D.
Gudmundsson, G. H., Agerberth, B., Odeberg, J., Bergman, T., Olsson, B., Salcedo, R.: The human gene *FALL39* and processing of the cathelin precursor to the antibacterial peptide LL-37 in granulocytes 238: 325
Gueguen, P., see Guthapfel, R.
Günther, R., see Schäfer, H.
Guéride, M., see Dufresne, C.
Guérin, B., see Rigoulet, M.
Guerra, B., see Brunati, A. M.
Guertin, M., see Couture, M.
Guguen-Guillouzo, C., see Le Jossic, C.
Guiard, B., see Klaus, C.
Guignard, F., Mauel, J., Markert, M.: Phosphorylation of myeloid-related proteins MRP-14 and MRP-8 during human neutrophil activation 241: 265
Guillam, M.-T., see Le Cahérec, F.
Guillén, F., see Martínez, M. J.
Guillet, J.-G., see André, C.
Guillot, D., Vard, C., Reboud, J.-P.: Photoaffinity labeling of elongation factor-2 with 8-azido derivatives of GTP and ATP 236: 149
Guillou, F., see Suire, S.
Guinovart, J. J., see Baqué, S.
Guinovart, J. J., see Fernández-Novell, J. M.
Guittet, E., see Barzic, M.-R.
Gulino, A., see Toniato, E.
Gundlach, F., see Schäfer, H.
Gunne, H., see Frohm, M.
Gupta, C. M., see Balasubramanian, K.
Gupta, D., Oscarson, S., Raju, T. S., Stanley, P., Toone, E. J., Brewer, C. F.: A comparison of the fine saccharide-binding specificity of *Dioclea grandiflora* lectin and concanavalin A 242: 320
Gupta, R. S., see Singh, B.
Gustafsson, J.-A., see Delaunay, F.
Gustchina, A., see Powell, D. J.
Guthapfel, R., Gueguen, P., Quemeneur, E.: Reexamination of hormone-binding properties of protein disulfide-isomerase 242: 315
Gutiérrez, J. M., see Rosso, J.-P.
Gwoździński, K., see Watała, C.
Gysin, S., Imber, R.: Replacement of Ser657 of protein kinase C-α by alanine leads to premature down regulation after phorbol-ester-induced translocation to the membrane 240: 747

Haaning, J., Oxvig, C., Overgaard, M. T., Ebbesen, P., Kristensen, T., Sottrup-Jensen, L.: Complete cDNA sequence of the preproform of human pregnancy-associated plasma protein-A – Evidence for expression in the brain and induction by cAMP 237: 159
Haas, D., see Nguyen, V. T.
Haase, U., see Kraiczy, P.
Haavik, J., see Knappskog, P. M.
Haavik, J., see Meyer-Klaucke, W.

Haber, J., see Rodakiewicz-Nowak, J.
Habibi, H. R., see Pati, D.
Hack, C. E., see Citarella, F.
Hadjiolov, A. A., see Cavaillé, J.
Häberlein, I., see Braun, H.
Hägglund, O., see Benach, J.
Haeggström, J. Z., see Strömberg, F.
Haendler, B., see Krätzschmar, J.
Häring, H., see Tippmer, S.
Haertle, T., see Couture, L.
Härtlein, M., see Seignovert, L.
Hage, T., see Shen, B.-J.
Hagen, W. R., see Fraaije, M. W.
Hagen, W. R., see Kroes, S. J.
Hagen, W. R., see Marritt, S. J.
Hagen, W. R., see Steensma, E.
Hagen, W. R., see van der Spek, T. M.
Hagishita, T., Yoshida, T., Izumi, Y., Mitsunaga, T.: Cloning and expression of the gene for serine–glyoxylate aminotransferase from an obligate methylotroph *Hyphomicrobium methylovorum* GM2 241: 1
Hagmar, P., see Morimatsu, K.
Hah, Y. C., see Kim, E.-J.
Hahn, U., see Schindler, T.
Hahne, M., see Tief, K.
Hainque, B., see Meunier-Durmort, C.
Haishima, Y., see Iida, T.
Hajdu, J., see Roach, P. L.
Hakomori, S., see Nakagawa, H.
Halata, M., see Frébort, I.
Halder, T., see Fleckenstein, B.
Hale, A. J., Smith, C. A., Sutherland, L. C., Stoneman, V. E. A., Longthorne, V. L., Culhane, A. C., Williams, G. T.: *Review.* Apoptosis: molecular regulation of cell death 236: 1
Hall, C., see Lim, L.
Hallmann, A., see Selmer, T.
Halpern, M., see Tisch, D.
Hamberg, M., see Strömberg, F.
Hammann, A., see Garrido, C.
Hampe, W., Frank, R. W., Schulze, C., Dehning, I., Schaller, H. C.: Photoaffinity labeling of the head-activator receptor from hydra 235: 814
Hanau, S., Rippa, M., Bertelli, M., Dallocchio, F., Barrett, M. P.: 6-Phosphogluconate dehydrogenase from *Trypanosoma brucei* – Kinetic analysis and inhibition by trypanocidal drugs 240: 592
Hanisch, F.-G., Stadie, T. R. E., Deutzmann, F., Peter-Katalinic, J.: MUC1 glycoforms in breast cancer – Cell line T47D as a model for carcinoma-associated alterations of O-glycosylation 236: 318
Hanlon, S. P., Toh, T.-H., Solomon, P. S., Holt, R. A., McEwan, A. G.: Dimethylsulfide:acceptor oxidoreductase from *Rhodobacter sulfidophilus* – The purified enzyme contains *b*-type haem and a pterin molybdenum cofactor 239: 391
Hannappel, E., see Armesto, J.
Hansen, E., see Gauvry, L.
Hansen, H. F., see Otto, W. R.
Hansen, T. A., see Hensgens, C. M. H.
Hanson, B., Nuttall, S., Hoogenraad, N.: A receptor for the import of proteins into human mitochondria 235: 750
Hao, W., see Singh, B.
Happe, R. P., see van der Spek, T. M.
Happel, N., see Drucker, M.
Hara, S., see Iwata, N.
Harayama, S., see Inoue, K.
Harazim, W., see Hjälm, G.
Hård, K., see De Beer, T.
Hardie, D. G., see Ching, Y. P.
Hardy, S. J. S., Hedges, P. A.: Reduced B subunit of heat-labile enterotoxin associates with membranes *in vivo* 236: 412
Hardy-Dessources, M.-D., see de Neef, R.-S.
Harjunpää, V., Teleman, A., Koivula, A., Ruohonen, L., Teeri, T. T., Teleman, O., Drakenberg, T.: Cello-oligosaccharide hydrolysis by cellobiohydrolase II from *Trichoderma reesei* – Association and rate constants derived from an analysis of progress curves 240: 584
Harms, U., Thauer, R. K.: Methylcobalamin: coenzyme M methyltransferase isoenzymes MtaA and MtbA from *Methanosarcina barkeri* – Cloning, sequencing and differential transcription of the encoding genes, and functional overexpression of the *mtaA* gene in *Escherichia coli* 235: 653
Harms, U., Thauer, R. K.: The corrinoid-containing 23-kDa subunit MtrA of the energy-conserving N^5-methyltetrahydromethanopterin:coenzyme M methyltransferase complex from *Methanobacterium thermoautotrophicum* – EPR spectroscopic evidence for a histidine residue as a cobalt ligand of the cobamide 241: 149
Harris, C. J., see Viles, J. H.
Harrison, S. C., see Weissenhorn, W.
Hart, M. H. L., see Müller-Newen, G.
Harteneck, C., see Foerster, J.
Hartmann, A., see Kuttkat, A.
Hartmann, T., see Tholl, D.
Harutyunyan, E. H., Kuranova, I. P., Vainshtein, B. K., Höhne, W. E., Lamzin, V. S., Dauter, Z., Teplyakov, A. V., Wilson, K. S.: X-ray structure of yeast inorganic pyrophosphatase complexed with manganese and phosphate 239: 220
Harvey, I., see Corazza, A.
Harwig, S. S. L., Waring, A., Yang, H. J., Cho, Y., Tan, L., Lehrer, R. I.: Intramolecular disulfide bonds enhance the antimicrobial and lytic activities of protegrins at physiological sodium chloride concentrations 240: 352
Hasegawa, A., see Olshefski, R.
Haseley, S. R., Wilkinson, S. G.: Structural studies of the putative O-specific polysaccharide of *Acinetobacter baumannii* O11 237: 266
Haseley, S. R., Wilkinson, S. G.: Structure of the O-specific polysaccharide of *Acinetobacter baumannii* O5 containing 2-acetamido-2-deoxy-D-galacturonic acid 237: 229
Hashida, R., Kuwada, M., Chiba, K.-i., Horizoe, T., Shirota, H., Nagai, Y.: A factor derived from polymorphonuclear leukocytes enhances interleukin-1-induced synovial cell collagenase and prostaglandin E_2 production in rats 236: 517
Hashimoto, T., see Kono, M.
Hasnain, S. E., see Jain, A.
Hasnain, S. S., see Roach, P. L.
Hassel, I., Cézanne, V., Treviño, C., Schlatter, H., Romero-Matuschek, I., Schmidt, A., Fasold, H.: Export of ribosomal subunits from resealed rat liver nuclear envelopes 241: 32
Hastings, C., see Coughlan, S. J.
Hattab, M., see Federici, C.
Haubeck, H.-D., see Gatsios, P.
Hauksson, J. B., see Morein, S.
Hauser, N., see Aszódi, A.
Haviernik, P., see Gavurníková, G.
Hayakawa, M., see Enari, M.
Hayashi, T., see Inoue, H.
Haye, B., see El Btaouri, H.
Haye, B., see Gorin, Y.
Haystead, T. A. J., see Gailly, P.
Hazama, H., see Morino, S.
Hearn, M. T. W., see Fairlie, W. D.
Hecht, H.-J., see Stocker, A.
Hecker, E., see Krauter, G.
Hedderich, R., see Hochheimer, A.
Hedén, L.-O., see Rosén, S.
Hederstedt, L., see Svensson, B.
Hedges, P. A., see Hardy, S. J. S.
Heegaard, N. H. H., Heegaard, P. M. H., Roepstorff, P., Robey, F. A.: Ligand-binding sites in human serum amyloid P component 239: 850
Heegaard, P. M. H., see Heegaard, N. H. H.
Heeley, D. H., see Jackman, D. M.
Heering, H. A., see Steensma, E.
Hegardt, F. G., see Serra, D.
Heider, J., see Biegert, T.
Heierhorst, J., Tang, X., Lei, J., Probst, W. C., Weiss, K. R., Kemp, B. E., Benian, G. M.: Substrate specificity and inhibitor sensitivity of Ca^{2+}/S100-dependent twitchin kinases 242: 454
Heikema, A., see Huckriede, A.
Heikinheimo, P., Pohjanjoki, P., Helminen, A., Tasanen, M., Cooperman, B. S., Goldman, A., Baykov, A., Lahti, R.: A site-directed mutagenesis study of *Saccharomyces cerevisiae* pyrophosphatase – Functional conservation of the active site of soluble inorganic pyrophosphatases 239: 138
Heiland, M., see Borowski, P.
Heim, J., see Pohlig, G.
Hein, S., Steinbüchel, A.: *Alcaligenes eutrophus* possesses a second pyruvate dehydrogenase (E1) 237: 674
Heinrich, P. C., see Gatsios, P.
Heinrich, P. C., see Kalai, M.
Heinrich, P. C., see Müller-Newen, G.
Heitger, A., see Olshefski, R.
Heizmann, C. W., see Kluge, C.
Helander, A., see Niedziela, T.
Helander, I. M., Kato, Y., Kilpeläinen, I., Kostiainen, R., Lindner, B., Nummila, K., Sugiyama, T., Yokochi, T.: Characterization of lipopolysaccharides of polymyxin-resistant and polymyxin-sensitive *Klebsiella pneumoniae* O3 237: 272
Hellman, J., see Malm, J.
Hellman, P., see Hjälm, G.
Hellstern, S., see Dammann, H.
Helminen, A., see Heikinheimo, P.
Hemelrijk, P. W., see Gast, P.
Hemmann, U., see Müller-Newen, G.
Hemmingsen, L., Bauer, R., Bjerrum, M. J., Adolph, H. W., Zeppezauer, M., Cedergren-Zeppezauer, E.: The protein conformation of Cd-substituted horse liver alcohol dehydrogenase and its metal-site coordination geometry in binary and ternary inhibitor complexes 241: 546
Henderson, B., see Reddi, K.
Hendil, K. B., see Mason, G. G. F.

Hendil, K. B., see Tsurumi, C.
Hendriks, L., Van Broeckhoven, C.: *Review.* The βA4 amyloid precursor protein gene and Alzheimer's disease 237: 6
Hennecke, H., see Thöny-Meyer, L.
Henrissat, B., see Armand, S.
Henry, J.-P., see Johannes, L.
Henry, R., see Min, K.-L.
Hensgens, C. M. H., Santos, H., Zhang, C., Kruizinga, W. H., Hansen, T. A.: Electron-dense granules in *Desulfovibrio gigas* do not consist of inorganic triphosphate but of a glucose pentakis(diphosphate) 242: 327
Hensgens, C. M. H., see Roach, P. L.
Hentze, M. W., see Frishman, D.
Heremans, K., see Goossens, K.
Hermann, T., Heumann, H.: Strained template under the thumbs – How reverse transcriptase of human immunodeficiency virus type 1 moves along its template 242: 98
Hermans, S. W. G., Engelmann, B., Reinhardt, U., Bartholomeus-van Nooij, I. G. P., De Pont, J. J. H. H. M., Willems, P. H. G. M.: Diradylglycerol formation in cholecystokinin-stimulated rabbit pancreatic acini – Assessment of precursor phospholipids by means of molecular species analysis 235: 73
Herrera, A. H., see Zhang, J. Q.
Hertz, R., Berman, I., Keppler, D., Bar-Tana, J.: Activation of gene transcription by prostacyclin analogues is mediated by the peroxisome-proliferators-activated receptor (PPAR) 235: 242
Hervé, G., see Purcarea, C.
Herve, M., see Tran-Dinh, S.
Herve, M., see Tran-Dinh, S.
Hess, D., see Walter, M. H.
Hess, D., see Wang, Y.
Hetru, C., see Bulet, P.
Heukelbach, J., see Becker, W.
Heumann, H., see Hermann, T.
Hew, C. L., see Verdier, J.-M.
Hewlins, M. J. E., see Higgins, T. P.
Heyraud, A., see Armand, S.
Hielm, S., see Riento, K.
Higashi, H., Suzuki-Takahashi, I., Saitoh, S., Segawa, K., Taya, Y., Okuyama, A., Nishimura, S., Kitagawa, M.: Cyclin-dependent kinase-2 (Cdk2) forms an inactive complex with cyclin D1 since Cdk2 associated with cyclin D1 is not phosphorylated by Cdk7–cyclin-H 237: 460
Higgins, T. P., Hewlins, M. J. E., White, G. F.: A ^{13}C-NMR study of the mechanism of bacterial metabolism of monomethyl sulfate 236: 620
Hilbers, C. W., see Remerowski, M. L.
Hilbers, C. W., see Rietman, B. H.
Hilbers, C. W., see van den Hooven, H. W.
Hilbers, C. W., see van den Hooven, H. W.
Hilbi, H., see Schmid, M.
Hildén, P., Savolainen, K., Tyynelä, J., Vuento, M., Kuusela, P.: Purification and characterisation of a plasmin-sensitive surface protein of *Staphylococcus aureus* 236: 904
Hill, C., see Gärtner, W.
Hill, H. A. O., see Kazlauskaite, J.
Hille-Rehfeld, A., see Punnonen, E.-L.
Hiltunen, J. K., see Svensson, L. T.
Hinz, H.-J., see Schöppe, A.
Hiraga, K., Yutani, K.: A thermodynamic analysis of conformational change due to the $\alpha_2\beta_2$ complex formation of tryptophan synthase 240: 63
Hirai, M., see Yuda, M.
Hirata, Y., see Iwashina, M.
Hiripi, L., see Aszódi, A.
Hjälm, G., Murray, E., Crumley, G., Harazim, W., Lundgren, S., Onyango, I., Ek, B., Larsson, M., Juhlin, C., Hellman, P., Davis, H., Åkerström, G., Rask, L., Morse, B.: Cloning and sequencing of human gp330, a Ca^{2+}-binding receptor with potential intracellular signaling properties 239: 132
Hjelmqvist, L., Shafqat, J., Siddiqi, A. R., Jörnvall, H.: Linking of isozyme and class variability patterns in the emergence of novel alcohol dehydrogenase functions – Characterization of isozymes in *Uromastix hardwickii* 236: 563
Hjelmqvist, L., see Shafqat, J.
Hoang, C. B. M., see Gillet, S.
Hobe, S., see Kuttkat, A.
Hochheimer, A., Linder, D., Thauer, R. K., Hedderich, R.: The molybdenum formylmethanofuran dehydrogenase operon and the tungsten formylmethanofuran dehydrogenase operon from *Methanobacterium thermoautotrophicum* – Structures and transcriptional regulation 242: 156
Hodges, S., see Reddi, K.
Högenauer, G., see Bergler, H.
Høeg-Jensen, T., see Vinther, A.
Höhne, M., Nellen, A., Schwennesen, K., Kindl, H.: Lipid body lipoxygenase characterized by protein fragmentation, cDNA sequence and very early expression of the enzyme during germination of cucumber seeds 241: 6
Höhne, W. E., see Harutyunyan, E. H.
Hölzer, M., see Köster, S.
Hoff, A. J., see Gast, P.
Hoffmann, D., see Charlet, M.
Hoffmann, E., see Ruppert, R.
Hoffmann, M. M., Stoffel, W.: Construction and functional characterization of recombinant fusion proteins of human lipoprotein lipase and apolipoprotein CII 237: 545
Hogan, P., see Zhao, D.
Hohenester, E., see Marković-Housley, Z.
Hohmann, S., see de Winde, J. H.
Hoitink, C. W. G., see Kroes, S. J.
Høj, P. B., see Martinus, R. D.
Holak, T. A., see Kohfeldt, E.
Holder, A. A., see Stafford, W. H. L.
Holen, I., Gordon, P. B., Strømhaug, P. E., Seglen, P. O.: Role of cAMP in the regulation of hepatocytic autophagy 236: 163
Hollenberg, C. P., see Kölling, R.
Hollenberg, C. P., see Pereira, G. G.
Holm, A., see Vinther, A.
Holme, T., see Ansaruzzaman, M.
Holst, O., see Vinogradov, E. V.
Holt, R. A., see Hanlon, S. P.
Holyst, M. T., see Jackson, D. E.
Homma, K.-i., Natori, S.: Identification of substrate proteins for cathepsin L that are selectively hydrolyzed during the differentiation of imaginal discs of *Sarcophaga peregrina* 240: 443
Homma, Y., see Kabuyama, Y.
Homma, Y., see Qin, S.
Hoogenraad, N. J., see Martinus, R. D.
Hoogenraad, N., see Hanson, B.
Hooper, A. B., see Zahn, J. A.
Horcher, M., see Sticht, H.
Hori, C., see Kono, M.
Hori, M., see Nishida, K.
Hori, S., see Kono, M.
Horii, T., see Morimatsu, K.
Horio, T., Kubo, T., Natori, S.: Purification and cDNA cloning of the alcohol dehydrogenase of the flesh fly *Sarcophaga peregrina* – A structural relationship between alcohol dehydrogenase and a 25-kDa protein 237: 698
Horisberger, M. A., see Goetschy, J.-F.
Horizoe, T., see Hashida, R.
Horn, A., see Armesto, J.
Horn, J., see Geier, A.
Horodyski, F. M., see Taylor III, P. A.
Horowits, R., see Zhang, J. Q.
Horsch, M., Mayer, C., Rast, D. M.: Stereochemical requirements of chitin synthase for ligand binding at the allosteric site for *N*-acetylglucosamine 237: 476
Horstmann, C., see Shutov, A. D.
Hoshino, S.-i., see Kukimoto, I.
Hou, C., see Bragg, P. D.
Hountondji, C., see Gillet, S.
Houri, J.-J., see Ghidoni, R.
Hovanessian, A. G., see Jacotot, E.
Howitt, C. A., Whelan, J., Price, G. D., Day, D. A.: Cloning, analysis and inactivation of the *ndhK* gene encoding a subunit of NADH quinone oxidoreductase from *Anabaena* PCC 7120 240: 173
Howton, M. M., see Beattie, D. S.
Hsuan, J. J., see Tanveer, A.
Hu, Q., Brunisholz, R. A., Frank, G., Zuber, H.: The antenna complexes of the purple non-sulfur photosynthetic bacterium *Rhodocyclus tenuis* – Structural and spectral characterization 238: 381
Huang, J. G., see Duggleby, R. G.
Huang, T.-J., see Maines, M. D.
Huang, T.-s., Law, J. H., Söderhäll, K.: Purification and cDNA cloning of ferritin from the hepatopancreas of the freshwater crayfish *Pacifastacus leniusculus* 236: 450
Huang, X.-P., see Inoue, H.
Hubbard, M. J.: Abundant calcium homeostasis machinery in rat dental enamel cells – Up-regulation of calcium store proteins during enamel mineralization implicates the endoplasmic reticulum in calcium transcytosis 239: 611
Huber, B., Pette, D.: Dynamics of parvalbumin expression in low-frequency-stimulated fast-twitch rat muscle 236: 814
Huber, E., Bäumert, H. G., Spatz-Kümbel, G., Schubert, D.: Associations between erythrocyte band 3 protein and aldolase in detergent solution – Determining their stoichiometry by analytical ultracentrifugation 242: 293
Huber, F., Erni, B.: Membrane topology of the mannose transporter of *Escherichia coli* K12 239: 810
Hubert, F., Noël, T., Roch, P.: *Priority paper.* A member of the arthropod defensin family from edible Mediterranean mussels (*Mytilus galloprovincialis*) 240: 302
Hubert, J.-F., see Le Cahérec, F.
Hubert, P., see Goumon, Y.

Hucho, F., Tsetlin, V. I., Machold, J.: *Review.* The emerging three-dimensional structure of a receptor – The nicotinic acetylcholine receptor 239: 539
Huckerby, T. N., see Lauder, R. M.
Huckriede, A., Heikema, A., Wilschut, J., Agsteribbe, E.: Transient expression of a mitochondrial precursor protein – A new approach to study mitochondrial protein import in cells of higher eukaryotes 237: 288
Hug, H., see Enari, M.
Humphries, M. J., see Tuckwell, D. S.
Hunter, C. N., see Willows, R. D.
Hunziker, P. E., see Wang, Y.
Hurme, L., see Sillanaukee, P.
Husain, Q., see Dammann, H.
Husson, A., see Lavoinne, A.
Husson, A., see Quillard, M.
Huttner, W. B., see Vannier, C.
Huybrechts, R., see Borovsky, D.
Huynh, Q.-T., see Tran-Dinh, S.
Hvarregaard, J., Andersen, M. H., Berglund, L., Rasmussen, J. T., Petersen, T. E.: Characterization of glycoprotein PAS-6/7 from membranes of bovine milk fat globules 240: 628
Hwang, D. S., see Lee, Y. C.
Hwang, G.-S., Kim, J.-K., Choi, B.-S.: NMR structural studies of DNA decamer duplex containing the Dewar photoproduct of thymidylyl(3′→5′)thymidine – Conformational changes of the oligonucleotide duplex by photoconversion of a (6-4) adduct to its Dewar valence isomer 235: 359
Hyde, E. I., see Evans, P. D.

Iacopetta, B. J., see Callus, B. A.
Iadarola, P., see Valentini, G.
Iametti, S., De Gregori, B., Vecchio, G., Bonomi, F.: Modifications occur at different structural levels during the heat denaturation of β-lactoglobulin 237: 106
Iametti, S., Uhlmann, H., Sala, N., Bernhardt, R., Ragg, E., Bonomi, F.: Reversible, nondenaturing metal substitution in bovine adrenodoxin and spinach ferredoxin and the different reactivities of [2Fe-2S]-cluster-containing proteins 239: 818
Ichiki, T., see Kambayashi, Y.
Ihara, Y., see Koyama, N.
Iida, T., Haishima, Y., Tanaka, A., Nishiyama, K., Saito, S., Tanamoto, K.: Chemical structure of lipid A isolated from *Comamonas testosteroni* lipopolysaccharide 237: 468
Iijima, H., Fujino, T., Minekura, H., Suzuki, H., Kang, M.-J., Yamamoto, T.: Biochemical studies of two rat acyl-CoA synthetases, ACS1 and ACS2 242: 186
Ikeda, J., see Sakamoto, K.
Ikeda, M., Arai, K.-i., Masai, H.: CTBP1/RBP1, a *Saccharomyces cerevisiae* protein which binds to T-rich single-stranded DNA containing the 11-bp core sequence of autonomously replicating sequence, is a poly(deoxypyrimidine)-binding protein 238: 38
Ikehara, Y., see Endo, T.
Ikuta, J., see Kawakami, Y.
Imai, T., see Iwashina, M.
Imber, R., see Gysin, S.
Imberty, A., see Casset, F.
Imhof, R., see Cesura, A. M.
Inagaki, F., see Kawakami, Y.
Inagami, T., see Kambayashi, Y.
Inageda, K., see Kukimoto, I.
Inazu, T., see Qin, S.
Ingham, K. C., see Makogonenko, E. M.
Ingham, K. C., see Medved, L. V.
Inohaya, K., see Yasumasu, S.
Inoue, H., Hayashi, T., Huang, X.-P., Lu, J.-F., Athauda, S. B. P., Kong, K.-H., Yamagata, H., Udaka, S., Takahashi, K.: Heterologous expression and site-directed mutagenesis studies on the activation mechanism and the roles of the basic residues in the prosegment of aspergillopepsinogen I 237: 719
Inoue, K., Takeuchi, Y., Miki, D., Odo, S., Harayama, S., Waite, J. H.: Cloning, sequencing and sites of expression of genes for the hydroxyarginine-containing adhesive-plaque protein of the mussel *Mytilus galloprovincialis* 239: 172
Inoue, S., see Taguchi, T.
Inoue, S., see Terada, T.
Inoue, Y., see Taguchi, T.
Inoue, Y., see Terada, T.
Inui, A., see de Beer, T.
Ishida, H., see Frébort, I.
Ishida, T., see Morino, S.
Ishima, Y., see Sugiura, T.
Ishimizu, T., Norioka, S., Kanai, M., Clarke, A. E., Sakiyama, F.: Location of cysteine and cystine residues in *S*-ribonucleases associated with gametophytic self-incompatibility 242: 627
Isogai, A., see Yoshida, N.
Ito, F., see Enari, M.
Ito, F., see Nagamine, K.
Ito, H., see Scheumann, V.
Ito, T., see Kono-Sugita, E.
Itoh, S., see Takahashi, Y.
Iuchi, I., see Yasumasu, S.
IUPAC-IUBMB Joint Commission on Biochemical Nomenclature (JCBN). Prepared by Alberty, R. A.: Recommendations for nomenclature and tables in biochemical thermodynamics. Recommendations 1994 240: 1
Iurisci, C., see Falasca, M.
Ivanov, A. V., see Vladimirov, S. N.
Ivins, K. J., see Zhao, D.
Iwabuchi, K., see Misaka, T.
Iwadate, H., Tsugita, A., Chow, L.-P., Kizuki, K., Stritt-Etter, A.-L., Li, J., Schürmann, P.: Amino acid sequence of the maize ferredoxin:thioredoxin reductase variable subunit 241: 121
Iwaki, D., Kawabata, S.-i., Miura, Y., Kato, A., Armstrong, P. B., Quigley, J. P., Nielsen, K. L., Dolmer, K., Sottrup-Jensen, L., Iwanaga, S.: Molecular cloning of *Limulus* α_2-macroglobulin 242: 822
Iwamura, H., see Sakamoto, K.
Iwanaga, S., see Iwaki, D.
Iwasaki, M., see Taguchi, T.
Iwashina, M., Hirata, Y., Imai, T., Sato, K., Marumo, F.: Molecular cloning of endothelial, inducible nitric oxide synthase gene from rat aortic endothelial cell 237: 668
Iwata, N., Hara, S., Nishimura, C., Takahashi, M., Mukai, T., Takayama, M., Endo, T.: Hormonal regulation of aldose reductase in rat ovary during the estrous cycle 235: 444
Iwata, S., see Link, T. A.
Izumi, Y., see Hagishita, T.
Jachymek, W., see Niedziela, T.
Jack, R. S., see Stelter, F.
Jackman, D. M., Waddleton, D. M., Younghusband, B., Heeley, D. H.: Further characterisation of fast, slow and cardiac muscle tropomyosins from salmonid fish 242: 363
Jackson, D. E., Poncz, M., Holyst, M. T., Newman, P. J.: Inherited mutations within the calcium-binding sites of the integrin α_{IIb} subunit (platelet glycoprotein IIb) – Effects of the amino acid side chain and the amino acid position on cation binding 240: 280
Jackson, J. B., see Bizouarn, T.
Jackson, J. B., see Diggle, C.
Jackson, S. P., see Grawunder, U.
Jacob, R., Radebach, I., Wüthrich, M., Grünberg, J., Sterchi, E. E., Naim, H. Y.: Maturation of human intestinal lactase-phlorizin hydrolase – Generation of the brush border form of the enzyme involves at least two proteolytic cleavage steps 236: 789
Jacobi, I., see Geyer, H.
Jacotot, E., Callebaut, C., Blanco, J., Krust, B., Neubert, K., Barth, A., Hovanessian, A. G.: Dipeptidyl-peptidase IV-β, a novel form of cell-surface-expressed protein with dipeptidyl-peptidase IV activity 239: 248
Jacquet, G., see Kharrat, R.
Jääskeläinen, T., see Ryhänen, S.
Jaenicke, L., Starr, R. C.: The lurlenes, a new class of plastoquinone-related mating pheromones from *Chlamydomonas allensworthii* (*Chlorophyceae*) 241: 581
Jaenicke, R., see Dams, T.
Jäntti, J., see Riento, K.
Jahn, W., see Raditsch, M.
Jain, A., Hasnain, S. E.: A 30-kDa host protein binds to two very-late baculovirus promoters 239: 384
Jakobs, K. H., see Meyer zu Heringdorf, D.
Jakobs, K. H., see Schmidt, M.
Jakobs, K. H., see Wieland, T.
James, P., see Brunati, A. M.
James, P., see Donella-Deana, A.
James, P., see Quadroni, M.
Jang, Y. J., see Kim, J.
Janmot, C., see Bacou, F.
Janmot, C., see Nozais, M.
Jansonius, J. N., see Marković-Housley, Z.
Janssen, I., see Borovsky, D.
Jansson, P.-E., see Ansaruzzaman, M.
Jansson, P.-E., see Knirel, Y. A.
Jansson, S., see Riento, K.
Jardine, D. R., see Zachara, N. E.
Jascur, T., see Tailor, P.
Jascur, T., see von Willebrand, M.
Jaseja, M., see Evans, P. D.
Jean, P., Lopez-Garcia, P., Dansette, P., Mansuy, D., Goldstein, J. L.: Oxidation of tienilic acid by human yeast-expressed cytochromes *P*-450 2C8, 2C9, 2C18 and 2C19 – Evidence that this drug is a mechanism-based inhibitor specific for cytochrome *P*-450 2C9 241: 797
Jedlitschky, G., see Leier, I.
Jedlitschky, G., see Pulaski, L.
Jeeves, M., see Evans, P. D.
Jensen, A. D., Svejstrup, J. Q.: Purification and characterization of human topoisomerase I mutants 236: 389

Jensen, J., see Madsen, O. D.
Jensen, K. F., Mygind, B.: Different oligomeric states are involved in the allosteric behavior of uracil phosphoribosyltransferase from *Escherichia coli* 240: 637
Jensen, K., see Grötzinger, T.
Jensen, P. B., see Madsen, O. D.
Jensen, P. R., see Rohwer, J. M.
Jespersen, A. M., see Vinther, A.
Jessberger, R., see Grawunder, U.
Ježek, P., see Schönfeld, P.
Job, D., see Rolland, N.
Jörnvall, H., see Benach, J.
Jörnvall, H., see Frohm, M.
Jörnvall, H., see Hjelmqvist, L.
Jörnvall, H., see Martínez, M. C.
Jörnvall, H., see Rydlander, L.
Jörnvall, H., see Shafqat, J.
Johannes, F.-J., see Rennecke, J.
Johannes, L., Perez, F., Laran-Chich, M.-P., Henry, J.-P., Darchen, F.: Characterization of the interaction of the monomeric GTP-binding protein Rab3a with geranylgeranyl transferase II 239: 362
John, P., see Lay, V. J.
John, R. A., see Contestabile, R.
Johnson, D. F., Moorhead, G., Caudwell, F. B., Cohen, P., Chen, Y. H., Chen, M. X., Cohen, P. T. W.: Identification of protein-phosphatase-1-binding domains on the glycogen and myofibrillar targetting subunits 239: 317
Jollès, P., see Werner, G. H.
Jonasson, P., Nilsson, J., Samuelsson, E., Moks, T., Ståhl, S., Uhlén, M.: Single-step trypsin cleavage of a fusion protein to obtain human insulin and its C peptide 236: 656
Jones, C. G., Lycett, G. W., Tucker, G. A.: Protease inhibitor studies and cloning of a serine carboxypeptidase cDNA from germinating seeds of pea (*Pisum sativum* L.) 235: 574
Jones, C. W., see Wyborn, N. R.
Jongejan, J. A., see Stoorvogel, J.
Joost, H.-G., see Becker, W.
Joost, H.-G., see Brauers, A.
Joshi, D. K., Gold, M. H.: Oxidation of dimethoxylated aromatic compounds by lignin peroxidase from *Phanerochaete chrysosporium* 237: 45
Jouanneau, Y., see Naud, I.
Jounaïdi, Y., see Daujat, M.
Jue, T., see Kreutzer, U.
Jüngling, S., see Cibelli, G.
Jürgens, U. J., see Simonin, P.
Juhlin, C., see Hjälm, G.
Julkunen, I., see Sareneva, T.
Jung, C., Ristau, O., Schulze, H., Sligar, S. G.: The CO stretching mode infrared spectrum of substrate-free cytochrome *P*-450_{cam}–CO – The effect of solvent conditions, temperature, and pressure 235: 660
Jung, G., see Feil, C.
Jung, G., see Fleckenstein, B.
Jung, G., see Pridzun, L.
Jung, G., see Völkel, H.
Jung, H., see Quick, M.
Juodka, B., see Loeffler, H.
Justesen, J., see Kjøller, L.
Justesen, J., see Turpaev, K. T.
Kaambre, T., see Kuznetsov, A. V.
Kabuyama, Y., Nakatsu, N., Homma, Y., Fukui, Y.: Purification and characterization of the phosphatidylinositol-3,4,5-trisphosphate phosphatase in bovine thymus 238: 350
Kadaja, L., see Kuznetsov, A. V.
Kägi, J. H. R., see Wang, Y.
Kähäri, V.-M., see Lohi, J.
Kahmann, R., see Basse, C. W.
Kainulainen, H., see Brauers, A.
Kakhovskaya, I. A., see Shutov, A. D.
Kalai, M., Montero-Julian, F. A., Grötzinger, J., Wollmer, A., Morelle, D., Brochier, J., Rose-John, S., Heinrich, P. C., Brailly, H., Content, J.: Participation of two Ser-Ser-Phe-Tyr repeats in interleukin-6 (IL-6)-binding sites of the human IL-6 receptor 238: 714
Kalbacher, H., see Fleckenstein, B.
Kalbitzer, H. R., see Raditsch, M.
Kalchhauser, H., see Briza, P.
Kaldenberg-Stasch, S., see Meyer zu Heringdorf, D.
Kaldenberg-Stasch, S., see Wieland, T.
Kalkkinen, N., see Nakari-Setälä, T.
Kalopissis, A., see Benetollo, C.
Kalousek, F., see Sjöling, S.
Kamataki, T., see Takahashi, Y.
Kambayashi, Y., Nagata, K., Ichiki, T., Inagami, T.: Insulin and insulin-like growth factors induce expression of angiotensin type-2 receptor in vascular-smooth-muscle cells 239: 558
Kamerling, J. P., see De Beer, T.
Kamerling, J. P., see Van Dorst, J. A. L. M.
Kametani, S., Shiga, Y., Akanuma, H.: Hepatic production of 1,5-anhydrofructose and 1,5-anhydroglucitol in rat by the third glycogenolytic pathway 242: 832
Kametani, S., see Suzuki, M.
Kamiguchi, H., see Tsuda, M.
Kanaani, J., Somoza, J. R., Maltby, D., Wang, C. C.: Probing the active site of *Tritrichomonas foetus* hypoxanthine-guanine-xanthine phosphoribosyltransferase using covalent modification of cysteine residues 239: 764
Kanai, M., see Ishimizu, T.
Kanangara, C. G., see Willows, R. D.
Kang, H. S., see Lee, Y. C.
Kang, H. S., see Lee, Y. C.
Kang, M.-J., see Iijima, H.
Kang, R., see Koyama, N.
Kang, R., see Takenaka, M.
Kania, M. A., DeMartino, G. N., Baumeister, W., Goldberg, A. L.: The proteasome subunit, C2, contains an important site for binding of the PA28 (11S) activator 236: 510
Kaniewski, J., see Gorin, Y.
Kaplan, W. H., see Sluis-Cremer, N. N.
Kaptein, R., see De Beer, T.
Karasavvas, N., Erukulla, R. K., Bittman, R., Lockshin, R., Zakeri, Z.: Stereospecific induction of apoptosis in U937 cells by *N*-octanoyl-sphingosine stereoisomers and *N*-octyl-sphingosine – The ceramide amide group is not required for apoptosis 236: 729
Karch, H., see Schmidt, H.
Karlsen, C., see Madsen, O. D.
Karlsson, K.-A., see Rosén, S.
Karoui, H., see Borchani, L.
Karoui, H., see Bouhaouala-Zahar, B.
Karpeisky, M. Y., see Marković-Housley, Z.
Karpova, G. G., see Vladimirov, S. N.
Karuso, P., see Zachara, N. E.
Kasper, P., Sterk, M., Christen, P., Gehring, H.: Molecular-dynamics simulation of domain movements in aspartate aminotransferase 240: 751
Kasprzykowski, F., see Valensin, G.
Kass, G. E. N., see Tinton, S. A.
Kata, M., see Rosén, S.
Katada, T., see Kukimoto, I.
Katheder, I., see Porra, R. J.
Kato, A., see Asano, N.
Kato, A., see Iwaki, D.
Kato, H., Minamikawa, T.: Identification and characterization of a rice cysteine endopeptidase that digests glutelin 239: 310
Kato, N., see Yoshida, N.
Kato, S., see Tsurumi, C.
Kato, Y., see Frébort, I.
Kato, Y., see Helander, I. M.
Katsumata, T., Noguchi, S., Yonezawa, N., Tanokura, M., Nakano, M.: Structural characterization of the N-linked carbohydrate chains of the zona pellucida glycoproteins from bovine ovarian and fertilized eggs 240: 448
Kawabata, S.-i., see Iwaki, D.
Kawachi, H., Atomi, H., Ueda, M., Tanaka, A.: Peroxisomal and mitochondrial carnitine acetyltransferases of the *n*-alkane-assimilating yeast *Candida tropicalis* – Analysis of gene structure and translation products 238: 845
Kawakami, J., see Nishikawa, F.
Kawakami, K., Masuda, K., Nagano, K., Ohkuma, Y., Roeder, R. G.: Characterization of the core promoter of the Na^+/K^+-ATPase $\alpha 1$ subunit gene – Elements required for transcription by RNA polymerase II and RNA polymerase III *in vitro* 237: 440
Kawakami, Y., Nakamura, K., Kojima, H., Suzuki, M., Inagaki, F., Suzuki, A., Ikuta, J., Uchida, A., Murata, Y., Tamai, Y.: A novel fucosyltetrahexosylceramide in plerocercoids of the parasite *Spirometra erinacei* 239: 905
Kawamura, J., see Kise, H.
Kawamura, Y., see Nakagawa, H.
Kawasaki, H., Moriguchi, T., Matsuda, S., Li, H. Z., Nakamura, S., Shimohama, S., Kimura, J., Gotoh, Y., Nishida, E.: Ras-dependent and Ras-independent activation pathways for the stress-activated-protein-kinase cascade 241: 315
Kawashima, I., see Nara, K.
Kawashima, K., see Yanaka, N.
Kawauchi, H., see Koide, Y.
Kay, J., see Powell, D. J.
Kay, L., see Kuznetsov, A. V.
Kazlauskaite, J., Hill, H. A. O., Wilkins, P. C., Dalton, H.: Direct electrochemistry of the hydroxylase of soluble methane monooxygenase from *Methylococcus capsulatus* (Bath) 241: 552
Kehoe, M. A., see Weller, U.
Keidel, S., see LeMotte, P. K.
Keith, G., see Mazauric, M.-H.
Keller, J., see Schmidt, M.
Keller, R. C. A., see Van Raalte, A. L. J.
Kellermann, J., see Tholl, D.

Kemp, B. E., see Heierhorst, J.
Kemp, D., see Wijffels, G.
Kemp, G. D., see Schnapp, D.
Kemper, B., see Kupfer, C.
Kendall, G., Ensor, E., Crankson, H. D., Latchman, D. S.: Nerve growth factor treatment of sensory neuron primary cultures causes elevated levels of the mRNA encoding the ATP synthase β-subunit as detected by a novel PCR-based differential cloning method 236: 352
Kenne, L., see Niedziela, T.
Kennedy, B., see Vadas, P.
Kennedy, C., see Colnaghi, R.
Kentrup, H., see Becker, W.
Keppler, D., see Hertz, R.
Keppler, D., see Leier, I.
Keppler, D., see Pulaski, L.
Keränen, S., see Riento, K.
Kerkhoff, C., see Schmiedeknecht, G.
Kern, D., see Mazauric, M.-H.
Kertesz, M., see Quadroni, M.
Keski-Oja, J., see Lohi, J.
Kessler, H., see Magdolen, V.
Kester, H. C. M., Kusters-van Someren, M. A., Müller, Y., Visser, J.: Primary structure and characterization of an exopolygalacturonase from *Aspergillus tubingensis* 240: 738
Keul, R., see Müller-Newen, G.
Khan, M. A., Okumura, N., Okada, M.: Depolarization-induced tyrosine phosphorylation of paxillin in PC12h cells 235: 579
Khan, S. R., see Atmani, F.
Kharrat, R., Mabrouk, K., Crest, M., Darbon, H., Oughideni, R., Martin-Eauclaire, M.-F., Jacquet, G., El Ayeb, M., Van Rietschoten, J., Rochat, H., Sabatier, J.-M.: Chemical synthesis and characterization of maurotoxin, a short scorpion toxin with four disulfide bridges that acts on K^+ channels 242: 491
Khomutov, A. R., see Marković-Housley, Z.
Khomutov, R. M., see Marković-Housley, Z.
Khoo, K.-H., see Taguchi, T.
Khoshnoodi, J., Blennow, A., Ek, B., Rask, L., Larsson, H.: The multiple forms of starch-branching enzyme I in *Solanum tuberosum* 242: 148
Kido, H., see Niwa, Y.
Kienle, S., see Pridzun, L.
Kiess, M., see Maiorino, M.
Kigawa, T., see Kim, D.-M.
Kihlberg, B.-M., Sjöholm, A. G., Björck, L., Sjöbring, U.: Characterization of the binding properties of protein LG, an immunoglobulin-binding hybrid protein 240: 556
Kilimann, M. W., see Wüllrich-Schmoll, A.
Kilpeläinen, I., see Helander, I. M.
Kilpeläinen, S. H., see Svensson, L. T.
Kim, D.-M., Kigawa, T., Choi, C.-Y., Yokoyama, S.: A highly efficient cell-free protein synthesis system from *Escherichia coli* 239: 881
Kim, E.-J., Kim, H.-P., Hah, Y. C., Roe, J.-H.: Differential expression of superoxide dismutases containing Ni and Fe/Zn in *Streptomyces coelicolor* 241: 178
Kim, H.-P., see Kim, E.-J.
Kim, J., Kim, Y.-C., Lee, J. H., Jang, Y. J. Chung, I. K., Koo, H.-S.: cDNA cloning, expression, and chromosomal localization of *Caenorhabditis elegans* DNA topoisomerase I 237: 367
Kim, J.-K., see Hwang, G.-S.
Kim, K. K., see Chakraborty, A. K.
Kim, Y.-C., see Kim, J.
Kim, Y.-M., see Voss, R.-H.
Kimura, J., see Kawasaki, H.
Kindl, H., see Ahnert, V.
Kindl, H., see Höhne, M.
Kingsman, A. J., see Kingsman, S. M.
Kingsman, S. M., Kingsman, A. J.: *Review.* The regulation of human immunodeficiency virus type-1 gene expression 240: 491
Kirsch, T., see Sticht, H.
Kirschbaum, B., see Knecht, W.
Kise, H., Nishioka, J., Kawamura, J., Suzuki, K.: Characterization of semenogelin II and its molecular interaction with prostate-specific antigen and protein C inhibitor 238: 88
Kiššová, I., see Gavurníková, G.
Kitagawa, M., see Higashi, H.
Kitajima, K., see Taguchi, T.
Kitajima, K., see Terada, T.
Kitamura, N., see Nagamine, K.
Kitayaki, M., see Kunugi, S.
Kittstein, W., see Rennecke, J.
Kizuki, K., see Iwadate, H.
Kjellberg, A., Urbina, F., Weintraub, A., Widmalm, G.: Structural analysis of the O-antigenic polysaccharide from the enteropathogenic *Escherichia coli* O125 239: 532
Kjøller, L., Martensen, P. M., Sottrup-Jensen, L., Justesen, J., Rodenburg, K. W., Andreasen, P. A.: Conformational changes of the reactive-centre loop and β-strand 5A accompany temperature-dependent inhibitor-substrate transition of plasminogen-activator inhibitor 1 241: 38
Klappa, P., Dierks, T., Zimmermann, R.: Cyclosporin A inhibits the degradation of signal sequences after processing of presecretory proteins by signal peptidase 239: 509
Klaus, C., Guiard, B., Neupert, W., Brunner, M.: Determinants in the presequence of cytochrome b_2 for import into mitochondria and for proteolytic processing 236: 856
Klausen, N. K., see Vinther, A.
Klein, A. R., Berk, H., Purwantini, E., Daniels, L., Thauer, R. K.: *Si*-face stereospecificity at C5 of coenzyme F_{420} for F_{420}-dependent glucose-6-phosphate dehydrogenase from *Mycobacterium smegmatis* and F_{420}-dependent alcohol dehydrogenase from *Methanoculleus thermophilicus* 239: 93
Kleinkauf, H., von Döhren, H.: *Review.* A nonribosomal system of peptide biosynthesis 236: 335
Kleinkauf, H., see Weßels, P.
Klempnauer, K.-H., see Carr, M. D.
Klok, E. J., see Dirks, R. P. H.
Kloog, Y., see Tisch, D.
Klos, A., see Raffetseder, U.
Klotz, C., see Madeddu, L.
Kluge, C., Brecevic, L., Heizmann, C. W., Blau, N., Thöny, B.: Chromosomal localization, genomic structure and characterization of the human gene and a retropseudogene for 6-pyruvoyltetrahydropterin synthase 240: 477
Klumpp, S., see Völkel, H.
Knäuper, V., Murphy, G., Tschesche, H.: Activation of human neutrophil procollagenase by stromelysin 2 235: 187
Knapp, S., see Benach, J.
Knappskog, P. M., Flatmark, T., Aarden, J. M., Haavik, J., Martínez, A.: Structure/function relationships in human phenylalanine hydroxylase – Effect of terminal deletions on the oligomerization, activation and cooperativity of substrate binding to the enzyme 242: 813
Knauf, M. A., Löhr, F., Blümel, M., Mayhew, S. G., Rüterjans, H.: NMR investigation of the solution conformation of oxidized flavodoxin from *Desulfovibrio vulgaris* – Determination of the tertiary structure and detection of protein-bound water molecules 238: 423
Knecht, R., see Pohlig, G.
Knecht, W., Bergjohann, U., Gonski, S., Kirschbaum, B., Löffler, M.: Functional expression of a fragment of human dihydroorotate dehydrogenase by means of the baculovirus expression vector system, and kinetic investigation of the purified recombinant enzyme 240: 292
Knecht, W., Köhler, R., Minét, M., Löffler, M.: Anti-peptide immunoglobulins from rabbit and chicken eggs recognise recombinant human dihydroorotate dehydrogenase and a 44-kDa protein from rat liver mitochondria 236: 609
Knippers, R., see Schulte, D.
Knirel, Y. A., Senchenkova, S. N., Jansson, P.-E., Weintraub, A., Ansaruzzaman, M., Albert, M. J.: Structure of the O-specific polysaccharide of an *Aeromonas trota* strain cross-reactive with *Vibrio cholerae* O139 Bengal 238: 160
Knirel, Y. A., see Senchenkova, S. N.
Knirel, Y. A., see Sidorczyk, Z.
Knuechel, R., see Schmiedeknecht, G.
Kobata, A., see Endo, T.
Kobayashi, H., see Suzuki, A.
Kochman, M., see Duk, M.
Köck, M., see Markert, R. L. M.
Koedijk, D. G. A. M., see Lasonder, E.
Köhl, J., see Raffetseder, U.
Köhler, C., see Alberati-Giani, D.
Köhler, R., see Knecht, W.
Köhne, C., see Müller-Newen, G.
Köhrer, C., Mayer, C., Gröbner, P., Piendl, W.: Use of T7 RNA polymerase in an optimized *Escherichia coli* coupled *in vitro* transcription-translation system – Application in regulatory studies and expression of long transcription units 236: 234
Kölling, R., Hollenberg, C. P.: The hemolysin B protein, expressed in *Saccharomyces cerevisiae*, accumulates in binding-protein(BiP)-containing structures 239: 356
König, B., see Magdolen, V.
Koenig, K., see Maiorino, M.
König, S., see Mücke, U.
Koerts, J., see Osman, A. M.
Koesling, D., see Foerster, J.
Köster, S., Stier, G., Ficner, R., Hölzer, M., Curtius, H.-C., Suck, D., Ghisla, S.: Location of the active site and proposed catalytic mechanism of pterin-4a-carbinolamine dehydratase 241: 858
Kofod, P., see Ciurli, S.

Kohfeldt, E., Göhring, W., Mayer, U., Zweckstetter, M., Holak, T. A., Chu, M.-L., Timpl, R.: Conversion of the Kunitz-type module of collagen VI into a highly active trypsin inhibitor by site-directed mutagenesis 238: 333
Kohl, C., see Chatelain, F.
Kohno, M., see Nagamine, K.
Koide, Y., Papkoff, H., Kawauchi, H.: Complete amino acid sequences of follitropin and lutropin in the ostrich, *Struthio camelus* 240: 262
Koivula, A., see Harjunpää, V.
Koizumi, H., see de Fátima Horta, M.
Kojima, H., see Kawakami, Y.
Kojima, T., see Sugahara, K.
Kojima, T., see Sugahara, K.
Kolarov, J., see Gavurníková, G.
Kolasinski, M., see Otlewski, J.
Kolmes, B., see Friedhoff, P.
Komatsu-Takaki, M.: Energizing effects of illumination on the reactivities of lysine residues of the γ subunit of chloroplast ATP synthase 236: 470
Kondili, K., Tsolas, O., Papamarcaki, T.: Selective interaction between parathymosin and histone H1 242: 67
Kondo, S., see Sugiura, T.
Kong, K.-H., see Inoue, H.
Konings, R. N. H., see van den Hooven, H. W.
Konings, R. N. H., see van den Hooven, H. W.
Kono, M., Hori, C., Hashimoto, T., Hori, S., Seyama, Y.: Two distinct long-chain-acyl-CoA synthetases in guinea pig Harderian gland 238: 104
Kono-Sugita, E., Satoh, S., Suzuki, Y., Egawa, M., Udaka, N., Ito, T., Sekihara, H.: Insulin-induced GLUT4 recycling in rat adipose cells by a pathway insensitive to brefeldin A 236: 1033
Kontani, K., see Kukimoto, I.
Koo, H.-S., see Kim, J.
Kooistra, T., see Arts, J.
Kopeyan, C., see Landon, C.
Kopf, M.-A., Bonnet, D., Artaud, I., Pétré, D., Mansuy, D.: Key role of alkanoic acids on the spectral properties, activity, and active-site stability of iron-containing nitrile hydratase from *Brevibacterium* R312 240: 239
Kopitar, G., Dolinar, M., Štrukelj, B., Pungerčar, J., Turk, V.: Folding and activation of human procathepsin S from inclusion bodies produced in *Escherichia coli* 236: 558
Koppert, K., see Terada, T.
Koppitz, M., see Magdolen, V.
Korchagina, E., see Casset, F.
Kordiš, D., Gubenšek, F.: Ammodytoxin C gene helps to elucidate the irregular structure of Crotalinae group II phospholipase A_2 genes 240: 83
Koresawa, S., see Yoshinari, S.
Korhola, M., see Kristo, P.
Koritschoner, N. P., Panzetta-Dutari, G. M., Bocco, J. L., Dumur, C. I., Flury, A., Patrito, L. C.: Analyses of *cis*-acting and *trans*-acting elements that are crucial to sustain pregnancy-specific glycoprotein gene expression in different cell types 236: 365
Kornblatt, J. A., see Kornblatt, M. J.
Kornblatt, M. J., Al-Ghanim, A., Kornblatt, J. A.: The effects of sodium perchlorate on rabbit muscle enolase – Spectral characterization of the monomer 236: 78
Kornetzky, L., see Borowski, P.
Kosk-Kosicka, D., see Sacks, D. B.
Kost, C., Benner, K., Stockmann, A., Linder, D., Preissner, K. T.: Limited plasmin proteolysis of vitronectin – Characterization of the adhesion protein as morpho-regulatory and angiostatin-binding factor 236: 682
Kostiainen, R., see Helander, I. M.
Koteliansky, V. E., see Moiseeva, E. P.
Kotera, J., see Yanaka, N.
Kotzian, E., see Otto, W. R.
Koyama, N., Miyoshi, E., Ihara, Y., Kang, R., Nishikawa, A., Taniguchi, N.: Human *N*-acetylglucosaminyltransferase III gene is transcribed from multiple promoters 238: 853
Koyasu, A., see Kunugi, S.
Kozlowski, H., see Valensin, G.
Kraayveld, D. E., see Stoorvogel, J.
Krätzschmar, J., Haendler, B., Eberspaecher, U., Roosterman, D., Donner, P., Schleuning, W.-D.: The human cysteine-rich secretory protein (CRISP) family – Primary structure and tissue distribution of CRISP-1, CRISP-2 and CRISP-3 236: 827
Kraft, H. J., see Dirks, R. P. H.
Kragl, U., see Malissard, M.
Kraiczy, P., Haase, U., Gencic, S., Flindt, S., Anke, T., Brandt, U., Von Jagow, G.: The molecular basis for the natural resistance of the cytochrome bc_1 complex from strobilurin-producing basidiomycetes to center Q_P inhibitors 235: 54
Kramer, W., see Stengelin, S.
Krapp, A. R., see Ceccarelli, E. A.
Krauss, G., see Gallert, K.-C.
Krauss, O., Gore, M. G.: Refolding and reassociation of glycerol dehydrogenase from *Bacillus stearothermophilus* in the absence and presence of GroEL 241: 538
Krauter, G., von der Lieth, C.-W., Schmidt, R., Hecker, E.: Structure/activity relationships of polyfunctional diterpenes of the tigliane type – A pharmacophore model for protein-kinase-C activators based on structure/activity studies and molecular modeling of the tumor promoters 12-*O*-tetradecanoylphorbol 13-acetate and 3-*O*-tetradecanoylingenol 242: 417
Krauth-Siegel, R. L., Müller, J. G., Lottspeich, F., Schirmer, R. H.: Glutathione reductase and glutamate dehydrogenase of *Plasmodium falciparum*, the causative agent of tropical malaria 235: 345
Krebs, D., Dahmani, B., Monnot, M., Mauffret, O., Troalen, F., Fermandjian, S.: Dissection of the basic subdomain of the c-Jun oncoprotein – A structural analysis of two peptide fragments by CD, Fourier-transform infrared and NMR 235: 699
Kreutzer, R., see Blank, J.
Kreutzer, R., see Zeidler, W.
Kreutzer, U., Jue, T.: ^{1}H-NMR signal of *Arenicola marina* myoglobin *in vivo* as an index of tissue oxygenation 235: 622
Krezdorn, C. H., see Van Dorst, J. A. L. M.
Kristensen, T., see Haaning, J.
Kristo, P., Saarelainen, R., Fagerström, R., Aho, S., Korhola, M.: Protein purification, cloning and characterization of the cDNA and gene for xylose isomerase of barley 237: 240
Kröger, N., Bergsdorf, C., Sumper, M.: Frustulins: domain conservation in a protein family associated with diatom cell walls 239: 259
Kroes, S. J., Hoitink, C. W. G., Andrew, C. R., Ai, J., Sanders-Loehr, J., Messerschmidt, A., Hagen, W. R., Canters, G. W.: The mutation Met121→His creates a type-1.5 copper site in *Alcaligenes denitrificans* azurin 240: 342
Kromer, B., Finkenzeller, D., Wessels, J., Dveksler, G., Thompson, J., Zimmermann, W.: Coordinate expression of splice variants of the murine pregnancy-specific glycoprotein (PSG) gene family during placental development 242: 280
Kroneck, P. M. H., see Dreusch, A.
Kroneck, P. M. H., see Reichenbecher, W.
Kroner, C., Boekhoff, I., Lohmann, S. M., Genieser, H.-G., Breer, H.: Regulation of olfactory signalling via cGMP-dependent protein kinase 236: 632
Kroon, P. A., see Djordjevic, J. T.
Krotkiewski, H., see Duk, M.
Krowarsch, D., see Otlewski, J.
Kruijt, J. K., see Ziere, G. J.
Kruizinga, W. H., see Hensgens, C. M. H.
Krump, E., see Pouliot, M.
Krust, B., see Jacotot, E.
Kubo, T., see Horio, T.
Kuchel, P. W., see Nouri-Sorkhabi, M. H.
Kudo, S., see Ogawa, R.
Kügler, S., Plenz, G., Müller, P. K.: Two additional 5′ exons in the human Vigilin gene distinguish it from the chicken gene and provide the structural basis for differential routes of gene expression 238: 410
Kühn, L. C., see Callus, B. A.
Künzler, P., see Thöny-Meyer, L.
Kuiper, J., see Ziere, G. J.
Kuipers, O. P., see Demel, R. A.
Kuipers, O. P., see Rollema, H. S.
Kukimoto, I., Hoshino, S.-i., Kontani, K., Inageda, K., Nishina, H., Takahashi, K., Katada, T.: Stimulation of ADP-ribosyl cyclase activity of the cell surface antigen CD38 by zinc ions resulting from inhibition of its NAD^+ glycohydrolase activity 239: 177
Kuklenyik, Z., Yao, S., Marzilli, L. G.: Similar conformations of hairpins with TTT and TTTT sequences – NMR and molecular modeling evidence for T · T base pairs in the TTTT hairpin 236: 960
Kulikowska, E., see Bzowska, A.
Kumagai, O., see Frébort, I.
Kumano, G., Yokosawa, H., Nishida, H.: Biochemical evidence for membrane-bound endoderm-specific alkaline phosphatase in larvae of the ascidian, *Halocynthia roretzi* 240: 485
Kumar, P. K. R., see Nishikawa, F.
Kunert, O., see Schultheiss, J.
Kunkel, T. A., see Umar, A.
Kunow, J., see Bock, A.-K.
Kunugi, S., Koyasu, A., Kitayaki, M., Takahashi, S., Oda, K.: Kinetic characterization of the neutral protease vimelysin from *Vibrio* sp. T1800 241: 368

Kunz, W., see Schüssler, P.
Kupfer, C., Kemper, B.: Reactions of mitochondrial cruciform cutting endonuclease 1 (CCE1) of yeast *Saccharomyces cerevisiae* with branched DNAs *in vitro* 238: 77
Kuranova, I. P., see Harutyunyan, E. H.
Kurata, S.-I., Matsumoto, M., Tsuji, Y., Nakajima, H.: Lipopolysaccharide activates transcription of the heme oxygenase gene in mouse M1 cells through oxidative activation of nuclear factor κB 239: 566
Kurimoto, M., see Takakura-Yamamoto, R.
Kuroda, M., see Misaka, T.
Kurosaki, T., see Qin, S.
Kurz, U., see Völkel, H.
Kusters-van Someren, M. A., see Kester, H. C. M.
Kuttkat, A., Hartmann, A., Hobe, S., Paulsen, H.: The C-terminal domain of light-harvesting chlorophyll-*a*/*b*-binding protein is involved in the stabilisation of trimeric light-harvesting complex 242: 288
Kutuzov, M. A., Bennett, N.: Calcium-activated opsin phosphatase activity in retinal rod outer segments 238: 613
Kuusela, P., see Hildén, P.
Kuwada, M., see Hashida, R.
Kuznetsov, A. V., Tiivel, T., Sikk, P., Kaambre, T., Kay, L., Daneshrad, Z., Rossi, A., Kadaja, L., Peet, N., Seppet, E., Saks, V. A.: Striking differences between the kinetics of regulation of respiration by ADP in slow-twitch and fast-twitch muscles *in vivo* 241: 909
Kuzuya, T., see Nishida, K.
Kwan, S.-W., see Shiloff, B. A.
Kwon, B. S., see Chakraborty, A. K.

La Mar, G. N., see Zhang, W.
Lacour, T., see Dumas, B.
Ladenstein, R., see Benach, J.
Ladisch, S., see Olshefski, R.
Lagarde, M., see Prigent-Tessier, A.
Lagrost, L., see Florentin, E.
Lagrost, L., see Foucher, C.
Lagueux, M., see Charlet, M.
Lahm, H.-W., see Alberati-Giani, D.
Lahm, H.-W., see Cesura, A. M.
Lahti, R., see Heikinheimo, P.
Laigle, A., see Gallois, L.
Lalanne, J.-L., see Faucheu, C.
Lam, B. K., Penrose, J. F., Rokach, J., Xu, K., Baldasaro, M. H., Austen, K. F.: Molecular cloning, expression and characterization of mouse leukotriene C_4 synthase 238: 606
Lambe, K. G., Tugwood, J. D.: A human peroxisome-proliferator-activated receptor-γ is activated by inducers of adipogenesis, including thiazolidinedione drugs 239: 1
Lambert, G., see Benetollo, C.
Lambert, M., Colnot, S., Suh, E., L'Horset, F., Blin, C., Calliot, M.-E., Raymondjean, M., Thomasset, M., Traber, P. G., Perret, C.: *cis*-Acting elements and transcription factors involved in the intestinal specific expression of the rat calbindin-D9k gene – Binding of the intestine-specific transcription factor Cdx-2 to the TATA box 236: 778
Lambrecht, R. W., see Cable, E. E.
Lamers, W. H., see Das, A. T.
Lamzin, V. S., see Harutyunyan, E. H.
Lancellotti, I., see Battistuzzi, G.
Lancet, D., see Nekrasova, E.
Landon, C., Cornet, B., Bonmatin, J.-M., Kopeyan, C., Rochat, H., Vovelle, F., Ptak, M.: ^{1}H-NMR-derived secondary structure and the overall fold of the potent anti-mammal and anti-insect toxin III from the scorpion *Leiurus quinquestriatus quinquestriatus* 236: 395
Landt, O., see Schindler, T.
Lane, A., see Otto, W. R.
Lane, D. P., see Ball, K. L.
Lanéelle, M.-A., Silve, G., López Marín, L. M., Daffé, M.: Structures of the glycolipid antigens of members of the third biovariant complex of *Mycobacterium fortuitum* 238: 270
Lang, G., see Alberati-Giani, D.
Lang, G., see Cesura, A. M.
Langer, L., see Armesto, J.
Langley, K. E., see Mendiaz, E. A.
Lapied, B., see Borchani, L.
Laran-Chich, M.-P., see Johannes, L.
Larroque, C., see Daujat, M.
Larsson, Å., Climent, I., Nordlund, P., Sahlin, M., Sjöberg, B.-M.: Structural and functional characterization of two mutated R2 proteins of *Escherichia coli* ribonucleotide reductase 237: 58
Larsson, H., see Khoshnoodi, J.
Larsson, L.-I., see Madsen, O. D.
Larsson, M., see Hjälm, G.
Laruelle, L., see Dumas, B.
Lasonder, E., Schellekens, G. A., Koedijk, D. G. A. M., Damhof, R. A., Welling-Wester, S., Feijlbrief, M., Scheffer, A. J., Welling, G. W.: Kinetic analysis of synthetic analogues of linear-epitope peptides of glycoprotein D of herpes simplex virus type 1 by surface plasmon resonance 240: 209
Latchman, D. S., see Kendall, G.
Lauder, R. M., Huckerby, T. N., Nieduszynski, I. A.: The structure of the keratan sulphate chains attached to fibromodulin isolated from articular cartilage 242: 402
Laufs, R., see Borowski, P.
Laugier, C., see Prigent-Tessier, A.
Laurell, C.-B., see Malm, J.
Lauricella, M., see Giuliano, M.
Lavielle, S., see Girault, S.
Lavoinne, A., Husson, A., Quillard, M., Chédeville, A., Fairand, A.: Glutamine inhibits the lowering effect of glucose on the level of phospho*enol*pyruvate carboxykinase mRNA in isolated rat hepatocytes 242: 537
Lavoinne, A., see Quillard, M.
Lavrovsky, Y., Stoltz, R. A., Vlassov, V. V., Abraham, N. G.: c-*fos* protooncogene transcription can be modulated by oligonucleotide-mediated formation of triplex structures *in vitro* 238: 582
Law, J. H., see Huang, T.-s.
Lawrence, G. W., Foran, P., Dolly, J. O.: Distinct exocytotic responses of intact and permeabilised chromaffin cells after cleavage of the 25-kDa synaptosomal-associated protein (SNAP-25) or synaptobrevin by botulinum toxin A or B 236: 877
Lay, V. J., Prescott, A. G., Thomas, P. G., John, P.: Heterologous expression and site-directed mutagenesis of the 1-aminocyclopropane-1-carboxylate oxidase from kiwi fruit 242: 228
Le Caer, J.-P., see Madeddu, L.
Le Cahérec, F., Deschamps, S., Delamarche, C., Pellerin, I., Bonnec, G., Guillam, M.-T., Thomas, D., Gouranton, J., Hubert, J.-F.: Molecular cloning and characterization of an insect aquaporin – Functional comparison with aquaporin 1 241: 707
Le Cam, A., see Simar-Blanchet, A.-E.
Le Chalony, C., see Ferbus, D.
Le Fur, G., see Bouaboula, M.
Le Fur, N., El Khadir-Mounier, C., Powell, R. S., Diot, C., Mallard, J., Douaire, M.: Characterization of the chicken fatty acid synthase gene 5′ part and promoter region 240: 323
Le Jossic, C., Glaise, D., Corcos, L., Diot, C., Dezier, J.-F., Fautrel, A., Guguen-Guillouzo, C.: *trans*-Acting factors, detoxication enzymes and hepatitis B virus replication in a novel set of human hepatoma cell lines 238: 400
le Maire, M., see de Foresta, B.
Le Marchand-Brustel, Y., see Ricort, J.-M.
Le Meste, M., see Foucher, C.
Leberman, R., see Seignovert, L.
Lederer, F., see Belmouden, A.
Ledesma, A., see Batanero, E.
Ledoux, C., see Dumas, B.
Lee, B. J., see Lee, Y. C.
Lee, B. J., see Lee, Y. C.
Lee, C. Y., see Otto, W. R.
Lee, J. H., see Kim, J.
Lee, J. H., see Shiloff, B. A.
Lee, Y. C., Lee, B. J., Hwang, D. S., Kang, H. S.: Purification and characterization of mitochondrial ribonuclease P from *Aspergillus nidulans* 235: 289
Lee, Y. C., Lee, B. J., Kang, H. S.: The RNA component of mitochondrial ribonuclease P from *Aspergillus nidulans* 235: 297
Leeflang, B. R., see De Beer, T.
Lefèvre, J.-F., see Milhé, C.
Leffers, H., see Dejgaard, K.
LeGall, J., see Romero, A.
LeGall, J., see Turner, D. L.
Legros, N., see de Foresta, B.
Lehrer, R. I., see Harwig, S. S. L.
Lehti, K., see Lohi, J.
Lehtonen, E., see Riento, K.
Lei, J., see Heierhorst, J.
Leier, I., Jedlitschky, G., Büchler, M., Buchholz, U., Brom, M., Keppler, D.: Identification of the biosynthetic leukotriene C_4 export pump in murine mastocytoma cells as a homolog of the multidrug-resistance protein 242: 201
Leier, I., see Pulaski, L.
Leighton, I. A., see Gordon, R. D.
Leisinger, T., see Vuilleumier, S.
Lemaire, M., Miginiac-Maslow, M., Decottignies, P.: The catalytic site of chloroplastic NADP-dependent malate dehydrogenase contains a His/Asp pair 236: 947
Lemaître, C., Orange, N., Saglio, P., Saint, N., Gagnon, J., Molle, G.: Characterization and ion channel activities of novel antibacterial proteins from the skin mucosa of carp (*Cyprinus carpio*) 240: 143

Lemoine, A., see Rondot, I.
LeMotte, P. K., Keidel, S., Apfel, C. M.: Phytanic acid is a retinoid X receptor ligand 236: 328
Lenarčič, B., see Storici, P.
Lenting, P. J., see Donath, M.-J. S. H.
Leonardi, A., see Esposito, G.
Leoni, S., see Falasca, M.
Leopold, K., see Armesto, J.
Lepage, T., see Lhomond, G.
Lesca, P., see Daujat, M.
Leseney, A.-M., see Gorin, Y.
Lesnik, P., see Dentan, C.
Letourneur, O., see Goetschy, J.-F.
Leung, J., see Bertauche, N.
Leung, T., see Lim, L.
Levade, T., see Andrieu, N.
Leverve, X. M., see Chauvin, C.
Levi-Meyrueis, C., see González-Barroso, M. M.
Lhomond, G., Ghiglione, C., Lepage, T., Gache, C.: Structure of the gene encoding the sea urchin blastula protease 10 (BP10), a member of the astacin family of Zn^{2+}-metalloproteases 238: 744
L'Horset, F., see Lambert, M.
Li, B., Lin, S.-X.: Fluorescence-energy transfer in human estradiol 17β-dehydrogenase-NADPH complex and studies on the coenzyme binding 235: 180
Li, E., Bestagno, M., Burrone, O.: Molecular cloning and characterization of a transmembrane surface antigen in human cells 238: 631
Li, H., Sadler, P. J., Sun, H.: Rationalization of the strength of metal binding to human serum transferrin 242: 387
Li, H. Z., see Kawasaki, H.
Li, J., see Iwadate, H.
Li, J.-L., Robson, K. J. H., Chen, J.-L., Targett, G. A. T., Baker, D. A.: Pfmrk, a MO15-related protein kinase from *Plasmodium falciparum* – Gene cloning, sequence, stage-specific expression and chromosome localization 241: 805
Li, R., Luciakova, K., Nelson, B. D.: Expression of the human cytochrome *c*1 gene is controlled through multiple Sp1-binding sites and an initiator region 241: 649
Li, Y.-P., Busch, R. K., Valdez, B. C., Busch, H.: C23 interacts with B23, a putative nucleolar-localization-signal-binding protein 237: 153
Li, Z., see Sacks, D. B.
Lian, L. Y., see Ubbink, M.
Liautard, J. P., see Alvarez-Martinez, M.-T.
Liaw, Y.-C., see Lin, S.-H.
Lichter, A., see Braun, H.
Liden, J., see Delaunay, F.
Lidén, S., see Frohm, M.
Lie, C., see Brauers, A.
Liebl, U., see Nitschke, W.
Liedel, K., see Meyer zu Heringdorf, D.
Lienard, T., Becher, B., Marschall, M., Bowien, S., Gottschalk, G.: Sodium ion translocation by N^5-methyltetrahydromethanopterin: coenzyme M methyltransferase from *Methanosarcina mazei* Gö1 reconstituted in ether lipid liposomes 239: 857
Ligeti, E., see Wölfl, J.
Lijnen, H. R., Van Hoef, B., Collen, D.: Characterization of the murine plasminogen/urokinase-type plasminogen-activator system 241: 840
Lilja, H., see Malm, J.
Lim, L., Manser, E., Leung, T., Hall, C.: *Review*. Regulation of phosphorylation pathways by p21 GTPases – The p21 Ras-related Rho subfamily and its role in phosphorylation signalling pathways 242: 171
Lim, L., see Dong, J.-M.
Lin, J.-Y., see Lin, S.-H.
Lin, S.-H., Chow, L.-P., Chen, Y.-L., Liaw, Y.-C., Chen, J.-K., Lin, J.-Y.: Probing the domain structure of abrin-a by tryptic digestion 240: 564
Lin, S.-X., see Li, B.
Lin, Y., see Veríssimo, P.
Lindahl, M., see Adamska, I.
Lindblom, G., see Morein, S.
Linden, H., see Albrecht, M.
Linder, D., see Geyer, H.
Linder, D., see Hochheimer, A.
Linder, D., see Kost, C.
Linder, D., see Vaupel, M.
Linder, J., see Völkel, H.
Lindley, I. J. D., see Sticht, H.
Lindner, B., see Helander, I. M.
Lindsay, J. G., see Munro, A. W.
Lindsay, J. G., see Sanderson, S. J.
Lindstad, R. I., McKinley-McKee, J. S.: Reversible inhibition of sheep liver sorbitol dehydrogenase by thiol compounds 241: 142
Lingens, F., see Bauer, I.
Lingens, F., see Seibold, B.
Lingens, F., see Stephan, I.
Link, T. A., Saynovits, M., Assmann, C., Iwata, S., Ohnishi, T., von Jagow, G.: Isolation, characterisation and crystallisation of a water-soluble fragment of the Rieske iron-sulfur protein of bovine heart mitochondrial bc_1 complex 237: 71
Lipecka, J., see Benharouga, M.
Lipniunas, P. H., see Rosén, S.
Liras, P., see Coque, J. J. R.
Lisowska, E., see Duk, M.
Lista, F., see Toniato, E.
Litvak, S., see Nevinsky, G. A.
Litzka, O., Then Bergh, K., Brakhage, A. A.: The *Aspergillus nidulans* penicillin-biosynthesis gene *aat* (*penDE*) is controlled by a CCAAT-containing DNA element 238: 675
Liu, C.-C., see de Fátima Horta, M.
Liu, J.-W., see Walter, M. H.
Liu, L.-F. S., see Buchegger, F.
Lockau, W., see Baier, K.
Lockey, T. D., Ourth, D. D.: Formation of pores in *Escherichia coli* cell membranes by a cecropin isolated from hemolymph of *Heliothis virescens* larvae 236: 263
Lockridge, O., see Masson, P.
Lockshin, R., see Karasavvas, N.
Loeffler, H., Spiess, E., Juodka, B., Stammer, H., Werner, D.: Activation and enzyme characteristics of a DNA-restrained phosphatase in chromatin-associated complexes 240: 600
Löffler, M., see Knecht, W.
Löffler, M., see Knecht, W.
Löhr, F., see Knauf, M. A.
Loh, T. T., see Lok, C. N.
Lohi, J., Lehti, K., Westermarck, J., Kähäri, V.-M., Keski-Oja, J.: Regulation of membrane-type matrix metalloproteinase-1 expression by growth factors and phorbol 12-myristate 13-acetate 239: 239
Lohmann, S. M., see Kroner, C.
Loiseau, C., Randriamahazaka, H. N., Nigretto, J.-M.: Explicit constants for the dextran-sulfate-mediated activation and autoactivation of purified human factor XII (Hageman factor) 239: 692
Lok, C. N., Chan, K.-F. J., Loh, T. T.: Transcriptional regulation of transferrin receptor expression during phorbol-ester-induced HL-60 cell differentiation – Evidence for a negative regulatory role of the phorbol-ester-responsive element-like sequence 236: 614
Lompré, A.-M., see Nozais, M.
Long, A. J., see Roach, P. L.
Longhi, R., see Corti, A.
Longthorne, V. L., see Hale, A. J.
Lonsdale-Eccles, J. D., see Troeberg, L.
Lopez, M. M., see Sacks, D. B.
López Marín, L. M., see Lanéelle, M.-A.
Lopez-Garcia, P., see Jean, P.
López-Pérez, M. J., see Enríquez, J. A.
Lorber, B., see Mazauric, M.-H.
Lord, J. M., see Chaddock, J. A.
Lottspeich, F., see Basse, C. W.
Lottspeich, F., see Ehring, B.
Lottspeich, F., see Gallert, K.-C.
Lottspeich, F., see Krauth-Siegel, R. L.
Loveland, B. E., see Milland, J.
Lu, J.-F., see Inoue, H.
Lu, T., see Takenaka, M.
Lubkowski, J., Palm, G. J., Gilliland, G. L., Derst, C., Röhm, K.-H., Wlodawer, A.: Crystal structure and amino acid sequence of *Wolinella succinogenes* L-asparaginase 241: 201
Lubsen, N. H., see Dirks, R. P. H.
Lucchini, G., see Sacchi, G. A.
Luchinat, C., see Bentrop, D.
Luchinat, C., see Bertini, I.
Luchinat, C., see Ciurli, S.
Luciakova, K., see Li, R.
Ludbrook, S. B., see Stafford, W. H. L.
Ludwig, A., see Döbereiner, A.
Ludwig, O., see Brandt, W.
Lugowski, C., see Niedziela, T.
Luhová, L., see Frébort, I.
Luiken, J. J. F. P., Aerts, J. M. F. G., Meijer, A. J.: The role of the intralysosomal pH in the control of autophagic proteolytic flux in rat hepatocytes 235: 564
Lumb, M. J., see Oatey, P. B.
Lund, K., see Madsen, O. D.
Lundgren, S., see Hjälm, G.
Lundwall, Å.: The cloning of a rapidly evolving seminal-vesicle-transcribed gene encoding the major clot-forming protein of mouse semen 235: 424
Lundwall, Å.: The structure of the semenogelin gene locus – Nucleotide sequence of the intergenic and the flanking DNA 235: 466
Luo, G., see Zhang, J. Q.
Luonteri, E., see Margolles-Clark, E.

Lutz, N. W., Yahi, N., Fantini, J., Cozzone, P. J.: A new method for the determination of specific ^{13}C enrichment in phosphorylated [1-^{13}C]glucose metabolites – ^{13}C-coupled, ^{1}H-decoupled ^{31}P-NMR spectroscopy of tissue perchloric acid extracts 238: 470
Lycett, G. W., see Jones, C. G.
Mabbutt, B. C., see Zachara, N. E.
Mabrouk, K., see Kharrat, R.
Maccotta, A., see Valensin, G.
Macherel, D., Bourguignon, J., Forest, E., Faure, M., Cohen-Addad, C., Douce, R.: Expression, lipoylation and structure determination of recombinant pea H-protein in *Escherichia coli* 236: 27
Machleidt, W., see Auerswald, E. A.
Machold, J., see Hucho, F.
MacLean, L. M., see Perry, M. B.
Madeddu, L., Klotz, C., Le Caer, J.-P., Beisson, J.: Characterization of centrin genes in *Paramecium* 238: 121
Madsen, O. D., Jensen, J., Blume, N., Petersen, H. V., Lund, K., Karlsen, C., Andersen, F. G., Jensen, P. B., Larsson, L.-I., Serup, P.: *Review.* Pancreatic development and maturation of the islet B cell – Studies of pluripotent islet cultures 242: 435
Mäenpää, P. H., see Ryhänen, S.
Maes, E., see Plancke, Y.
Magdolen, V., Rettenberger, P., Koppitz, M., Goretzki, L., Kessler, H., Weidle, U. H., König, B., Graeff, H., Schmitt, M., Wilhelm, O.: Systematic mutational analysis of the receptor-binding region of the human urokinase-type plasminogen activator 237: 743
Maggio, B., see Daniele, J. J.
Magnuson, M. A., see Parsa, R.
Magnusson, H., see Malm, J.
Magri, E., Cuneo, P., Trombetta, G., Grazi, E.: The osmotic properties and free energy of formation of the actomyosin rigor complexes from rabbit muscle 239: 165
Magri, E., see Grazi, E.
Mahonen, A., see Ryhänen, S.
Mahy, J.-P., see Gaspard, S.
Maier, E., see Menzl, K.
Maier, E., see Schmidt, H.
Maier, M., see Stengelin, S.
Maines, M. D., Polevoda, B. V., Huang, T.-J., McCoubrey, W. K. Jr: Human biliverdin IXα reductase is a zinc-metalloprotein – Characterization of purified and *Escherichia coli* expressed enzymes 235: 372
Maiorino, M., Roche, C., Kiess, M., Koenig, K., Gawlik, D., Matthes, M., Naldini, E., Pierce, R., Flohé, L.: A selenium-containing phospholipid-hydroperoxide glutathione peroxidase in *Schistosoma mansoni* 238: 838
Majander, A., Finel, M., Savontaus, M.-L., Nikoskelainen, E., Wikström, M.: Catalytic activity of Complex I in cell lines that possess replacement mutations in the ND genes in Leber's hereditary optic neuropathy 239: 201
Makogonenko, E. M., Yakubenko, V. P., Ingham, K. C., Medved, L. V.: Thermal stability of individual domains in platelet glycoprotein IIbIIIa 237: 205
Malherbe, P., see Alberati-Giani, D.
Malherbe, P., see Cesura, A. M.
Malissard, M., Borsig, L., Di Marco, S., Grütter, M. G., Kragl, U., Wandrey, C., Berger, E. G.: Recombinant soluble β-1,4-galactosyltransferases expressed in *Saccharomyces cerevisiae* – Purification, characterization and comparison with human enzyme 239: 340
Malke, H., see Gase, K.
Malkewitz, J., see Foerster, J.
Mallard, J., see Le Fur, N.
Malm, J., Hellman, J., Magnusson, H., Laurell, C.-B., Lilja, H.: Isolation and characterization of the major gel proteins in human semen, semenogelin I and semenogelin II 238: 48
Maltby, D., see Kanaani, J.
Mancini, J. A., see Pouliot, M.
Manetti, A. G. O., see Rosetto, M.
Mangani, S., see Benini, S.
Mangoni, M. L., see Simmaco, M.
Mangoni, M., see Aumelas, A.
Mani, J.-C., see Alvarez-Martinez, M.-T.
Mann, K., see Reinert, M.
Mann, K., see Sasaki, T.
Mann, M., see Weijland, A.
Mannaerts, G. P., see Croes, K.
Mannaerts, G. P., see Dieuaide-Noubhani, M.
Mannaerts, G. P., see Vanhooren, J. C. T.
Manoharan, T. H., see Sluis-Cremer, N. N.
Manser, E., see Lim, L.
Mansuelle, P., see Borchani, L.
Mansuy, D., see Gaspard, S.
Mansuy, D., see Jean, P.
Mansuy, D., see Kopf, M.-A.
Mantovani, R., see Meroni, G.
Manzini, G., see Alunni-Fabbroni, M.
Maraboeuf, F., see Morimatsu, K.
Maraboeuf, F., see Takahashi, M.
Maras, B., Greenblatt, H. M., Shoham, G., Spungin-Bialik, A., Blumberg, S., Barra, D.: Aminopeptidase from *Streptomyces griseus* – Primary structure and comparison with other zinc-containing aminopeptidases 236: 843
Maras, B., see Altieri, F.
Marberger, M., see Rydlander, L.
Marchand, J., see Bouaboula, M.
Marchini, D., see Rosetto, M.
Marchis-Mouren, G., see Alkazaz, M.
Marchis-Mouren, G., see Gilles, C.
Marciano, D., see Tisch, D.
Maréchal, G., Beckers-Bleukx, G., Berquin, A., Coulton, G.: Isoforms of myosin in growing muscles of ky (kyphoscoliotic) mice 241: 916
Margolles-Clark, E., Tenkanen, M., Luonteri, E., Penttilä, M.: Three α-galactosidase genes of *Trichoderma reesei* cloned by expression in yeast 240: 104
Margolles-Clark, E., Tenkanen, M., Söderlund, H., Penttilä, M.: Acetyl xylan esterase from *Trichoderma reesei* contains an active-site serine residue and a cellulose-binding domain 237: 553
Margreth, A., see Sacchetto, R.
Marin, O., see Donella-Deana, A.
Marino, M., see Falasca, M.
Markert, M., see Guignard, F.
Markert, R. L. M., Ruppach, H., Gehring, S., Dietrich, U., Mierke, D. F., Köck, M., Rübsamen-Waigmann, H., Griesinger, C.: Secondary structural elements as a basis for antibody recognition in the immunodominant region of human immunodeficiency viruses 1 and 2 237: 188
Marković-Housley, Z., Schirmer, T., Hohenester, E., Khomutov, A. R., Khomutov, R. M., Karpeisky, M. Y., Sandmeier, E., Christen, P., Jansonius, J. N.: Crystal structures and solution studies of oxime adducts of mitochondrial aspartate aminotransferase 236: 1025
Marks, F., see Rennecke, J.
Marmaras, V. J., see Charalambidis, N. D.
Maroun, R. G., see Sourgen, F.
Marquet, A., see Ploux, O.
Marri, L., see Rosetto, M.
Marritt, S. J., Hagen, W. R.: Dissimilatory sulfite reductase revisited – The desulfoviridin molecule does contain 20 iron ions, extensively demetallated sirohaem, and an $S = 9/2$ iron-sulfur cluster 238: 724
Marschall, M., see Lienard, T.
Martens, G. J. M., see Braks, J. A. M.
Martens, G. J. M., see Braks, J. A. M.
Martensen, P. M., see Kjøller, L.
Martin, G., see Fouque, D.
Martin, I., Ruysschaert, J.-M., Sanders, D., Giffard, C. J.: Interaction of the lantibiotic nisin with membranes revealed by fluorescence quenching of an introduced tryptophan 239: 156
Martin, M., see Merle, M.
Martin, P.-M., see Chajry, N.
Martin, W., see Tholl, D.
Martin-Eauclaire, M.-F., see Kharrat, R.
Martinotti, S., see Toniato, E.
Martins, J. C., see Vranken, W. F.
Martinus, R. D., Garth, G. P., Webster, T. L., Cartwright, P., Naylor, D. J., Høj, P. B., Hoogenraad, N. J.: Selective induction of *mitochondrial chaperones in response to* loss of the mitochondrial genome 240: 98
Martín, J. F., see Coque, J. J. R.
Martínez, A. T., see Martínez, M. J.
Martínez, A. W., Pettersson, G.: Transient-state kinetic evidence against a channelled transfer of glyceraldehyde 3-phosphate from aldolase to glyceraldehyde-3-phosphate dehydrogenase 239: 675
Martínez, A., see Knappskog, P. M.
Martínez, M. C., Achkor, H., Persson, B., Fernández, M. R., Shafqat, J., Farrés, J., Jörnvall, H., Parés, X.: *Arabidopsis* formaldehyde dehydrogenase – Molecular properties of plant class III alcohol dehydrogenase provide further insights into the origins, structure and function of plant class P and liver class I alcohol dehydrogenases 241: 849
Martínez, M. J., Ruiz-Dueñas, F. J., Guillén, F., Martínez, A. T.: Purification and catalytic properties of two manganese peroxidase isoenzymes from *Pleurotus eryngii* 237: 424
Marton, R. F., see Thömmes, P.
Marumo, F., see Iwashina, M.
Marzilli, L. G., see Kuklenyik, Z.
Marzullo, L., see Giardina, P.
Masai, H., see Ikeda, M.

Maser, E., Richter, E., Friebertshäuser, J.: The identification of 11β-hydroxysteroid dehydrogenase as carbonyl reductase of the tobacco-specific nitrosamine 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone 238: 484
Maser, E., see Oppermann, U. C. T.
Maślakiewicz, P., see Rodakiewicz-Nowak, J.
Mason, G. G. F., Hendil, K. B., Rivett, A. J.: Phosphorylation of proteasomes in mammalian cells – Identification of two phosphorylated subunits and the effect of phosphorylation on activity 238: 453
Massmann, S., see Brauers, A.
Masson, P., Froment, M.-T., Bartels, C. F., Lockridge, O.: Asp70 in the peripheral anionic site of human butyrylcholinesterase 235: 36
Masters, D. J., see Gordon, R. D.
Masterson, C., see Brown, G. M.
Masuda, K., see Kawakami, K.
Matsuda, S., Sakaguchi, K., Tsukada, K., Teraoka, H.: Characterization of DNA ligase from the fungus *Coprinus cinereus* 237: 691
Matsuda, S., see Kawasaki, H.
Matsuda, Y., see von Willebrand, M.
Matsui, K., see Asano, N.
Matsumoto, M., see Kurata, S.-I.
Matsumura, H., see Yuda, M.
Matsushita, K., see Frébort, I.
Matsushita, K., see Sakamoto, K.
Matthes, M., see Maiorino, M.
Matthes, M., see Seibold, B.
Mauel, J., see Guignard, F.
Mauffret, O., see Krebs, D.
Maupoil, V., see Foucher, C.
Maurel, M.-C., see Suire, S.
Maurel, P., see Daujat, M.
Max, N., see Bauer, I.
May, C., see Ahnert, V.
Mayer, C., see Horsch, M.
Mayer, C., see Köhrer, C.
Mayer, U., see Kohfeldt, E.
Mayhew, S. G., see Corrado, M. E.
Mayhew, S. G., see Knauf, M. A.
Mayr, L. M., see Schindler, T.
Mazauric, M.-H., Reinbolt, J., Lorber, B., Ebel, C., Keith, G., Giegé, R., Kern, D.: An example of non-conservation of oligomeric structure in prokaryotic aminoacyl-tRNA synthetases – Biochemical and structural properties of glycyl-tRNA synthetase from *Thermus thermophilus* 241: 814
McCaffery, P., see Zhao, D.
McColl, S. R., see Pouliot, M.
McCormick, J. E., see Carr, M. D.
McCoubrey, W. K. Jr, see Maines, M. D.
McDonald, P. P., see Pouliot, M.
McDuffie, E., see Nesterova, M.
McEwan, A. G., see Hanlon, S. P.
McGarry, J. D., see Chatelain, F.
McGovern, J. J., see Senchenkova, S. N.
McIntosh, P. B., see Carr, M. D.
Mckenzie, I. F. C., see Milland, J.
McKinley-McKee, J. S., see Lindstad, R. I.
McMasters, R. A., see Cloud-Heflin, B. A.
Medcalf, R. L., see Costa, M.
Medcalf, R. L., see Dear, A. E.
Medved, L. V., Solovjov, D. A., Ingham, K. C.: Domain structure, stability and interactions in streptokinase 239: 333
Medved, L. V., see Makogonenko, E. M.
Meghji, S., see Reddi, K.
Mehlen, P., see Garrido, C.
Meier, R., Rouse, J., Cuenda, A., Nebreda, A. R., Cohen, P.: Cellular stresses and cytokines activate multiple mitogen-activated-protein kinase kinase homologues in PC12 and KB cells 236: 796
Meijer, A. J., see Luiken, J. J. F. P.
Meiss, G., see Friedhoff, P.
Meister, M., see Charlet, M.
Mele, R., see Parente, D.
Melli, M., see Ambrosetti, D.-C.
Mendes, J., see Bentrop, D.
Méndez, E., Rocher, A., Calero, M., Girbés, T., Citores, L., Soriano, F.: Primary structure of ω-hordothionin, a member of a novel family of thionins from barley endosperm, and its inhibition of protein synthesis in eukaryotic and prokaryotic cell-free systems 239: 67
Mendiaz, E. A., Chang, D. G., Boone, T. C., Grant, J. R., Wypych, J., Aguero, B., Egrie, J. C., Langley, K. E.: Epitope mapping and immunoneutralization of recombinant human stem-cell factor 239: 842
Ménez, A., see Bouhaouala-Zahar, B.
Menzl, K., Maier, E., Chakraborty, T., Benz, R.: HlyA hemolysin of *Vibrio cholerae* O1 biotype El Tor – Identification of the hemolytic complex and evidence for the formation of anion-selective ion-permeable channels 240: 646
Mercier, L., see Simar-Blanchet, A.-E.
Merle, M., Martin, M., Villégier, A., Canioni, P.: Mathematical modelling of the citric acid cycle for the analysis of glutamine isotopomers from cerebellar astrocytes incubated with [1-^{13}C]glucose 239: 742
Merlevede, W., see Agostinis, P.
Merola, M., see Faggioli, L.
Meroni, G., Buraggi, G., Mantovani, R., Taramelli, R.: Motifs resembling hepatocyte nuclear factor 1 and activator protein 3 mediate the tissue specificity of the human plasminogen gene 236: 373
Mertens, K., see Donath, M.-J. S. H.
Merville, M.-P., see Bonizzi, G.
Mery, L., see Raffetseder, U.
Messerschmidt, A., see Kroes, S. J.
Messner, M., see Weller, U.
Metz, G., see Engelhard, M.
Metz, K., see Ezernieks, J.
Metz-Boutigue, M.-H., see Goumon, Y.
Metzger, A. U., see Willbold, D.
Metzger, J. W., see Rollema, H. S.
Meunier-Durmort, C., Ferry, N., Hainque, B., Delattre, J., Forest, C.: Efficient transfer of regulated genes in adipocytes and hepatoma cells by the combination of liposomes and replication-deficient adenovirus 237: 660
Meyer, C., Schmid, R., Scriba, P. C., Wehling, M.: Purification and partial sequencing of high-affinity progesterone-binding site(s) from porcine liver membranes 239: 726
Meyer, C., see Eisen, C.
Meyer, C., see Naud, I.
Meyer, O., see Gremer, L.
Meyer, T. E., see Samyn, B.
Meyer, T. H., see Ehring, B.
Meyer zu Heringdorf, D., Liedel, K., Kaldenberg-Stasch, S., Michel, M. C., Jakobs, K. H., Wieland, T.: Translocation of microfilament-associated inhibitory guanine-nucleotide-binding proteins to the plasma membrane in myeloid differentiated human leukemia (HL-60) cells 235: 670
Meyer Zu Heringdorf, D., see Wieland, T.
Meyer-Klaucke, W., Winkler, H., Schünemann, V., Trautwein, A. X., Nolting, H.-F., Haavik, J.: Mössbauer, electron-paramagnetic-resonance and X-ray–absorption fine-structure studies of the iron environment in recombinant human tyrosine hydroxylase 241: 432
Meyuhas, O., see Shama, S.
Michel, A., see Schüssler, P.
Michel, M. C., see Meyer zu Heringdorf, D.
Michels, S., Rogalska, E., Branlant, G.: Phosphate-binding sites in phosphorylating glyceraldehyde-3-phosphate dehydrogenase from *Bacillus stearothermophilus* 235: 641
Miele, R., see Simmaco, M.
Mierke, D. F., see Markert, R. L. M.
Miginiac-Maslow, M., see Lemaire, M.
Mignogna, G., see Pallaoro, M.
Mignogna, G., see Simmaco, M.
Mignotte, F., see Dufresne, C.
Miki, D., see Inoue, K.
Milhé, C., Fuchs, R. P. P., Lefèvre, J.-F.: NMR data show that the carcinogen N-2-acetylaminofluorene stabilises an intermediate of –2 frameshift mutagenesis in a region of high mutation frequency 235: 120
Milland, J., Christiansen, D., Thorley, B. R., Mckenzie, I. F. C., Loveland, B. E.: Translation is enhanced after silent nucleotide substitutions in A+T-rich sequences of the coding region of CD46 cDNA 238: 221
Millar, A. R., see Brown, G. M.
Miller, C., see Sanderson, S. J.
Millevoi, S., see Consalvi, V.
Mills, J., see Wyborn, N. R.
Min, K.-L., Steghens, J.-P., Henry, R., Doutheau, A., Collombel, C.: Synthesis and differential properties of creatine analogues as inhibitors for human creatine kinase isoenzymes 238: 446
Minamikawa, T., see Kato, H.
Minamikawa, T., see Yoshida, T.
Minekura, H., see Iijima, H.
Minella, O., Mulner-Lorillon, O., Poulhe, R., Bellé, R., Cormier, P.: The guanine-nucleotide-exchange complex (EF-1$\beta\gamma\delta$) of elongation factor-1 contains two similar leucine-zipper proteins EF-1δ, p34 encoded by EF-1δ^1 and p36 encoded by EF-1δ^2 237: 685
Minét, M., see Knecht, W.
Minuto, M., see Papa, S.
Mirtella, A., see Ambrosetti, D.-C.
Misago, M., see Ogawa, R.
Misaka, T., Kuroda, M., Iwabuchi, K., Abe, K., Arai, S.: Soyacystatin, a novel cysteine proteinase inhibitor in soybean, is distinct in protein structure and gene organization from other cystatins of animal and plant origin 240: 609
Mitchell, J. B. O., see Viles, J. H.
Mithieux, G., Zitoun, C.: Mechanisms by which fatty-acyl-CoA esters inhibit or activate glucose-6-phosphatase in intact and detergent-treated rat liver microsomes 235: 799

Mitsui, K.-i., see Sekino-Suzuki, N.
Mitsunaga, T., see Hagishita, T.
Miura, K., see Yuda, M.
Miura, Y., see Iwaki, D.
Miyatake, K., see Yamaji, R.
Miyazawa, K., see Nagamine, K.
Miyoshi, E., see Koyama, N.
Miyoshi, H., see Sakamoto, K.
Mizon, J., see Atmani, F.
Modi, S., see Ubbink, M.
Moir, A. J. G., see Veríssimo, P.
Moiseeva, E. P., Belkin, A. M., Spurr, N. K., Koteliansky, V. E., Critchley, D. R.: A novel dystrophin/utrophin-associated protein is an enzymatically inactive member of the phosphoglucomutase superfamily 235: 103
Moks, T., see Jonasson, P.
Molina, F., Bouanani, M., Pau, B., Granier, C.: Characterization of the type-1 repeat from thyroglobulin, a cysteine-rich module found in proteins from different families 240: 125
Molinari, M., see Anagli, J.
Molle, G., see Lemaître, C.
Mondovì, B., see De Biase, D.
Moniatte, M., see Goumon, Y.
Monnens, L. A. H., see Groffen, A. J. A.
Monnot, M., see Krebs, D.
Monsalve, R. I., see González de la Peña, M. A.
Monsan, P. F., see Adam, O.
Montecucco, C., see Morante, S.
Montero-Julian, F. A., see Kalai, M.
Montoya, J., see Enríquez, J. A.
Monzingo, A. F., see Chaddock, J. A.
Moorhead, G., see Johnson, D. F.
Moorman, A. F. M., see Das, A. T.
Moran, A. P., see Senchenkova, S. N.
Morante, S., Furenlid, L., Schiavo, G., Tonello, F., Zwilling, R., Montecucco, C.: X-ray absorption spectroscopy study of zinc coordination in tetanus neurotoxin, astacin, alkaline protease and thermolysin 235: 606
Moras, D., see Chevrier, B.
Morein, S., Trouard, T. P., Hauksson, J. B., Rilfors, L., Arvidson, G., Lindblom, G.: Two-dimensional ^{1}H-NMR of transmembrane peptides from *Escherichia coli* phosphatidylglycerophosphate synthase in micelles 241: 489
Morelle, D., see Kalai, M.
Moreno, F., Corrales, S., Garcia Blanco, F., Gore, M. G., Rees-Milton, K., Churchich, J. E.: Reversible denaturation of *myo*-inositol monophosphatase – The stability of the metal-binding loop 240: 435
Moreno, S., see Zaremberg, V.
Moret, V., see Brunati, A. M.
Morfin, R., see Doostzadeh, J.
Morgan, E. H., see Callus, B. A.
Morgan, W. D., see Gargaro, A. R.
Mori, M., see Chowdhury, S.
Moriguchi, T., see Kawasaki, H.
Morikis, D., Wright, P. E.: Hydrogen exchange in the carbon monoxide complex of soybean leghemoglobin 237: 212
Morimatsu, K., Maraboeuf, F., Hagmar, P., Nordén, B., Horii, T., Takahashi, M.: Roles of Tyr103 and Tyr264 in the regulation of RecA-DNA interactions by nucleotide cofactors 240: 91
Morimoto, I., see Ogawa, R.
Morino, S., Hazama, H., Ozaki, M., Teraoka, Y., Shibata, S., Doi, M., Ueda, H., Ishida, T., Uesugi, S.: Analysis of the mRNA cap-binding ability of human eukaryotic initiation factor-4E by use of recombinant wild-type and mutant forms 239: 597
Moriya, M., see Yamaji, R.
Morpurgo, L., see De Biase, D.
Morris, H. R., see Taguchi, T.
Morrison, K., see Drummond, F.
Morse, B., see Hjälm, G.
Mortarino, M., Negri, A., Tedeschi, G., Simonic, T., Duga, S., Gassen, H. G., Ronchi, S.: L-Aspartate oxidase from *Escherichia coli* – I. Characterization of coenzyme binding and product inhibition 239: 418
Mortarino, M., see Tedeschi, G.
Morten, J., see Gordon, R. D.
Morty, R. E., see Troeberg, L.
Mørtz, E., see Sareneva, T.
Moss, C. J., see Zachara, N. E.
Mott, R., see Gordon, R. D.
Moulis, J.-M., see Gaillard, J.
Mounier, C., Franken, P. A., Verheij, H. M., Bon, C.: The anticoagulant effect of the human secretory phospholipase A_2 on blood plasma and on a cell-free system is due to a phospholipid-independent mechanism of action involving the inhibition of factor Va 237: 778
Moura, I., see Romero, A.
Moura, J. J. G., see Romero, A.
Mücke, U., Wohlfarth, T., Fiedler, U., Bäumlein, H., Rücknagel, K. P., König, S.: Pyruvate decarboxylase from *Pisum sativum* – Properties, nucleotide and amino acid sequences 237: 373
Mühlenhoff, U., Zhao, J., Bryant, D. A.: Interaction between photosystem I and flavodoxin from the cyanobacterium *Synechococcus* sp. PCC 7002 as revealed by chemical cross-linking 235: 324
Mühl-Zürbes, P., see Brauers, A.
Müller, J. G., see Krauth-Siegel, R. L.
Müller, L., see Weller, U.
Müller, P. K., see Kügler, S.
Müller, R., see Seibold, B.
Müller, S., Boles, E., Zimmermann, F. K.: A two-hybrid system analysis shows interactions between 6-phosphofructo-1-kinase and 6-phosphofructo-2-kinase but not between other glycolytic enzymes of the yeast *Saccharomyces cerevisiae* 236: 626
Müller, S., see Färber, P. M.
Müller, Y., see Kester, H. C. M.
Müller-Esterl, W., see AbdAlla, S.
Müller-Esterl, W., see Müller-Newen, G.
Müller-Newen, G., Köhne, C., Keul, R., Hemmann, U., Müller-Esterl, W., Wijdenes, J., Brakenhoff, J. P. J., Hart, M. H. L., Heinrich, P. C.: Purification and characterization of the soluble interleukin-6 receptor from human plasma and identification of an isoform generated through alternative splicing 236: 837
Müntz, K., see Shutov, A. D.
Mukai, T., see Iwata, N.
Muleris, M., see Ferbus, D.
Muller, C. P., see Fleckenstein, B.
Mulner-Lorillon, O., see Minella, O.
Munier, H., see Bouhss, A.
Munro, A. W., Daff, S., Coggins, J. R., Lindsay, J. G., Chapman, S. K.: Probing electron transfer in flavocytochrome *P*-450 BM3 and its component domains 239: 403
Murakami, M., Wissenbach, U., Flockerzi, V.: Gene structure of the murine calcium channel $\beta 3$ subunit, cDNA and characterization of alternative splicing and transcription products 236: 138
Muraosa, Y., Takahashi, K., Yoshizawa, M., Shibahara, S.: cDNA cloning of a novel protein containing two zinc-finger domains that may function as a transcription factor for the human heme-oxygenase-1 gene 235: 471
Murata, Y., see Kawakami, Y.
Murén, E., Ek, B., Björk, I., Rask, L.: Structural comparison of the precursor and the mature form of napin, the 2S storage protein in *Brassica napus* 242: 214
Muriaux, D., see Bonnet-Mathonière, B.
Murphy, G., see Knäuper, V.
Murphy, G., see Sasaki, T.
Murphy, G., see Williamson, R. A.
Murray, E., see Hjälm, G.
Musahl, C., see Schulte, D.
Musolyamov, A. K., see Vladimirov, S. N.
Mustelin, T., see Tailor, P.
Mustelin, T., see von Willebrand, M.
Muszyńska, G., see Trojanek, J.
Muto, Y., see Taguchi, T.
Mutzel, R., see Dammann, H.
Mygind, B., see Jensen, K. F.

Nadanaka, S., see Sugahara, K.
Nägler, D. K., see Auerswald, E. A.
Nagai, Y., see Hashida, R.
Nagai, Y., see Nara, K.
Nagamine, K., Shibamoto, S., Takeuchi, K., Miyazawa, K., Kitamura, N., Chatani, Y., Kohno, M., Ito, F.: Dissociation of c-*fos* induction and mitogen-activated-protein kinase activation from the hepatocyte-growth-factor-induced motility response in human gastric carcinoma cells 236: 476
Nagano, K., see Kawakami, K.
Nagao, M., see Osawa, Y.
Nagata, K., see Kambayashi, Y.
Nagata, K., see Ohta, S.
Nagata, S., see Enari, M.
Nagy, G. M., see Schmiedeknecht, G.
Naidoo, N., see Sluis-Cremer, N.
Naim, H. Y., see Jacob, R.
Nair, S. P., see Reddi, K.
Naito, A., see Tuzi, S.
Naito, M., see Yamaji, R.
Nakagama, H., see Osawa, Y.
Nakagawa, H., Zheng, M., Hakomori, S., Tsukamoto, Y., Kawamura, Y., Takahashi, N.: Detailed oligosaccharide structures of human integrin $\alpha 5\beta 1$ analyzed by a three-dimensional mapping technique 237: 76
Nakagawa, M., see Sakamoto, K.
Nakajima, H., see Kurata, S.-I.
Nakamura, K., see Kawakami, Y.
Nakamura, M., see Sekino-Suzuki, N.
Nakamura, S., see Kawasaki, H.
Nakane, S., see Sugiura, T.
Nakano, M., see Katsumata, T.
Nakano, Y., see Yamaji, R.
Nakari-Setälä, T., Aro, N., Kalkkinen, N., Alatalo, E., Penttilä, M.: Genetic and biochemical characterization of the *Trichoderma reesei* hydrophobin HFBI 235: 248

Nakatsu, N., see Kabuyama, Y.
Nakayama, K., see Takahashi, Y.
Naldini, E., see Maiorino, M.
Nambirajan, S., see Radha, V.
Napias, C., see Pinson, B.
Napoleoni, R., see Amoresano, A.
Nara, K., Watanabe, Y., Kawashima, I., Tai, T., Nagai, Y., Sanai, Y.: Acceptor substrate specificity of a cloned G_{D3} synthase that catalyzes the biosynthesis of both G_{D3} and $G_{D1c}/G_{T1a}/G_{Q1b}$ 238: 647
Narovlyansky, A. N., see Turpaev, K. T.
Natalia, D., see Williamson, R. A.
Natochin, M., see Nekrasova, E.
Natori, S., see Homma, K.-i.
Natori, S., see Horio, T.
Naud, I., Meyer, C., David, L., Breton, J., Gaillard, J., Jouanneau, Y.: Identification of residues of *Rhodobacter capsulatus* ferredoxin I important for its interaction with nitrogenase 237: 399
Navangione, A., see Gabellini, N.
Navarra, P., see Ambrosetti, D.-C.
Navon, A., see Planchenault, T.
Naylor, D. J., see Martinus, R. D.
Nebreda, A. R., see Meier, R.
Needham, M., see Gordon, R. D.
Negre, D., see Rittinger, K.
Negri, A., see Mortarino, M.
Negri, A., see Tedeschi, G.
Negro, A., Skaper, S. D.: Synthesis, cytotoxic properties and effects on early and late gene induction of a chimeric diphtheria toxin–leukemia-inhibitory factor protein 241: 507
Nehls, C., see Schmidt, M.
Nekrasova, E., Sosinskaya, A., Natochin, M., Lancet, D., Gat, U.: Overexpression, solubilization and purification of rat and human olfactory receptors 238: 28
Nellen, A., see Höhne, M.
Nelson, B. D., see Li, R.
Nesterova, M., Yokozaki, H., McDuffie, E., Cho-Chung, Y. S.: Overexpresson of RIIβ regulatory subunit of protein kinase A in human colon carcinoma cell induces growth arrest and phenotypic changes that are abolished by site-directed mutation of RIIβ 235: 486
Neubauer, G., see Weijland, A.
Neubert, K., see Jacotot, E.
Neuhierl, B., Böck, A.: *Priority paper.* On the mechanism of selenium tolerance in selenium-accumulating plants – Purification and characterization of a specific selenocysteine methyltransferase from cultured cells of *Astragalus bisculatus* 239: 235
Neuhofen, S., Theyssen, H., Reinstein, J., Trommer, W. E., Vogel, P. D.: Nucleotide binding to the heat-shock protein DnaK as studied by ESR spectroscopy 240: 78
Neupert, W., see Klaus, C.
Neve, R. L., see Zhao, D.
Nevinsky, G. A., Zakharova, O. D., Fournier, M., Andreola, M. L., Litvak, S., Tarrago-Litvak, L.: Interaction of human immunodeficiency virus type 1 reverse transcriptase with primer $tRNA^{Lys3}$ and affinity modification of the enzyme by $tRNA^{Lys3}$ derivatives 240: 774
Newman, P. J., see Jackson, D. E.
Nguyen, T.-T., see Tran-Dinh, S.
Nguyen, V. T., Baker, D. P., Tricot, C., Baur, H., Villeret, V., Dideberg, O., Gigot, D., Stalon, V., Haas, D.: Catabolic ornithine carbamoyltransferase of *Pseudomonas aeruginosa* – Importance of the N-terminal region for dodecameric structure and homotropic carbamoylphosphate cooperativity 236: 283
Nicholson, D. W., see Scoggan, K. A.
Nicklisch, S., see Baier, K.
Nicodeme, E., see Benoist, F.
Nieboer, M., Vis, A.-J., Witholt, B.: Overproduction of a foreign membrane protein in *Escherichia coli* stimulates and depends on phospholipid synthesis 241: 691
Nieduszynski, I. A., see Lauder, R. M.
Niedziela, T., Petersson, C., Helander, A., Jachymek, W., Kenne, L., Lugowski, C.: Structural studies of the O-specific polysaccharide of *Hafnia alvei* strain 1209 lipopolysaccharide 237: 635
Nielsen, K. L., see Iwaki, D.
Nieto, P. M., see Gargaro, A. R.
Nifant'ev, N., see Casset, F.
Nigretto, J.-M., see Loiseau, C.
Nikkari, S., see Sillanaukee, P.
Nikolaev, A. V., see Brown, G. M.
Nikoskelainen, E., see Majander, A.
Nilsson, J., see Jonasson, P.
Ninio, E., see Dentan, C.
Niot, I., see Poirier, H.
Nishida, E., see Kawasaki, H.
Nishida, E., see Tokmakov, A. A.
Nishida, H., see Kumano, G.
Nishida, K., Otsu, K., Hori, M., Kuzuya, T., Tada, M.: Cloning and characterization of the 5′-upstream regulatory region of the Ca^{2+}-release channel gene of cardiac sarcoplasmic reticulum 240: 408
Nishikawa, A., see Koyama, N.
Nishikawa, F., Kawakami, J., Chiba, A., Shirai, M., Kumar, P. K. R., Nishikawa, S.: Selection *in vitro* of *trans*-acting genomic human hepatitis delta virus (HDV) ribozymes 237: 712
Nishikawa, S., see Nishikawa, F.
Nishimura, C., see Iwata, N.
Nishimura, S., see Higashi, H.
Nishimura, Y., see Enari, M.
Nishina, H., see Kukimoto, I.
Nishioka, J., see Kise, H.
Nishiyama, K., see Iida, T.
Nitschke, W., Schoepp, B., Floss, B., Schricker, A., Rutherford, A. W., Liebl, U.: Membrane-bound *c*-type cytochromes in *Heliobacillus mobilis* – Characterisation by EPR and optical spectroscopy in membranes and detergent-solubilised material 242: 695
Nitschke, W., see Cavazza, C.
Nivière, V., see Fieschi, F.
Niwa, Y., Yano, M., Futaki, S., Okumura, Y., Kido, H.: T-cell membrane-associated serine protease, tryptase TL_2, binds human immunodeficiency virus type 1 gp120 and cleaves the third-variable-domain loop of gp120 – Neutralizing antibodies of human immunodeficiency virus type 1 inhibit cleavage of gp120 237: 64
Nock, S., see Blank, J.
Noël, T., see Hubert, F.
Noguchi, S., see Katsumata, T.
Noguchi, T., see Takenaka, M.
Nokelainen, P., Puranen, T., Peltoketo, H., Orava, M., Vihko, P., Vihko, R.: Molecular cloning of mouse 17β-hydroxysteroid dehydrogenase type 1 and characterization of enzyme activity 236: 482
Nolting, H. F., see Benini, S.
Nolting, H.-F., see Meyer-Klaucke, W.
Nomenclature Committee of the International Union of Biochemistry and Molecular Biology (NC-IUBMB). Prepared by Barrett, A. J.: Enzyme Nomenclature. Recommendations 1992 237: 1
Nordén, B., see Morimatsu, K.
Nordén, B., see Takahashi, M.
Nordfang, O., see Petersen, L. C.
Nordlund, P., see Larsson, Å.
Norgauer, J., Barbisch, M., Czech, W., Pareigis, J., Schwenk, U., Schröder, J.-M.: Chemotactic 5-oxo-icosatetraenoic acids activate a unique pattern of neutrophil responses – Analysis of phospholipid metabolism, intracellular Ca^{2+} transients, actin reorganization, superoxide-anion production and receptor up-regulation 236: 1003
Norioka, S., see Ishimizu, T.
Norris, F., see Petersen, L. C.
Norris, K., see Petersen, L. C.
Nouri-Sorkhabi, M. H., Sullivan, D. R., Benton, C. M., Kuchel, P. W.: Changes in plasma phospholipids in the presence and absence of erythrocytes – ^{31}P-NMR time-course studies 235: 648
Nover, L., see Schultheiss, J.
Novikov, D., see Dieuaide-Noubhani, M.
Nozais, M., Lompré, A.-M., Janmot, C., d'Albis, A.: Sarco(endo)plasmic reticulum Ca^{2+} pump and metabolic enzyme expression in rabbit fast-type and slow-type denervated skeletal muscles – A time course study 238: 807
Nugent, J. H. A.: *Review.* Oxygenic photosynthesis – Electron transfer in photosystem I and photosystem II 237: 519
Nullans, G., see Goumon, Y.
Nummila, K., see Helander, I. M.
Nurden, A. T., see Pasquet, J.-M.
Nuttall, S., see Hanson, B.

Oatey, P. B., Lumb, M. J., Danpure, C. J.: Molecular basis of the variable mitochondrial and peroxisomal localisation of alanine–glyoxylate aminotransferase 241: 374
Ober, D., see Tholl, D.
Oda, K., see Kunugi, S.
Odani, S., Yokokawa, Y., Takeda, H., Abe, S., Odani, Su.: The primary structure and characterization of carbohydrate chains of the extracellular glycoprotein proteinase inhibitor from latex of *Carica papaya* 241: 77
Odani, Su., see Odani, S.
Odeberg, J., see Gudmundsson, G. H.
Odo, S., see Inoue, K.
Oehlenschläger, F., see Gebinoga, M.
Oehlmann, K., see Borowski, P.
Ogawa, R., Misago, M., Fukuda, M. N., Kudo, S., Tsukada, J., Morimoto, I., Eto, S.: Structure and transcriptional regulation of human α-mannosidase II^x (α-mannosidase II isotype) gene 242: 446
Ogier-Denis, E., see Ghidoni, R.
Ohanjan, T., see Gallert, K.-C.

Ohayon, R., see Gorin, Y.
Ohkubo, T., see Tsuda, M.
Ohkuma, Y., see Kawakami, K.
Ohnishi, T., see Link, T. A.
Ohno-Iwashita, Y., see Sekino-Suzuki, N.
Ohresser, S., see Bulet, P.
Ohshima, M., see Sakamoto, K.
Ohta, S., Shimekake, Y., Nagata, K.: Molecular cloning and characterization of a transcription factor for the C-type natriuretic peptide gene promoter 242: 460
Okada, M., see Khan, M. A.
Okada, M., see Tamaru, T.
Okada, T., see Yamaji, R.
Okawa, Y., see Suzuki, A.
Okret, S., see Delaunay, F.
Okumura, N., see Khan, M. A.
Okumura, Y., see Niwa, Y.
Okuyama, A., see Higashi, H.
Olkkonen, V. M., see Riento, K.
Olsen, O. H., see Petersen, L. C.
Olshefski, R., Taylor, B., Heitger, A., Hasegawa, A., Ladisch, S.: Induction of programmed cell death and immunosuppression by exogenous sphingolipids are separate processes 241: 47
Olsson, B., see Gudmundsson, G. H.
Omori, K., see Yanaka, N.
Onyango, I., see Hjälm, G.
Oppermann, U. C. T., Maser, E.: Characterization of a 3α-hydroxysteroid dehydrogenase/carbonyl reductase from the gram-negative bacterium *Comamonas testosteroni* 241: 744
Oppermann, U. C. T., see Benach, J.
Orange, N., see Lemaître, C.
Orava, M., see Nokelainen, P.
Oredsson, S. M., see Fredlund, J. O.
Oren, Z., Shai, Y.: A class of highly potent antibacterial peptides derived from pardaxin, a pore-forming peptide isolated from Moses sole fish *Pardachirus marmoratus* 237: 303
Ormö, M., Sjöberg, B.-M.: The Cys292→Ala substitution in protein R1 of class I ribonucleotide reductase from *Escherichia coli* has a global effect on nucleotide binding at the specificity-determining allosteric site 241: 363
O'Rourke, J. F., Pugh, C. W., Bartlett, S. M., Ratcliffe, P. J.: Identification of hypoxically inducible mRNAs in HeLa cells using differential-display PCR – Role of hypoxia-inducible factor-1 241: 403
Orrù, S., see Amoresano, A.
Orsó, E., see Schmiedeknecht, G.
Osawa, Y., Nakagama, H., Shima, H., Sugimura, T., Nagao, M.: Identification and characterization of three isotypes of protein phosphatase inhibitor-2 and their expression profiles during testis maturation in rats 242: 793
Osborn, M. T., see Cloud-Heflin, B. A.
Oscarson, S., see Gupta, D.
Oshie, A., see Suzuki, A.
Osman, A. M., Koerts, J., Boersma, M. G., Boeren, S., Veeger, C., Rietjens, I. M. C. M.: Microperoxidase/H_2O_2-catalyzed aromatic hydroxylation proceeds by a cytochrome-*P*-450-type oxygen-transfer reaction mechanism 240: 232
Ostendorp, R., see Dams, T.
Ostersetzer, O., Tabak, S., Yarden, O., Shapira, R., Adam, Z.: Immunological detection of proteins similar to bacterial proteases in higher plant chloroplasts 236: 932
Ostolaza, H., see Soloaga, A.
Otlewski, J., Sywula, A., Kolasinski, M., Krowarsch, D.: Unfolding kinetics of bovine trypsinogen 242: 601
Otsu, K., see Nishida, K.
Ott, M., see Dams, T.
Ott, S., see Schmidt, M.
Otto, A., see Vladimirov, S. N.
Otto, W. R., Rao, J., Cox, H. M., Kotzian, E., Lee, C. Y., Goodlad, R. A., Lane, A., Gorman, M., Freemont, P. A., Hansen, H. F., Pappin, D., Wright, N. A.: Effects of pancreatic spasmolytic polypeptide (PSP) on epithelial cell function 235: 64
Otvos, L. Jr, see Bulet, P.
Oughideni, R., see Kharrat, R.
Ourth, D. D., see Lockey, T. D.
Overgaard, M. T., see Haaning, J.
Oxley, D., Bacic, A.: Disulphide bonding in a stylar self-incompatibility ribonuclease of *Nicotiana alata* 242: 75
Oxvig, C., see Haaning, J.
Oyamada, H., see Suzuki, A.
Ozaki, M., see Morino, S.

Paci, M., see D'Alagni, M.
Pacilli, A., see Parente, D.
Packer, N. H., see Zachara, N. E.
Packman, L. C., see Goytisoio, F. A.
Padilla, A., see Alattia, T.
Pagani, S., see Colnaghi, R.
Pageaux, J.-F., see Prigent-Tessier, A.
Pain, V. M.: *Review*. Initiation of protein synthesis in eukaryotic cells 236: 747
Pairault, J., see El Hadri, K.
Pajot-Augy, E., see Couture, L.
Pajunk, H., see Cibelli, G.
Pakdaman, R., El Hage Chahine, J.-M.: A mechanism for iron uptake by transferrin 236: 922
Palla, E., see Ambrosetti, D.-C.
Pallaoro, M., Gambacurta, A., Fiorucci, L., Mignogna, G., Barra, D., Ascoli, F.: cDNA cloning and primary structure of tryptase from bovine mast cells, evidence for the expression of bovine pancreatic trypsin inhibitor mRNA in the same cells 237: 100
Palm, G. J., see Lubkowski, J.
Palmer, M., see Weller, U.
Palmieri, M., see Faggioli, L.
Panek, A. D., see Stambuk, B. U.
Panneman, H., Ruijter, G. J. G., van den Broeck, H. C., Driever, E. T. M., Visser, J.: Cloning and biochemical characterisation of an *Aspergillus niger* glucokinase – Evidence for the presence of separate glucokinase and hexokinase enzymes 240: 518
Pantophlet, R., see Vinogradov, E. V.
Panzetta-Dutari, G. M., see Koritschoner, N. P.
Paoletti, J., see Bonnet-Mathonière, B.
Papa, S., Zanotti, F., Cocco, T., Perrucci, C., Candita, C., Minuto, M.: Identification of functional domains and critical residues in the adenosinetriphosphatase inhibitor protein of mitochondrial F_0F_1 ATP synthase 240: 461
Papadimitriou, A., Gross, H. J.: Pre-tRNA 3′-processing in *Saccharomyces cerevisiae* – Purification and characterization of exo- and endoribonucleases 242: 747
Papamarcaki, T., see Kondili, K.
Papkoff, H., see Koide, Y.
Pappin, D., see Otto, W. R.
Pareigis, J., see Norgauer, J.
Parente, D., Raucci, G., Celano, B., Pacilli, A., Zanoni, L., Canevari, S., Adobati, E., Colnaghi, M. I., Dosio, F., Arpicco, S., Cattel, L., Mele, R., De Santis, A.: Clavin, a type-1 ribosome-inactivating protein from *Aspergillus clavatus* IFO 8605 – cDNA isolation, heterologous expression, biochemical and biological characterization of the recombinant protein 239: 272
Parente, L., see Ambrosetti, D.-C.
Parés, X., see Martínez, M. C.
Park, G. T., see Choi, C. Y.
Parolari, E., see Ghidoni, R.
Parsa, R., Decaux, J.-F., Bossard, P., Robey, B. R., Magnuson, M. A., Granner, D. K., Girard, J.: Induction of the glucokinase gene by insulin in cultured neonatal rat hepatocytes – Relationship with DNase-I hypersensitive sites and functional analysis of a putative insulin-response element 236: 214
Pascual, A., Vioque, A.: Cloning, purification and characterization of the protein subunit of ribonuclease P from the cyanobacterium *Synechocystis* sp. PCC 6803 241: 17
Pascucci, B., see Citarella, F.
Pasquet, J.-M., Dachary-Prigent, J., Nurden, A. T.: Calcium influx is a determining factor of calpain activation and microparticle formation in platelets 239: 647
Pasquo, A., see Consalvi, V.
Passarella, S., see Atlante, A.
Patchell, V. B., see Quirk, P. G.
Patel, S., Austen, B. M.: Substitution of fifty four homologue (Ffh) in *Escherichia coli* with the mammalian 54-kDa protein of signal-recognition particle 238: 760
Patenge, N., see Dernedde, J.
Paterson, B., see Zhang, J. Q.
Pati, D., Habibi, H. R., Gedamu, L.: Inhibition of zinc-induced metallothionein mRNA accumulation by gonadotropin-releasing hormone in human hepatocarcinoma cell line HepG2 242: 36
Patrito, L. C., see Koritschoner, N. P.
Pau, B., see Molina, F.
Paul, C., see Simar-Blanchet, A.-E.
Paul, D. L., see Bruzzone, R.
Pauls, T. L., Durussel, I., Clark, I. D., Szabo, A. G., Berchtold, M. W., Cox, J. A.: Site-specific replacement of amino acid residues in the CD site of rat parvalbumin changes the metal specificity of this Ca^{2+}/Mg^{2+}-mixed site toward a Ca^{2+}-specific site 242: 249
Pauls, T. L., see Durussel, I.
Paulsen, H., see Kuttkat, A.
Paulsson, M., see Aszódi, A.
Paulus, C., see Beissinger, M.
Pawelek, J. M., see Chakraborty, A. K.
Payan, F., see Alkazaz, M.
Payan, F., see Gilles, C.
Payne, S. L., see Powell, D. J.
Pearson, C. K., see Wilson, S. B.
Peč, P., see Frébort, I.

Peek, R., Pruijn, G. J. M., van Venrooij, W. J.: Interaction of the La (SS-B) autoantigen with small ribosomal subunits 236: 649
Peelen, T., see Demel, R. A.
Peet, N., see Kuznetsov, A. V.
Pegorier, J.-P., see Chatelain, F.
Pelagi, M., see Corti, A.
Pelhate, M., see Borchani, L.
Pelhate, M., see Bouhaouala-Zahar, B.
Pelissier, B., see Sabri, N.
Pellerin, I., see Le Cahérec, F.
Pelosi, M., see Sacchetto, R.
Peltoketo, H., see Nokelainen, P.
Pelton, P. D., see Saudek, V.
Peng, H.-L., see Chang, H.-Y.
Peng, H.-L., see Duggleby, R. G.
Penrose, J. F., see Lam, B. K.
Penttilä, M., see Margolles-Clark, E.
Penttilä, M., see Margolles-Clark, E.
Penttilä, M., see Nakari-Setälä, T.
Pepe, J. A., see Cable, E. E.
Pepermans, H. A. M., see Remerowski, M. L.
Pereira, G. G., Hollenberg, C. P.: Conserved regulation of the *Hansenula polymorpha MOX* promoter in *Saccharomyces cerevisiae* reveals insights in the transcriptional activation by Adr1p 238: 181
Perez, F., see Johannes, L.
Pérez, S., see Casset, F.
Pérez-Martos, A., see Enríquez, J. A.
Pérez-Montfort, R., see Garza-Ramos, G.
Periquet, G., see Rouleux-Bonnin, F.
Perret, C., see Lambert, M.
Perrucci, C., see Papa, S.
Perry, M. B., MacLean, L. M., Brisson, J.-R., Wilson, M. E.: Structures of the antigenic O-polysaccharides of lipopolysaccharides produced by *Actinobacillus actinomycetemcomitans* serotypes a, c, d and e 242: 682
Persson, B., see Martínez, M. C.
Persson, Y., see Rosén, S.
Peter-Katalinic, J., see Hanisch, F.-G.
Peters, T., see Casset, F.
Peterseim, A., see Prucha, M.
Petersen, H. V., see Madsen, O. D.
Petersen, L. C., Bjørn, S. E., Olsen, O. H., Nordfang, O., Norris, F., Norris, K.: Inhibitory properties of separate recombinant Kunitz-type-protease-inhibitor domains from tissue-factor-pathway inhibitor 235: 310
Petersen, T. E., see Hvarregaard, J.
Petersohn, D., Thiel, G.: Role of zinc-finger proteins Sp1 and zif268/egr-1 in transcriptional regulation of the human synaptobrevin II gene 239: 827
Peterson, D. L., see Rodríguez-Crespo, I.
Petersson, C., see Niedziela, T.
Pétré, D., see Kopf, M.-A.
Pette, D., see Huber, B.
Pettersson, G., see Martínez, A. W.
Pettersson, T. M., see Sunde, M.
Peumans, W. J., see Van Damme, E. J. M.
Peumans, W. J., see Van Damme, E. J. M.
Peumans, W. J., see Van Damme, E. J. M.
Pfister, M., see Stelter, F.
Pfundt, R., see Dirks, R. P. H.
Phan, T.-N., see Tuteja, N.
Phillips, I. R., see Dolphin, C. T.
Piatigorsky, J., see Tomarev, S. I.
Piccioli, M., see Bentrop, D.
Piccioli, M., see Bertini, I.
Piechottka, G., see Pohlig, G.
Piendl, W., see Köhrer, C.
Pieper, D. H., see Prucha, M.
Pieper, D. H., see Prucha, M.
Pieper, U., see Friedhoff, P.
Pierce, R., see Maiorino, M.
Pierro, P., see Atlante, A.
Piette, J., see Bonizzi, G.
Pike, R. N., see Troeberg, L.
Pille, S., Assemat, K., Breton, A. M., Clément-Métral, J. D.: The Gly74→Ser and Ser3→Ala mutations in *Rhodobacter sphaeroides* Y thioredoxin – Effects on active site reactivity and protein interaction 235: 713
Pillois, X., see Pinson, B.
Pineda-Lucena, A., see Romero, A.
Pingoud, A., see Friedhoff, P.
Pinna, L. A., see Agostinis, P.
Pinna, L. A., see Brunati, A. M.
Pinna, L. A., see Donella-Deana, A.
Pinson, B., Pillois, X., Brèthes, D., Chevallier, J., Napias, C.: *In vivo* phosphorylation of the purine/cytosine permease from the plasma membrane of the yeast *Saccharomyces cerevisiae* 239: 439
Pires, E., see Veríssimo, P.
Piret, B., see Bonizzi, G.
Piriou, F., see Saudek, V.
Pirovano, L., see Sacchi, G. A.
Pitard, B., Richard, P., Duñach, M., Girault, G., Rigaud, J.-L.: ATP synthesis by the F_0F_1 ATP synthase from thermophilic *Bacillus* PS3 reconstituted into liposomes with bacteriorhodopsin – 1. Factors defining the optimal reconstitution of ATP synthases with bacteriorhodopsin 235: 769
Pitard, B., Richard, P., Duñach, M., Rigaud, J.-L.: ATP synthesis by the F_0F_1 ATP synthase from thermophilic *Bacillus* PS3 reconstituted into liposomes with bacteriorhodopsin – 2. Relationships between proton motive force and ATP synthesis 235: 779
Pittenauer, E., see Briza, P.
Piubelli, L., Aliverti, A., Bellintani, F., Zanetti, G.: Mutations of Glu92 in ferredoxin I from spinach leaves produce proteins fully functional in electron transfer but less efficient in supporting $NADP^+$ photoreduction 236: 465
Planchenault, T., Navon, A., Schulze, A. J., Goldberg, M. E.: Transient non-native interactions in early folding intermediates do not influence the folding kinetics of *Escherichia coli* tryptophan synthase β_2 subunits 240: 615
Plancke, Y., Delplace, F., Wieruszeski, J.-M., Maes, E., Strecker, G.: Isolation and structures of glycoprotein-derived free oligosaccharides from the unfertilized eggs of *Scyliorhinus caniculus* – Characterization of the sequences galactose(α1–4)galactose(β1–3)-*N*-acetylglucosamine and *N*-acetylneuraminic acid(α2–6)galactose(β1–3)-*N*-acetylglucosamine 235: 199
Platt, J. T., see Chakraborty, A. K.
Plenz, G., see Kügler, S.
Ploux, O., Marquet, A.: Mechanistic studies on the 8-amino-7-oxopelargonate synthase, a pyridoxal-5′-phosphate-dependent enzyme involved in biotin biosynthesis 236: 301
Pluskota, E., see Watała, C.
Plusquellec, D., see de Foresta, B.
Poellinger, L., see Daujat, M.
Pötters, E., see Schüssler, P.
Pognonec, P., see Aperlo, C.
Pohjanjoki, P., see Heikinheimo, P.
Pohlig, G., Fendrich, G., Knecht, R., Eder, B., Piechottka, G., Sommerhoff, C. P., Heim, J.: Purification, characterization and biological evaluation of recombinant leech-derived tryptase inhibitor (rLDTI) expressed at high level in the yeast *Saccharomyces cerevisiae* 241: 619
Poinot-Chazel, C., see Bouaboula, M.
Poirier, H., Degrace, P., Niot, I., Bernard, A., Besnard, P.: Localization and regulation of the putative membrane fatty-acid transporter (FAT) in the small intestine – Comparison with fatty acid-binding proteins (FABP) 238: 368
Polevoda, B. V., see Maines, M. D.
Polshakov, V. I., see Gargaro, A. R.
Polticelli, F., see Schininà, M. E.
Pommier, J., see Gorin, Y.
Pompon, D., see Doostzadeh, J.
Poncz, M., see Jackson, D. E.
Poole, S., see Reddi, K.
Poopeiko, N. E., see Bzowska, A.
Pope, F. M., see Richards, A.
Poralla, K., see Feil, C.
Porcelli, M., see Cacciapuoti, G.
Porra, R. J., Schäfer, W., Gad'on, N., Katheder, I., Drews, G., Scheer, H.: Origin of the two carbonyl oxygens of bacteriochlorophyll *a* – Demonstration of two different pathways for the formation of ring E in *Rhodobacter sphaeroides* and *Roseobacter denitrificans*, and a common hydratase mechanism for 3-acetyl group formation 239: 85
Porte, F., see Alvarez-Martinez, M.-T.
Possani, L. D., see Selisko, B.
Postma, P. W., see Rohwer, J. M.
Postma, P. W., see Steinebach, V.
Poteur, L., see Goumon, Y.
Potier, S., see Ullmann, P.
Poulhe, R., see Minella, O.
Pouliot, M., McDonald, P. P., Krump, E., Mancini, J. A., McColl, S. R., Weech, P. K., Borgeat, P.: Colocalization of cytosolic phospholipase A_2, 5-lipoxygenase and 5-lipoxygenase-activating protein at the nuclear membrane of A23187-stimulated human neutrophils 238: 250
Pountney, D. L., see Bogumil, R.
Powell, D. J., Bur, D., Wlodawer, A., Gustchina, A., Payne, S. L., Dunn, B. M., Kay, J.: Expression, characterisation and mutagenesis of the aspartic proteinase from equine infectious anaemia virus 241: 664
Powell, R. S., see Le Fur, N.
Powls, R., see Chen, J.-H.
Prats, M., see Vilalta, I.
Preissner, K. T., see Kost, C.
Preissner, K. T., see Ständker, L.
Prescott, A. G., see Lay, V. J.
Price, G. D., see Howitt, C. A.
Pridzun, L., Wiesmüller, K.-H., Kienle, S., Jung, G., Walden, P.: Amino acid preferences in the octapeptide subunit of the major histocompatibility complex class I heterotrimer H-2L^d 236: 249
Priebe, W., see Gallois, L.
Priebe, W., see Gao, Y.-g.
Prieur, B., see Freund, N.
Prieur, D., see Purcarea, C.

Prigent-Tessier, A., Pageaux, J.-F., Fayard, J.-M., Lagarde, M., Laugier, C., Cohen, H.: Arachidonic acid up-regulates and prostaglandin E_2 down-regulates the expression of pancreatic-type phospholipase A_2 and prostaglandin-endoperoxide synthase 2 in uterine stromal cells 241: 872
Probst, W. C., see Heierhorst, J.
Prospéri, M.-T., see Ferbus, D.
Proud, C. G., see Flynn, A.
Prucha, M., Peterseim, A., Timmis, K. N., Pieper, D. H.: Muconolactone isomerase of the 3-oxoadipate pathway catalyzes dechlorination of 5-chloro-substituted muconolactones 237: 350
Prucha, M., Wray, V., Pieper, D. H.: Metabolism of 5-chloro-substituted muconolactones 237: 357
Pruijn, G. J. M., see Peek, R.
Ptak, M., see Landon, C.
Pucci, P., see Amoresano, A.
Pucci, P., see Giardina, P.
Puente, X. S., see Batanero, E.
Pugh, C. W., see O'Rourke, J. F.
Puigserver, A., see Carreira, S.
Pulaski, L., Jedlitschky, G., Leier, I., Buchholz, U., Keppler, D.: Identification of the multidrug-resistance protein (MRP) as the glutathione-*S*-conjugate export pump of erythrocytes 241: 644
Pulgar, V., Tapia, C., Vignolo, P., Santos, J., Sunkel, C. E., Allende, C. C., Allende, J. E.: The recombinant α isoform of protein kinase CK1 from *Xenopus laevis* can phosphorylate tyrosine in synthetic substrates 242: 519
Pungerčar, J., see Kopitar, G.
Punnonen, E.-L., Wilke, T., von Figura, K., Hille-Rehfeld, A.: The oligomeric state of 46-kDa mannose 6-phosphate receptor does not change upon intracellular recycling and binding of ligands 237: 809
Puranen, T., see Nokelainen, P.
Purcarea, C., Simon, V., Prieur, D., Hervé, G.: Purification and characterization of carbamoyl-phosphate synthetase from the deep-sea hyperthermophilic archaebacterium *Pyrococcus abyssi* 236: 189
Puri, R. N., Colman, R. F., Colman, R. W.: Platelet activation by 2-(4-bromo-2,3-dioxobutylthio)adenosine 5′-diphosphate is mediated by its binding to a putative ADP receptor, aggregin 236: 862
Purwantini, E., see Klein, A. R.
Puttini, S., see Argenton, F.
Puzo, G., see Adam, O.
Puzo, G., see Rivière, M.
Pyne, N. J., see Pyne, S.
Pyne, S., Chapman, J., Steele, L., Pyne, N. J.: Sphingomyelin-derived lipids differentially regulate the extracellular signal-regulated kinase 2 (ERK-2) and c-Jun N-terminal kinase (JNK) signal cascades in airway smooth muscle 237: 819

Qin, S., Inazu, T., Takata, M., Kurosaki, T., Homma, Y., Yamamura, H.: Cooperation of tyrosine kinases $p72^{syk}$ and $p53/56^{lyn}$ regulates calcium mobilization in chicken B cell oxidant stress signaling 236: 443
Quadrifoglio, F., see Alunni-Fabbroni, M.
Quadroni, M., Staudenmann, W., Kertesz, M., James, P.: Analysis of global responses by protein and peptide fingerprinting of proteins isolated by two-dimensional gel electrophoresis – Application to the sulfate-starvation response of *Escherichia coli* 239: 773
Quagliariello, E., see Atlante, A.
Quarzago, D., see Schulze, A. J.
Quemeneur, E., see Guthapfel, R.
Quennedey, A., see Braquart, C.
Quennedey, B., see Rondot, I.
Quick, M., Tebbe, S., Jung, H.: Ser57 in the Na^+/proline permease of *Escherichia coli* is critical for high-affinity proline uptake 239: 732
Quigley, J. P., see Iwaki, D.
Quillard, M., Husson, A., Lavoinne, A.: Glutamine increases argininosuccinate synthetase mRNA levels in rat hepatocytes – The involvement of cell swelling 236: 56
Quillard, M., see Lavoinne, A.
Quirk, P. G., Patchell, V. B., Colyer, J., Drago, G. A., Gao, Y.: Conformational effects of serine phosphorylation in phospholamban peptides 236: 85
Quitterer, U., see AbdAlla, S.

Rabesona, H., see Couture, L.
Radebach, I., see Jacob, R.
Radha, V., Nambirajan, S., Swarup, G.: Association of Lyn tyrosine kinase with the nuclear matrix and cell-cycle-dependent changes in matrix-associated tyrosine kinase activity 236: 360
Raditsch, M., Geyer, M., Kalbitzer, H. R., Jahn, W., Ruppersberg, J. P., Witzemann, V.: Polyamine spider toxins and mammalian *N*-methyl-D-aspartate receptors – Structural basis for channel blocking and binding of $argiotoxin_{636}$ 240: 416
Raffetseder, U., Röper, D., Mery, L., Gietz, C., Klos, A., Grötzinger, J., Wollmer, A., Boulay, F., Köhl, J., Bautsch, W.: Site-directed mutagenesis of conserved charged residues in the helical region of the human C5a receptor – Arg206 determines high-affinity binding sites of C5a receptor 235: 82
Ragg, E., see Iametti, S.
Ragolia, L., see Begum, N.
Rahman, M. M., see Ansaruzzaman, M.
Raida, M., see Ständker, L.
Raimbault, C., Buchet, R., Vial, C.: Changes of creatine kinase secondary structure induced by the release of nucleotides from caged compounds – An infrared difference-spectroscopy study 240: 134
Raimbault, S., see González-Barroso, M. M.
Raju, T. S., see Gupta, D.
Ramesh, V., Syed, S. E. H., Frederick, R. O., Sutcliffe, M. J., Barnes, M., Roberts, G. C. K.: NMR studies of the mode of binding of corepressors and inducers to *Escherichia coli trp* repressor 235: 804
Ramos, C., Winther, J. R.: Exchange of regions of the carboxypeptidase Y propeptide – Sequence specificity and function in folding *in vivo* 242: 29
Randriamahazaka, H. N., see Loiseau, C.
Ranta, E., see Sillanaukee, P.
Rao, J., see Otto, W. R.
Rao, M. N., see Somoskeöy, S.
Rask, L., see Hjälm, G.
Rask, L., see Khoshnoodi, J.
Rask, L., see Murén, E.
Rask, L., see Rosén, S.
Rasmussen, J. T., see Hvarregaard, J.
Rast, D. M., see Horsch, M.
Ratcliffe, P. J., see O'Rourke, J. F.
Raucci, G., see Parente, D.
Ravon, D. M., see Citarella, F.
Raymondjean, M., see Lambert, M.
Read, L. K., see Schmid, B.
Reboud, J.-P., see Guillot, D.
Reddi, K., Nair, S. P., White, P. A., Hodges, S., Tabona, P., Meghji, S., Poole, S., Wilson, M., Henderson, B.: Surface-associated material from the bacterium *Actinobacillus actinomycetemcomitans* contains a peptide which, in contrast to lipopolysaccharide, directly stimulates fibroblast interleukin-6 gene transcription 236: 871
Rees, H. H., see Chen, J.-H.
Rees-Milton, K., see Moreno, F.
Refetoff, S., see Tonacchera, M.
Reichenbecher, W., Rüdiger, A., Kroneck, P. M. H., Schink, B.: One molecule of molybdopterin guanine dinucleotide is associated with each subunit of the heterodimeric Mo-Fe-S protein transhydroxylase of *Pelobacter acidigallici* as determined by SDS/PAGE and mass spectrometry 237: 406
Reichhart, J.-M., see Charlet, M.
Reid, K. B. M., see Tuckwell, D. S.
Reijnders, W. N. M., see de Boer, A. P. N.
Reinbolt, J., see Mazauric, M.-H.
Reinbothe, C., see Reinbothe, S.
Reinbothe, S., Reinbothe, C.: *Review.* The regulation of enzymes involved in chlorophyll biosynthesis 237: 323
Reinert, M., Calvete, J. J., Sanz, L., Mann, K., Töpfer-Petersen, E.: Primary structure of stallion seminal plasma protein HSP-7, a zona-pellucida-binding protein of the sperm-adhesin family 242: 636
Reinhardt, U., see Hermans, S. W. G.
Reinstein, J., see Neuhofen, S.
Remerowski, M. L., Pepermans, H. A. M., Hilbers, C. W., van de Ven, F. J. M.: Backbone dynamics of the 269-residue protease Savinase determined from ^{15}N-NMR relaxation measurements 235: 629
Remy, J.-J., see Couture, L.
Renault, S., see Rouleux-Bonnin, F.
Rennecke, J., Johannes, F.-J., Richter, K. H., Kittstein, W., Marks, F., Gschwendt, M.: Immunological demonstration of protein kinase Cμ in murine tissues and various cell lines – Differential recognition of phosphorylated forms and lack of down-regulation upon 12-*O*-tetradecanoylphorphol-13-acetate treatment of cells 242: 428
Reshef, L., see Cohen, H.
Rettenberger, P., see Magdolen, V.
Rezaie, A. R., Esmon, C. T.: Molecular basis of residue 192 participation in determination of coagulation protease specificity 242: 477
Rho, H. M., see Choi, C. Y.
Rial, E., see González-Barroso, M. M.
Ribeiro, S., see Zeidler, W.
Richard, P., Bakker, B. M., Teusink, B., van Dam, K., Westerhoff, H. V.: Acetaldehyde mediates the synchronization of sustained glycolytic oscillations in populations of yeast cells 235: 238

Richard, P., see Pitard, B.
Richard, P., see Pitard, B.
Richards, A., Al-Imara, L., Pope, F. M.: The complete cDNA sequence of laminin α4 and its relationship to the other human laminin α chains 238: 813
Richardson, S. J., see Sunde, M.
Richter, A., see Schulte, D.
Richter, E., see Maser, E.
Richter, G., see Eberhardt, S.
Richter, K. H., see Rennecke, J.
Ricort, J.-M., Tanti, J.-F., Van Obberghen, E., Le Marchand-Brustel, Y.: Different effects of insulin and platelet-derived growth factor on phosphatidylinositol 3-kinase at the subcellular level in 3T3-L1 adipocytes – A possible explanation for their specific effects on glucose transport 239: 17
Ricquier, D., see González-Barroso, M. M.
Riding, G., see Wijffels, G.
Riendeau, D., see De Carolis, E.
Riento, K., Jäntti, J., Jansson, S., Hielm, S., Lehtonen, E., Ehnholm, C., Keränen, S., Olkkonen, V. M.: A Sec1-related vesicle-transport protein that is expressed predominantly in epithelial cells 239: 638
Riester, J., see Dreusch, A.
Rietjens, I. M. C. M., see Osman, A. M.
Rietjens, I. M. C. M., see Spee, J. H.
Rietman, B. H., Folkers, P. J. M., Folmer, R. H. A., Tesser, G. I., Hilbers, C. W.: The solution structure of the synthetic circular peptide CGVSRQGKPYC – NMR studies of the folding of a synthetic model for the DNA-binding loop of the ssDNA-binding protein encoded by gene V of phage M13 238: 706
Rigaud, J.-L., see Pitard, B.
Rigaud, J.-L., see Pitard, B.
Rigoni, F., see Giacometti, G. M.
Rigoulet, M., Devin, A., Avéret, N., Vandais, B., Guérin, B.: Mechanisms of inhibition and uncoupling of respiration in isolated rat liver mitochondria by the general anesthetic 2,6-diisopropylphenol 241: 280
Rilfors, L., see Morein, S.
Rinaldi-Carmona, M., see Bouaboula, M.
Rippa, M., see Hanau, S.
Rispoli, G., see Gabellini, N.
Ristau, O., see Jung, C.
Ritchie, G. A. F., see Gordon, R. D.
Rittinger, K., Negre, D., Divita, G., Scarabel, M., Bonod-Bidaud, C. S., Goody, R., Cozzone, A. J., Cortay, J.-C.: *Escherichia coli* isocitrate dehydrogenase kinase/phosphatase – Overproduction and kinetics of interaction with its substrates by using intrinsic fluorescence and fluorescent nucleotide analogues 237: 247
Rivett, A. J., see Mason, G. G. F.
Rivière, M., Puzo, G., Wright, E. L., Barrow, W. W.: A unique phenylalanine-containing lipopeptide isolated from a rough-colony variant of *Mycobacterium avium* 241: 682
Riwar, B., see Grawunder, U.
Roach, P. L., Clifton, I. J., Hensgens, C. M. H., Shibata, N., Long, A. J., Strange, R. W., Hasnain, S. S., Schofield, C. J., Baldwin, J. E., Hajdu, J.: Anaerobic crystallisation of an isopenicillin N synthase · Fe(II) · substrate complex demonstrated by X-ray studies 242: 736
Robberecht, P., see Gourlet, P.
Roberts, G. C. K., see Ramesh, V.
Roberts, L. M., see Chaddock, J. A.
Robertus, J. D., see Chaddock, J. A.
Robey, B. R., see Parsa, R.
Robey, F. A., see Heegaard, N. H. H.
Robinson, D. G., see Drucker, M.
Robson, K. J. H., see Li, J.-L.
Roca, À., see Baqué, S.
Roca, A., see Fernández-Novell, J. M.
Roch, P., see Hubert, F.
Rochat, H., see Borchani, L.
Rochat, H., see Kharrat, R.
Rochat, H., see Landon, C.
Rochat, H., see Rosso, J.-P.
Roche, C., see Maiorino, M.
Rocher, A., see Méndez, E.
Rochette, L., see Foucher, C.
Roda, L. G., see D'Alagni, M.
Rodakiewicz-Nowak, J., Maślakiewicz, P., Haber, J.: The effect of linoleic acid on pH inside sodium bis(2-ethylhexyl)sulfosuccinate reverse micelles in isooctane and on the enzymic activity of soybean lipoxygenase 238: 549
Rodenburg, K. W., see Kjøller, L.
Rodríguez, R., see Batanero, E.
Rodríguez, R., see González de la Peña, M. A.
Rodríguez-Campos, A., see Ruiz-Lara, S. A.
Rodríguez-Crespo, I., Gómez-Gutiérrez, J., Encinar, J. A., González-Ros, J. M., Albar, J. P., Peterson, D. L., Gavilanes, F.: Structural properties of the putative fusion peptide of hepatitis B virus upon interaction with phospholipids – Circular dichroism and Fourier-transform infrared spectroscopy studies 242: 243
Rodriguez Parkitna, J. M., see Duk, M.
Rodriguez-Lopez, J. N., see Gilfoyle, D. J.
Roe, J.-H., see Kim, E.-J.
Roeder, R. G., see Kawakami, K.
Röhm, K.-H., see Lubkowski, J.
Röper, D., see Raffetseder, U.
Roepstorff, P., see Heegaard, N. H. H.
Roepstorff, P., see Sareneva, T.
Rösch, P., see Beissinger, M.
Rösch, P., see Sticht, H.
Rösch, P., see Sticht, H.
Rösch, P., see Willbold, D.
Röthlisberger, U., see Cesura, A. M.
Rogalska, E., see Michels, S.
Rohling, A., see Brodbeck, M.
Rohmer, M., see Simonin, P.
Rohwer, J. M., Jensen, P. R., Shinohara, Y., Postma, P. W., Westerhoff, H. V.: Changes in the cellular energy state affect the activity of the bacterial phosphotransferase system 235: 225
Rojo, D., see Antonelli, M.
Rojo-Domínguez, A., see Garza-Ramos, G.
Rokach, J., see Lam, B. K.
Rolland, N., Ruffet, M.-L., Job, D., Douce, R., Droux, M.: Spinach chloroplast *O*-acetylserine (thiol)-lyase exhibits two catalytically non-equivalent pyridoxal-5′-phosphate-containing active sites 236: 272
Rollema, H. S., Metzger, J. W., Both, P., Kuipers, O. P., Siezen, R. J.: Structure and biological activity of chemically modified nisin A species 241: 716
Romani, R., see Talesa, V.
Romao, M. J., see Romero, A.
Romeo, D., see Storici, P.
Romero, A., Caldeira, J., LeGall, J., Moura, I., Moura, J. J. G., Romao, M. J.: Crystal structure of flavodoxin from *Desulfovibrio desulfuricans* ATCC 27774 in two oxidation states 239: 190
Romero, A., Pineda-Lucena, A., Giménez-Gallego, G.: X-ray structure of native full-length human fibroblast-growth factor at 0.25-nm resolution 241: 453
Romero-Matuschek, I., see Hassel, I.
Roncaioli, P., see Toniato, E.
Ronchi, S., see Mortarino, M.
Ronchi, S., see Tedeschi, G.
Rondot, I., Quennedey, B., Courrent, A., Lemoine, A., Delachambre, J.: Cloning and sequencing of a cDNA encoding a larval-pupal-specific cuticular protein in *Tenebrio molitor* (Insecta, Coleoptera) – Developmental expression and effect of a juvenile hormone analogue 235: 138
Roobol-Bóza, M., see Adamska, I.
Roosterman, D., see Krätzschmar, J.
Rosato, A., see Bertini, I.
Rose-John, S., see Kalai, M.
Rosemeyer, H., see Schöppe, A.
Rosén, S., Bergström, J., Karlsson, K.-A., Tunlid, A.: A multispecific saline-soluble lectin from the parasitic fungus *Arthrobotrys oligospora* – Similarities in the binding specificities compared with a lectin from the mushroom *Agaricus bisporus* 238: 830
Rosén, S., Kata, M., Persson, Y., Lipniunas, P. H., Wikström, M., van den Hondel, C. A. M. J. J., van den Brink, J. M., Rask, L., Hedén, L.-O., Tunlid, A.: Molecular characterization of a saline-soluble lectin from a parasitic fungus – Extensive sequence similarities between fungal lectins 238: 822
Rosenberger, J., see Stengelin, S.
Rosenqvist, U., see Strömberg, F.
Rosetto, M., Manetti, A. G. O., Giordano, P. C., Marri, L., Amons, R., Baldari, C. T., Marchini, D., Dallai, R.: Molecular characterization of ceratotoxin C, a novel antibacterial female-specific peptide of the ceratotoxin family from the medfly *Ceratitis capitata* 241: 330
Rosi, G., see Talesa, V.
Rosin-Arbesfeld, R., see Willbold, D.
Rosseneu, M., see Benetollo, C.
Rosseneu, M., see Demoor, L.
Rossi, A., see Kuznetsov, A. V.
Rosso, J.-P., Vargas-Rosso, O., Gutiérrez, J. M., Rochat, H., Bougis, P. E.: Characterization of α-neurotoxin and phospholipase A_2 activities from *Micrurus* venoms – Determination of the amino acid sequence and receptor-binding ability of the major α-neurotoxin from *Micrurus nigrocinctus nigrocinctus* 238: 231
Rouanet, P., see Bacou, F.
Roubroeks, H. P., see Fraaije, M. W.
Rougé, P., see Van Damme, E. J. M.
Rougé, P., see Van Damme, E. J. M.
Rouleux-Bonnin, F., Renault, S., Bigot, Y., Periquet, G.: Transcription of four satellite DNA subfamilies in *Diprion pini* (Hymenoptera, Symphyta, Diprionidae) 238: 752
Roumestand, C., see Aumelas, A.
Rouse, J., see Meier, R.
Rouy, D., see Benetollo, C.

Rübsamen-Waigmann, H., see Markert, R. L. M.
Rücknagel, K. P., see Arnold, U.
Rücknagel, K. P., see Mücke, U.
Rüdiger, A., see Reichenbecher, W.
Rüdiger, W., see Scheumann, V.
Rüegg, M., see Dear, A. E.
Rümenapp, U., see Schmidt, M.
Rüterjans, H., see Knauf, M. A.
Rüterjans, H., see Schultheiss, J.
Ruffet, M.-L., see Rolland, N.
Ruijter, G. J. G., see Panneman, H.
Ruiz-Dueñas, F. J., see Martínez, M. J.
Ruiz-Lara, S. A., Cornudella, L., Rodríguez-Campos, A.: Dissociation of protamine-DNA complexes by *Xenopus* nucleoplasmin and minichromosome assembly *in vitro* 240: 186
Ruohonen, L., see Harjunpää, V.
Ruppach, H., see Markert, R. L. M.
Ruppersberg, J. P., see Raditsch, M.
Ruppert, R., Hoffmann, E., Sebald, W.: Human bone morphogenetic protein 2 contains a heparin-binding site which modifies its biological activity 237: 295
Russev, G., see Tsvetkov, L.
Rutherford, A. W., see Nitschke, W.
Rutkat, K., see Dams, T.
Ruysschaert, J.-M., see Martin, I.
Ruzzene, M., see Agostinis, P.
Ruzzene, M., see Brunati, A. M.
Ruzzene, M., see Donella-Deana, A.
Rydlander, L., Ziegler, E., Bergman, T., Schöberl, E., Steiner, G., Bergman, A.-C., Zetterberg, A., Marberger, M., Björklund, P., Skern, T., Einarsson, R., Jörnvall, H.: Molecular characterization of a tissue-polypeptide-specific-antigen epitope and its relationship to human cytokeratin 18 241: 309
Ryhänen, S., Mahonen, A., Jääskeläinen, T., Mäenpää, P. H.: Synthetic 20-epi analogs of calcitriol are potent inducers of target-gene activation in osteoblastic cells 238: 97

Saarelainen, R., see Kristo, P.
Sabatier, J.-M., see Kharrat, R.
Šabova, L., see Gavurníková, G.
Sabri, N., Pelissier, B., Teissié, J.: Electropermeabilization of intact maize cells induces an oxidative stress 238: 737
Sacchetto, R., Margreth, A., Pelosi, M., Carafoli, E.: Colocalization of the dihydropyridine receptor, the plasma-membrane calcium ATPase isoform 1 and the sodium/calcium exchanger to the junctional-membrane domain of transverse tubules of rabbit skeletal muscle 237: 483
Sacchi, G. A., Pirovano, L., Lucchini, G., Cocucci, S.: A low-molecular-mass GTP-binding protein in the cytosol of germinated wheat embryos 241: 286
Sacks, D. B., Lopez, M. M., Li, Z., Kosk-Kosicka, D.: Analysis of phosphorylation and mutation of tyrosine residues of calmodulin on its activation of the erythrocyte Ca^{2+}-transporting ATPase 239: 98
Sadler, P. J., see Corazza, A.
Sadler, P. J., see Li, H.
Sadler, P. J., see Viles, J. H.
Saeki, M., see Tsurumi, C.
Saez, J. M., see Chuzel, F.
Sagan, S., see Girault, S.
Saglio, P., see Lemaître, C.
Sahara, S., see Tokmakov, A. A.
Sahlin, M., see Larsson, Å.
Saint, N., see Lemaître, C.
Saitô, H., see Tuzi, S.
Saito, S., see Iida, T.
Saitoh, F., see Suzuki, A.
Saitoh, S., see Higashi, H.
Sakaguchi, K., see Matsuda, S.
Sakai, Y., see Yoshida, N.
Sakamoto, K., Miyoshi, H., Matsushita, K., Nakagawa, M., Ikeda, J., Ohshima, M., Adachi, O., Akagi, T., Iwamura, H.: Comparison of the structural features of ubiquinone reduction sites between glucose dehydrogenase in *Escherichia coli* and bovine heart mitochondrial complex I 237: 128
Sakiyama, F., see Ishimizu, T.
Saks, V. A., see Kuznetsov, A. V.
Sala, N., see Iametti, S.
Saladin, R., Vu-Dac, N., Fruchart, J.-C., Auwerx, J., Staels, B.: Transcriptional induction of rat liver apolipoprotein A-I gene expression by glucocorticoids requires the glucocorticoid receptor and a labile cell-specific protein 239: 451
Salcedo, R., see Gudmundsson, G. H.
Salesse, R., see Couture, L.
Salgueiro, C. A., see Turner, D. L.
Salvadó, J., see Das, A. T.
Salvayre, R., see Andrieu, N.
Samuelsson, E., see Jonasson, P.
Samyn, B., De Smet, L., Van Driessche, G., Meyer, T. E., Bartsch, R. G., Cusanovich, M. A., Van Beeumen, J. J.: A high-potential soluble cytochrome *c*-551 from the purple phototrophic bacterium *Chromatium vinosum* is homologous to cytochrome c_8 from denitrifying pseudomonads 236: 689
Samyn, B., see Spee, J. H.
Sanai, Y., see Nara, K.
Sánchez, C., Tompa, P., Szücs, K., Friedrich, P., Avila, J.: Phosphorylation and dephosphorylation in the proline-rich C-terminal domain of microtubule-associated protein 2 241: 765
Sanders, D., see Martin, I.
Sanders-Loehr, J., see Kroes, S. J.
Sanderson, S. J., Miller, C., Lindsay, J. G.: Stoichiometry, organisation and catalytic function of protein X of the pyruvate dehydrogenase complex from bovine heart 236: 68
Sandmann, G., see Albrecht, M.
Sandmeier, E., see Feifel, B.
Sandmeier, E., see Marković-Housley, Z.
Sannia, G., see Giardina, P.
Santimone, M., see Alkazaz, M.
Santos, H., see Hensgens, C. M. H.
Santos, J., see Pulgar, V.
Sanz, J. M., García, P., García, J. L.: Construction of a multifunctional pneumococcal murein hydrolase by module assembly 235: 601
Sanz, L., see Reinert, M.
Sareneva, T., Mørtz, E., Tölö, H., Roepstorff, P., Julkunen, I.: Biosynthesis and N-glycosylation of human interferon-γ – Asn25 and Asn97 differ markedly in how efficiently they are glycosylated and in their oligosaccharide composition 242: 191
Sasaki, T., Mann, K., Murphy, G., Chu, M.-L., Timpl, R.: Different susceptibilities of fibulin-1 and fibulin-2 to cleavage by matrix metalloproteinases and other tissue proteases 240: 427
Sato, K., see Iwashina, M.
Sato, K.-I., see Tokmakov, A. A.
Satoh, S., see Kono-Sugita, E.
Saudek, V., Vincendon, P., Do, Q.-T., Atkinson, R. A., Sklenár, V., Pelton, P. D., Piriou, F., Ganzhorn, A. J.: ^{7}Li nuclear-magnetic-resonance study of lithium binding to *myo*-inositol monophosphatase 240: 288
Savolainen, K., see Hildén, P.
Savontaus, M.-L., see Majander, A.
Sawamoto, H., see Yoshinari, S.
Saynovits, M., see Link, T. A.
Scandurra, R., see Consalvi, V.
Scarabel, M., see Rittinger, K.
Schäfer, H., Zheng, J., Gundlach, F., Günther, R., Siegel, E. G., Fölsch, U. R., Schmidt, W. E.: Pituitary adenylate-cyclase-activating polypeptide stimulates proto-oncogene expression and activates the AP-1 (c-Fos/c-Jun) transcription factor in AR4-2J pancreatic carcinoma cells 242: 467
Schäfer, W., see Porra, R. J.
Schäfer, W., see Storch, K.-F.
Schaffner, K., see Gärtner, W.
Schalk, C., see Chevrier, B.
Schaller, H. C., see Hampe, W.
Scharf, K.-D., see Schultheiss, J.
Scheer, H., see Porra, R. J.
Scheer, H., see Storch, K.-F.
Scheffer, A. J., see Lasonder, E.
Schellekens, G. A., see Lasonder, E.
Scheumann, V., Ito, H., Tanaka, A., Schoch, S., Rüdiger, W.: Substrate specificity of chlorophyll(ide) *b* reductase in etioplasts of barley (*Hordeum vulgare* L.) 242: 163
Schiavo, G., see Morante, S.
Schierhorn, A., see Arnold, U.
Schild, L., see Schönfeld, P.
Schiller, P. W., see Carpenter, K. A.
Schindler, T., Mayr, L. M., Landt, O., Hahn, U., Schmid, F. X.: The role of a *trans*-proline in the folding mechanism of ribonuclease T1 241: 516
Schininà, M. E., Carlini, P., Polticelli, F., Zappacosta, F., Bossa, F., Calabrese, L.: Amino acid sequence of chicken Cu, Zn-containing superoxide dismutase and identification of glutathionyl adducts at exposed cysteine residues 237: 433
Schink, B., see Reichenbecher, W.
Schinzel, R., see Boeck, B.
Schirmer, H., see Gase, K.
Schirmer, N. K., see Zeidler, W.
Schirmer, R. H., see Färber, P. M.
Schirmer, R. H., see Krauth-Siegel, R. L.
Schirmer, T., see Marković-Housley, Z.
Schiweck, W., see Bandtlow, C.
Schlatter, H., see Hassel, I.
Schleuning, W.-D., see Krätzschmar, J.
Schlösser, A., Schrempf, H.: A lipid-anchored binding protein is a component of an ATP-dependent cellobiose/cellotriose-transport system from the cellulose degrader *Streptomyces reticuli* 242: 332
Schmid, A., see Döbereiner, A.

Schmid, B., Read, L. K., Stuart, K., Göringer, H. U.: Experimental verification of the secondary structures of guide RNA–pre-mRNA chimaeric molecules in *Trypanosoma brucei* 240: 721
Schmid, F. X., see Schindler, T.
Schmid, M., Berg, M., Hilbi, H., Dimroth, P.: Malonate decarboxylase of *Klebsiella pneumoniae* catalyses the turnover of acetyl and malonyl thioester residues on a coenzyme-A-like prosthetic group 237: 221
Schmid, R., see Meyer, C.
Schmidt, A., see Hassel, I.
Schmidt, A., see Tief, K.
Schmidt, B., see Selmer, T.
Schmidt, H., Maier, E., Karch, H., Benz, R.: Pore-forming properties of the plasmid-encoded hemolysin of enterohemorrhagic *Escherichia coli* O157:H7 241: 594
Schmidt, M., Rümenapp, U., Nehls, C., Ott, S., Keller, J., Von Eichel-Streiber, C., Jakobs, K. H.: Restoration of *Clostridium difficile* toxin-B-inhibited phospholipase D by phosphatidylinositol 4,5-bisphosphate 240: 707
Schmidt, R., see Krauter, G.
Schmidt, W. E., see Schäfer, H.
Schmiedeknecht, G., Kerkhoff, C., Orsó, E., Stöhr, J., Aslanidis, C., Nagy, G. M., Knuechel, R., Schmitz, G.: Isolation and characterization of a 14.5-kDa trichloroacetic-acid-soluble translational inhibitor protein from human monocytes that is upregulated upon cellular differentiation 242: 339
Schmitt, B., see Sticht, H.
Schmitt, M., see Magdolen, V.
Schmitter, J.-M., see Gillet, S.
Schmitz, G., see Schmiedeknecht, G.
Schnapp, D., Kemp, G. D., Smith, V. J.: Purification and characterization of a proline-rich antibacterial peptide, with sequence similarity to bactenecin-7, from the haemocytes of the shore crab, *Carcinus maenas* 240: 532
Schnarr, B., see Ezernieks, J.
Schoch, S., see Cibelli, G.
Schoch, S., see Cibelli, G.
Schoch, S., see Scheumann, V.
Schöberl, E., see Rydlander, L.
Schönfeld, H.-J., see Feifel, B.
Schönfeld, P., Ježek, P., Belyaeva, E. A., Borecký, J., Slyshenkov, V. S., Więckowski, M. R., Wojtczak, L.: Photomodification of mitochondrial proteins by azido fatty acids and its effect on mitochondrial energetics – Further evidence for the role of the ADP/ATP carrier in fatty-acid-mediated uncoupling 240: 387
Schönfeld, P., Schild, L., Bohnensack, R.: Expression of the ADP/ATP carrier and expansion of the mitochondrial (ATP + ADP) pool contribute to postnatal maturation of the rat heart 241: 895
Schönheit, P., see Bock, A.-K.
Schoenmakers, J. G. G., see Dirks, R. P. H.
Schoepp, B., see Nitschke, W.
Schöppe, A., Hinz, H.-J., Rosemeyer, H., Seela, F.: Xylose-DNA: comparison of the thermodynamic stability of oligo(2′-deoxyxylonucleotide) and oligo(2′-deoxyribonucleotide) duplexes 239: 33
Schofield, C. J., see Roach, P. L.
Schreiber, G., see Sunde, M.
Schrempf, H., see Schlösser, A.
Schricker, A., see Nitschke, W.
Schröder, J.-M., see Norgauer, J.
Schubert, D., see Huber, E.
Schünemann, V., see Meyer-Klaucke, W.
Schürmann, A., see Brauers, A.
Schürmann, P., see Iwadate, H.
Schüssler, P., Pötters, E., Winnen, R., Michel, A., Bottke, W., Kunz, W.: Ferritin mRNAs in *Schistosoma mansoni* do not have iron-responsive elements for post-transcriptional regulation 241: 64
Schütt, C., see Stelter, F.
Schulte, D., Richter, A., Burkhart, R., Musahl, C., Knippers, R.: Properties of the human nuclear protein p85Mcm – Expression, nuclear localization and interaction with other Mcm proteins 235: 144
Schultheiss, J., Kunert, O., Gase, U., Scharf, K.-D., Nover, L., Rüterjans, H.: Solution structure of the DNA-binding domain of the tomato heat-stress transcription factor HSF24 236: 911
Schultz, G., see Foerster, J.
Schultz, J. E., see Völkel, H.
Schulze, A. J., Quarzago, D., Andreasen, P. A.: A spectroscopic study of the structures of latent, active and reactive-center-cleaved type-1 plasminogen-activator inhibitor 240: 550
Schulze, A. J., see Planchenault, T.
Schulze, C., see Hampe, W.
Schulze, H., see Jung, C.
Schulze, R. A., see Wieland, T.
Schulz-Knappe, P., see Ständker, L.
Schwab, M. E., see Bandtlow, C.
Schwabe, C., see Büllesbach, E. E.
Schwenk, U., see Norgauer, J.
Schwennesen, K., see Höhne, M.
Schwienbacher, C., see Grazi, E.
Scoble, J., see Trojanek, J.
Scoggan, K. A., Nicholson, D. W., Ford-Hutchinson, A. W.: Regulation of leukotriene-biosynthetic enzymes during differentiation of myelocytic HL-60 cells to eosinophilic or neutrophilic cells 239: 572
Scriba, P. C., see Meyer, C.
Sebald, W., see Ruppert, R.
Sebald, W., see Shen, B.-J.
Seela, F., see Schöppe, A.
Segawa, K., see Higashi, H.
Seglen, P. O., see Holen, I.
Sei, Y., see Tsuda, M.
Seibold, B., Matthes, M., Eppink, M. H. M., Lingens, F., van Berkel, W. J. H., Müller, R.: 4-Hydroxybenzoate hydroxylase from *Pseudomonas* sp. CBS3 – Purification, characterization, gene cloning, sequence analysis and assignment of structural features determining the coenzyme specificity 239: 469
Seidler, A.: Intermolecular and intramolecular interactions of the 33-kDa protein in photosystem II 242: 485
Seignovert, L., Härtlein, M., Leberman, R.: Asparaginyl-tRNA synthetase from *Thermus thermophilus* HB8 – Sequence of the gene and crystallization of the enzyme expressed in *Escherichia coli* 239: 501
Sekihara, H., see Kono-Sugita, E.
Sekino-Suzuki, N., Nakamura, M., Mitsui, K.-i., Ohno-Iwashita, Y.: Contribution of individual tryptophan residues to the structure and activity of θ-toxin (perfringolysin O), a cholesterol-binding cytolysin 241: 941
Selegny, E., see Demmano, G.
Selisko, B., Garcia, C., Becerril, B., Delepierre, M., Possani, L. D.: An insect-specific toxin from *Centruroides noxius* Hoffmann – cDNA, primary structure, three-dimensional model and electrostatic surface potentials in comparison with other toxin variants 242: 235
Selmer, T., Hallmann, A., Schmidt, B., Sumper, M., von Figura, K.: The evolutionary conservation of a novel protein modification, the conversion of cysteine to serine-semialdehyde in arylsulfatase from *Volvox carteri* 238: 341
Senchenkova, S. N., Shashkov, A. S., Knirel, Y. A., McGovern, J. J., Moran, A. P.: The O-specific polysaccharide chain of *Campylobacter fetus* serotype B lipopolysaccharide is a D-rhamnan terminated with 3-*O*-methyl-D-rhamnose (D-acofriose) 239: 434
Senchenkova, S. N., see Knirel, Y. A.
Seppä, K., see Sillanaukee, P.
Seppet, E., see Kuznetsov, A. V.
Sergina, N. V., see Baykov, A. A.
Serra, D., Bellido, D., Asins, G., Arias, G., Vilaró, S., Hegardt, F. G.: The expression of mitochondrial 3-hydroxy-3-methylglutaryl-coenzyme-A synthase in neonatal rat intestine and liver is under transcriptional control 237: 16
Serra, E. C., see Ceccarelli, E. A.
Serrano, R., see Stambuk, B. U.
Serup, P., see Madsen, O. D.
Seyama, Y., see Kono, M.
Seyfang, A., see Wille, U.
Shafqat, J., Hjelmqvist, L., Jörnvall, H.: Liver class-I alcohol dehydrogenase isozyme relationships and constant patterns in a variable basic structure – Distinctions from characterization of an ethanol dehydrogenase in cobra, *Naja naja* 236: 571
Shafqat, J., see Hjelmqvist, L.
Shafqat, J., see Martínez, M. C.
Shai, Y., see Oren, Z.
Shama, S., Meyuhas, O.: The translational *cis*-regulatory element of mammalian ribosomal protein mRNAs is recognized by the plant translational apparatus 236: 383
Shand, J. H., see Beattie, J.
Shapira, R., see Ostersetzer, O.
Sharon, N., see Adar, R.
Shashkov, A. S., see Senchenkova, S. N.
Shen, B.-J., Hage, T., Sebald, W.: Global and local determinants for the kinetics of interleukin-4/interleukin-4 receptor α chain interaction – A biosensor study employing recombinant interleukin-4-binding protein 240: 252
Shen, Y., see Dear, A. E.
Shephard, E. A., see Dolphin, C. T.
Shibahara, S., see Muraosa, Y.
Shibamoto, S., see Nagamine, K.
Shibata, N., see Roach, P. L.
Shibata, N., see Suzuki, A.
Shibata, S., see Morino, S.
Shiga, Y., see Kametani, S.

Shiloff, B. A., Behrens, P. Q., Kwan, S.-W., Lee, J. H., Abell, C. W.: Monoamine oxidase B isolated from bovine liver exists as large oligomeric complexes *in vitro* 242: 41
Shima, H., see Osawa, Y.
Shimada, H., see Yasumasu, S.
Shimekake, Y., see Ohta, S.
Shimizu, Y., see Tsurumi, C.
Shimohama, S., see Kawasaki, H.
Shimojima, T., see Takahashi, Y.
Shinohara, Y., see Rohwer, J. M.
Shinohara, Y., see Tsuda, M.
Shirai, M., see Nishikawa, F.
Shirota, H., see Hashida, R.
Shoham, G., see Maras, B.
Shugar, D., see Bzowska, A.
Shutov, A. D., Kakhovskaya, I. A., Bastrygina, A. S., Bulmaga, V. P., Horstmann, C., Müntz, K.: Limited proteolysis of β-conglycinin and glycinin, the 7S and 11S storage globulins from soybean [*Glycine max* (L.) Merr.] – Structural and evolutionary implications 241: 221
Siccardi, A. G., see Corti, A.
Siciliano, R., see Giardina, P.
Siciliano, R., see Amoresano, A.
Siddiqi, A. R., see Hjelmqvist, L.
Sidler, W., see Ducret, A.
Sidorczyk, Z., Zych, K., Świerzko, A., Vinogradov, E. V., Knirel, Y. A.: The structure of the O-specific polysaccharide of *Proteus penneri* 52 240: 245
Siebert, F., see Engelhard, M.
Siegel, E. G., see Schäfer, H.
Siezen, R. J., see Demel, R. A.
Siezen, R. J., see Rollema, H. S.
Sigel, H., Corfù, N. A.: The assisted self-association of ATP^{4-} by a poly(amino acid) [poly(Lys)] and its significance for cell organelles that contain high concentrations of nucleotides 240: 508
Sikk, P., see Kuznetsov, A. V.
Sillanaukee, P., Hurme, L., Tuominen, J., Ranta, E., Nikkari, S., Seppä, K.: Structural characterisation of acetaldehyde adducts formed by a synthetic peptide mimicking the N-terminus of the hemoglobin β-chain under reducing and nonreducing conditions 240: 30
Silve, G., see Lanéelle, M.-A.
Simar-Blanchet, A.-E., Paul, C., Mercier, L., Le Cam, A.: Regulation of expression of the rat serine protease inhibitor 2.3 gene by glucocorticoids and interleukin-6 – A complex and unusual interplay between positive and negative *cis*-acting elements 236: 638
Simmaco, M., Mignogna, G., Canofeni, S., Miele, R., Mangoni, M. L., Barra, D.: Temporins, antimicrobial peptides from the European red frog *Rana temporaria* 242: 788
Simon, H., see Bayer, M.
Simon, V., see Purcarea, C.
Simonic, T., see Mortarino, M.
Simonic, T., see Tedeschi, G.
Simonin, P., Jürgens, U. J., Rohmer, M.: Bacterial triterpenoids of the hopane series from the prochlorophyte *Prochlorothrix hollandica* and their intracellular localization 241: 865
Simons, J.-W. F. A., Adams, H., Cox, R. C., Dekker, N., Götz, F., Slotboom, A. J., Verheij, H. M.: The lipase from *Staphylococcus aureus* – Expression in *Escherichia coli*, large-scale purification and comparison of substrate specificity to *Staphylococcus hyicus* lipase 242: 760
Singh, B., Hao, W., Wu, Z.-c., Eigl, B., Gupta, R. S.: Cloning and characterization of cDNA for adenosine kinase from mammalian (Chinese hamster, mouse, human and rat) species – High frequency mutants of Chinese hamster ovary cells involve structural alterations in the gene 241: 564
Sirna, A., see Amoresano, A.
Sjöberg, B.-M., see Larsson, Å.
Sjöberg, B.-M., see Ormö, M.
Sjöbring, U., see Kihlberg, B.-M.
Sjöholm, A. G., see Kihlberg, B.-M.
Sjöling, S., Waltner, M., Kalousek, F., Glaser, E., Weiner, H.: Studies on protein processing for membrane-bound spinach leaf mitochondrial processing peptidase integrated into the cytochrome bc_1 complex and the soluble rat liver matrix mitochondrial processing peptidase 242: 114
Skaper, S. D., see Negro, A.
Skern, T, see Rydlander, L.
Skerra, A., see Bandtlow, C.
Sklenár, V., see Saudek, V.
Slade, M. B., see Zachara, N. E.
Slaughter, C. A., see Tsurumi, C.
Sligar, S. G., see Jung, C.
Slobin, L. I., see Somoskeöy, S.
Slotboom, A. J., see Bekkers, A. C. A. P. A.
Slotboom, A. J., see Simons, J.-W. F. A.
Sluis-Cremer, N., Naidoo, N., Dirr, H.: Class-pi glutathione *S*-transferase is unable to regain its native conformation after oxidative inactivation by hydrogen peroxide 242: 301
Sluis-Cremer, N. N., Kaplan, W. H., Manoharan, T. H., Fahl, W. E., Dirr, H. W.: Determination of a binding site for a non-substrate ligand in mammalian cytosolic glutathione *S*-transferases by means of fluorescence-resonance energy transfer 241: 484
Slyshenkov, V. S., see Schönfeld, P.
Smeekens, S., see Fisscher, U.
Smeller, L., see Goossens, K.
Smith, A. T., see Gilfoyle, D. J.
Smith, C. A., see Hale, A. J.
Smith, R. L., see Dolphin, C. T.
Smith, R., see Djordjevic, J. T.
Smith, V. J., see Schnapp, D.
Söderhäll, K., see Huang, T.-s.
Söderlund, H., see Margolles-Clark, E.
Sokolova, I. V., see Turpaev, K. T.
Sola, M., see Battistuzzi, G.
Solito, E., see Ambrosetti, D.-C.
Soloaga, A., Ostolaza, H., Goñi, F. M., de la Cruz, F.: Purification of *Escherichia coli* pro-haemolysin, and a comparison with the properties of mature α-haemolysin 238: 418
Solomon, P. S., see Hanlon, S. P.
Solovjov, D. A., see Medved, L. V.
Somlyo, A. P., see Gailly, P.
Somlyo, A. V., see Gailly, P.
Sommerhoff, C. P., see Pohlig, G.
Somoskeöy, S., Rao, M. N., Slobin, L. I.: Purification and characterization of a 5′ to 3′ exoribonuclease from rabbit reticulocytes that degrades capped and uncapped RNAs 237: 171
Somoza, J. R., see Kanaani, J.
Sonnenberg, A., see de Melker, A. A.
Sonnier, M., see Vieira, I.
Sørensen, H. H., see Vinther, A.
Soriano, F., see Méndez, E.
Sosinskaya, A., see Nekrasova, E.
Sottrup-Jensen, L., see Haaning, J.
Sottrup-Jensen, L., see Iwaki, D.
Sottrup-Jensen, L., see Kjøller, L.
Sourgen, F., Maroun, R. G., Frère, V., Bouziane, M., Auclair, C., Troalen, F., Fermandjian, S.: A synthetic peptide from the human immunodeficiency virus type-1 integrase exhibits coiled-coil properties and interferes with the *in vitro* integration activity of the enzyme – Correlated biochemical and spectroscopic results 240: 765
Sowden, J., see Drummond, F.
Sowers, L. C., see Gdaniec, Z.
Spagnoli, R., see Dumas, B.
Spatz-Kümbel, G., see Huber, E.
Spector, A., see Wang, K.
Spee, J. H., Boersma, M. G., Veeger, C., Samyn, B., Van Beeumen, J., Warmerdam, G., Canters, G. W., Van Dongen, W. M. A. M., Rietjens, I. M. C. M.: The influence of the peptide chain on the kinetics and stability of microperoxidases 241: 215
Spies, H. S. C., see Steenkamp, D. J.
Spiess, E., see Loeffler, H.
Sprinzl, M., see Blank, J.
Sprinzl, M., see Zeidler, W.
Spronk, C. A. E. M., see van den Hooven, H. W.
Spungin-Bialik, A., see Maras, B.
Spurr, N. K., see Moiseeva, E. P.
Sri Widada, J., see Alvarez-Martinez, M.-T.
Srinivasan, M., see Begum, N.
Stadie, T. R. E., see Hanisch, F.-G.
Staels, B., see Saladin, R.
Ständker, L., Enger, A., Schulz-Knappe, P., Wohn, K.-D., Germer, M., Raida, M., Forssmann, W.-G., Preissner, K. T.: Structural and functional characterization of vitronectin-derived RGD-containing peptides from human hemofiltrate 241: 557
Stafford, W. H. L., Stockley, R. W., Ludbrook, S. B., Holder, A. A.: Isolation, expression and characterization of the gene for an ADP-ribosylation factor from the human malaria parasite, *Plasmodium falciparum* 242: 104
Ståhl, S., see Jonasson, P.
Stalmans, W., see Beullens, M.
Stalmans, W., see Stefan, C.
Stalon, V., see Nguyen, V. T.
Stambuk, B. U., de Araujo, P. S., Panek, A. D., Serrano, R.: Kinetics and energetics of trehalose transport in *Saccharomyces cerevisiae* 237: 876
Stammer, H., see Loeffler, H.
Stankiewicz, M., see Borchani, L.
Stanley, P., see Gupta, D.
Stanton, P. G., see Fairlie, W. D.
Starr, R. C., see Jaenicke, L.
Staudenmann, W., see Donella-Deana, A.
Staudenmann, W., see Quadroni, M.
Steele, L., see Pyne, S.

Steenkamp, D. J., Weldrick, D., Spies, H. S. C.: Studies on the biosynthesis of ovothiol A – Identification of 4-mercaptohistidine as an intermediate 242: 557
Steensma, E., Heering, H. A., Hagen, W. R., van Mierlo, C. P. M.: Redox properties of wild-type, Cys69Ala, and Cys69Ser *Azotobacter vinelandii* flavodoxin II as measured by cyclic voltammetry and EPR spectroscopy 235: 167
Stefan, C., Stalmans, W., Bollen, M.: Threonine autophosphorylation and nucleotidylation of the hepatic membrane protein PC-1 241: 338
Stefanski, E., see Vadas, P.
Steghens, J.-P., see Min, K.-L.
Steglich, W., see Basse, C. W.
Steinbüchel, A., see Hein, S.
Steinebach, V., Benen, J. A. E., Bader, R., Postma, P. W., de Vries, S., Duine, J. A.: Cloning of the *maoA* gene that encodes aromatic amine oxidase of *Escherichia coli* W3350 and characterization of the overexpressed enzyme 237: 584
Steinebach, V., de Jong, G. A. H., Wijmenga, S. S., de Vries, S., Duine, J. A.: The copper-topaquinone-phenylhydrazine-adduct geometry in *Escherichia coli* amine oxidase derivatized with phenylhydrazines substituted with trifluoromethyl groups, as determined with ^{19}F-NMR relaxation measurements 238: 683
Steiner, G., see Rydlander, L.
Steinhilber, D., see Werz, O.
Stelter, F., Pfister, M., Bernheiden, M., Jack, R. S., Bufler, P., Engelmann, H., Schütt, C.: The myeloid differentiation antigen CD14 is N- and O-glycosylated – Contribution of N-linked glycosylation to different soluble CD14 isoforms 236: 457
Stengelin, S., Apel, S., Becker, W., Maier, M., Rosenberger, J., Bewersdorf, U., Girbig, F., Weyland, C., Wess, G., Kramer, W.: The rabbit ileal lipid-binding protein – Gene cloning and functional expression of the recombinant protein 239: 887
Stephan, I., Tshisuaka, B., Fetzner, S., Lingens, F.: Quinaldine 4-oxidase from *Arthrobacter* sp. Rü61a, a versatile procaryotic molybdenum-containing hydroxylase active towards N-containing heterocyclic compounds and aromatic aldehydes 236: 155
Sterchi, E. E., see Jacob, R.
Sterk, M., see Kasper, P.
Sternbach, H., see Freist, W.
Sterner, R., see Sticht, H.
Sternsdorf, T., see Grötzinger, T.
Sticht, H., Auer, M., Schmitt, B., Besemer, J., Horcher, M., Kirsch, T., Lindley, I. J. D., Rösch, P.: Structure and activity of a chimeric interleukin-8–melanoma-growth-stimulatory-activity protein 235: 26
Sticht, H., Wildegger, G., Bentrop, D., Darimont, B., Sterner, R., Rösch, P.: An NMR-derived model for the solution structure of oxidized *Thermotoga maritima* 1[Fe_4-S_4] ferredoxin 237: 726
Sticht, H., see Willbold, D.
Stier, G., see Köster, S.
Stirm, S., see Geyer, H.
Stocker, A., Hecht, H.-J., Bückmann, A. F.: Synthesis, characterization and preliminary crystallographic data of N^6-(6-carbamoylhexyl)-FAD-D-amino-acid oxidase from pig kidney, a semi-synthetic oxidase 238: 519
Stockley, R. W., see Stafford, W. H. L.
Stockmann, A., see Kost, C.
Stöhr, J., see Schmiedeknecht, G.
Stoffel, W., see Hoffmann, M. M.
Stoll, D., see Fleckenstein, B.
Stoltz, R. A., see Lavrovsky, Y.
Stolz, M., Dörnemann, D.: Purification, metal cofactor, N-terminal sequence and subunit composition of a 5-aminolevulinic acid dehydratase from the unicellular green alga *Scenedesmus obliquus*, mutant C-2A′ 236: 600
Stoneman, V. E. A., see Hale, A. J.
Stoorvogel, J., Kraayveld, D. E., van Sluis, C. A., Jongejan, J. A., de Vries, S., Duine, J. A.: Characterization of the gene encoding quinohaemoprotein ethanol dehydrogenase of *Comamonas testosteroni* 235: 690
Storch, K.-F., Cmiel, E., Schäfer, W., Scheer, H.: Stereoselectivity of pigment exchange with 13^2-hydroxylated tetrapyrroles in reaction centers of *Rhodobacter sphaeroides* R26 238: 280
Storey, K. B., see Cai, Q.
Storici, P., Tossi, A., Lenarčič, B., Romeo, D.: Purification and structural characterization of bovine cathelicidins, precursors of antimicrobial peptides 238: 769
Stouthamer, A. H., see de Boer, A. P. N.
Strange, R. W., see Roach, P. L.
Strasburger, C., see Eisen, C.
Strecker, G., see Plancke, Y.
Streiff, M. B., see Van Dorst, J. A. L. M.
Stritt-Etter, A.-L., see Iwadate, H.
Strömberg, F., Hamberg, M., Rosenqvist, U., Dahlén, S.-E., Haeggström, J. Z.: Formation of a novel enzymatic metabolite of leukotriene A_4 in tissues of *Xenopus laevis* 238: 599
Strømhaug, P. E., see Holen, I.
Strosberg, A. D., see Federici, C.
Strub, J.-M., see Goumon, Y.
Strube, K.-H., see Geyer, H.
Štrukelj, B., see Kopitar, G.
Stuart, K., see Schmid, B.
Stubbs, M. T., see Auerswald, E. A.
Studer, D., see Aszódi, A.
Stufkens, D. J., see van der Spek, T. M.
Suck, D., see Köster, S.
Süssmuth, R., see Feil, C.
Süsstrunk, U., see Brodbeck, M.
Sugahara, K., Kojima, T.: Specificity studies of bacterial sulfatases by means of structurally defined sulfated oligosaccharides isolated from shark cartilage chondroitin sulfate D 239: 865
Sugahara, K., Nadanaka, S., Takeda, K., Kojima, T.: Structural analysis of unsaturated hexasaccharides isolated from shark cartilage chondroitin sulfate D that are substrates for the exolytic action of chondroitin ABC lyase 239: 871
Sugahara, K., see de Beer, T.
Sugimura, T., see Osawa, Y.
Sugiura, M., see Yanaka, N.
Sugiura, T., Kondo, S., Sukagawa, A., Tonegawa, T., Nakane, S., Yamashita, A., Ishima, Y., Waku, K.: Transacylase-mediated and phosphodiesterase-mediated synthesis of *N*-arachidonoylethanolamine, an endogenous cannabinoid-receptor ligand, in rat brain microsomes – Comparison with synthesis from free arachidonic acid and ethanolamine 240: 53
Sugiyama, T., see Helander, I. M.
Suh, E., see Lambert, M.
Suire, S., Maurel, M.-C., Guillou, F.: Follitropin action on the transferrin gene in Sertoli cells is mediated by cAMP-responsive-element-binding-protein and antagonized by chicken ovalbumin-upstream-promoter-transcription factor 239: 52
Sukagawa, A., see Sugiura, T.
Sullivan, D. R., see Nouri-Sorkhabi, M. H.
Sumper, M., see Kröger, N.
Sumper, M., see Selmer, T.
Sun, H., see Li, H.
Sunde, M., Richardson, S. J., Chang, L., Pettersson, T. M., Schreiber, G., Blake, C. C. F.: The crystal structure of transthyretin from chicken 236: 491
Sunkel, C. E., see Pulgar, V.
Superti-Furga, G., see Weijland, A.
Sutcliffe, M. J., see Ramesh, V.
Sutherland, L. C., see Hale, A. J.
Suzuki, A., Shibata, N., Suzuki, M., Saitoh, F., Takata, Y., Oshie, A., Oyamada, H., Kobayashi, H., Suzuki, S., Okawa, Y.: Characterization of α-1,6-mannosyltransferase responsible for the synthesis of branched side chains in *Candida albicans* mannan 240: 37
Suzuki, A., see Kawakami, Y.
Suzuki, H., see Iijima, H.
Suzuki, K., see Kise, H.
Suzuki, M., Kametani, S., Uchida, K., Akanuma, H.: Production of 1,5-anhydroglucitol from 1,5-anhydrofructose in erythroleukemia cells 240: 23
Suzuki, M., see Kawakami, Y.
Suzuki, M., see Suzuki, A.
Suzuki, S., see Suzuki, A.
Suzuki, Y., see Kono-Sugita, E.
Suzuki-Takahashi, I., see Higashi, H.
Svejstrup, J. Q., see Jensen, A. D.
Svensson, B., Andersson, K. K., Hederstedt, L.: Low-spin heme A in the heme A biosynthetic protein CtaA from *Bacillus subtilis* 238: 287
Svensson, L. T., Kilpeläinen, S. H., Hiltunen, J. K., Alexson, S. E. H.: Characterization and isolation of enzymes that hydrolyze short-chain acyl-CoA in rat-liver mitochondria 239: 526
Swarup, G., see Radha, V.
Świerzko, A., see Sidorczyk, Z.
Syed, S. E. H., see Ramesh, V.
Sygusch, J., see de Montigny, C.
Sywula, A., see Otlewski, J.
Szabo, A. G., see Pauls, T. L.
Szücs, K., see Sánchez, C.

Tabak, S., see Ostersetzer, O.
Tabona, P., see Reddi, K.
Tachikawa, H., see Tsuda, M.
Tada, M., see Nishida, K.
Taguchi, I., see Yanaka, N.

Taguchi, T., Iwasaki, M., Muto, Y., Kitajima, K., Inoue, S., Khoo, K.-H., Morris, H. R., Dell, A., Inoue, Y.: Occurrence and structural analysis of highly sulfated multiantennary N-linked glycan chains derived from a fertilization-associated carbohydrate-rich glycoprotein in unfertilized eggs of *Tribolodon hakonensis* 238: 357
Tai, H.-H., see Bandtlow, C.
Tai, T., see Nara, K.
Tailor, P., Jascur, T., Williams, S., von Willebrand, M., Couture, C., Mustelin, T.: Involvement of Src-homology-2-domain-containing protein-tyrosine phosphatase 2 in T cell activation 237: 736
Takahashi, K., see Inoue, H.
Takahashi, K., see Kukimoto, I.
Takahashi, K., see Muraosa, Y.
Takahashi, M., Maraboeuf, F., Nordén, B.: *Review.* Locations of functional domains in the RecA protein – Overlap of domains and regulation of activities 242: 20
Takahashi, M., see Bouhss, A.
Takahashi, M., see Iwata, N.
Takahashi, M., see Morimatsu, K.
Takahashi, N., see Nakagawa, H.
Takahashi, S., see Kunugi, S.
Takahashi, Y., Nakayama, K., Shimojima, T., Itoh, S., Kamataki, T.: Expression of aryl hydrocarbon receptor (AhR) and aryl hydrocarbon receptor nuclear translocator (Arnt) in adult rabbits known to be non-responsive to cytochrome *P*-450 1A1 (CYP1A1) inducers 242: 512
Takakura-Yamamoto, R., Yamamoto, S., Fukuda, S., Kurimoto, M.: O-Glycosylated species of natural human tumor-necrosis factor-α 235: 431
Takata, M., see Qin, S.
Takata, Y., see Suzuki, A.
Takayama, M., see Iwata, N.
Takeda, H., see Odani, S.
Takeda, K., see Sugahara, K.
Takenaka, M., Yamada, K., Lu, T., Kang, R., Tanaka, T., Noguchi, T.: Alternative splicing of the pyruvate kinase M gene in a minigene system 235: 366
Takeuchi, K., see Nagamine, K.
Takeuchi, Y., see Inoue, K.
Takiguchi, M., see Chowdhury, S.
Talesa, V., Romani, R., Rosi, G., Giovannini, E.: Acetylcholinesterase in *Dendrobaena veneta* (Oligochaeta: Opisthopora) is present with forms sensitive and insensitive to phosphatidylinositol phospholipase C – Biochemical characterization and histochemical localization in the nervous system 238: 538
Talussot, C., see Benetollo, C.
Tamai, Y., see Kawakami, Y.
Tamaki, H., see Frébort, I.
Tamaru, T., Okada, M.: Purification and characterization of a $p13^{suc1}$-bound serine/threonine kinase that is expressed in mature rat brain 238: 152
Tampé, R., see Ehring, B.
Tamura, M., see Yoshinari, S.
Tan, E. M. L., see Grässel, S.
Tan, L., see Harwig, S. S. L.
Tanahashi, N., see Tsurumi, C.
Tanaka, A., see Iida, T.
Tanaka, A., see Kawachi, H.
Tanaka, A., see Scheumann, V.
Tanaka, K., see Tsurumi, C.
Tanaka, T., see Takenaka, M.
Tanaka, T., see Toku, S.
Tanamoto, K., see Iida, T.
Tang, J., see Veríssimo, P.
Tang, X., see Heierhorst, J.
Tani, Y., see Yoshida, N.
Taniguchi, N., see Koyama, N.
Tanokura, M., see Katsumata, T.
Tanti, J.-F., see Ricort, J.-M.
Tanveer, A., Virji, S., Andreeva, L., Totty, N. F., Hsuan, J. J., Ward, J. M., Crompton, M.: Involvement of cyclophilin D in the activation of a mitochondrial pore by Ca^{2+} and oxidant stress 238: 166
Tapia, C., see Pulgar, V.
Taramelli, R., see Meroni, G.
Targett, G. A. T., see Li, J.-L.
Tarnus, C., see Chevrier, B.
Tarrago-Litvak, L., see Nevinsky, G. A.
Tartar, A., see Demoor, L.
Tasanen, M., see Heikinheimo, P.
Taya, Y., see Higashi, H.
Taylor, B., see Olshefski, R.
Taylor, I. W. F., see Gordon, R. D.
Taylor III, P. A., Bhatt, T. R., Horodyski, F. M.: Molecular characterization and expression analysis of *Manduca sexta* allatotropin 239: 588
Tebbe, S., see Quick, M.
Tedeschi, G., Negri, A., Mortarino, M., Ceciliani, F., Simonic, T., Faotto, L., Ronchi, S.: L-Aspartate oxidase from *Escherichia coli* – II. Interaction with C_4 dicarboxylic acids and identification of a novel L-aspartate:fumarate oxidoreductase activity 239: 427
Tedeschi, G., see Mortarino, M.
Teeri, T. T., see Harjunpää, V.
Teissié, J., see Sabri, N.
Teixeira, M., see Bentrop, D.
Teleman, A., see Harjunpää, V.
Teleman, O., see Harjunpää, V.
Tell, G., see Esposito, G.
Temple, M. D., see Zachara, N. E.
Tenkanen, M., see Margolles-Clark, E.
Tenkanen, M., see Margolles-Clark, E.
Teplyakov, A. V., see Harutyunyan, E. H.
Terada, T., Kitajima, K., Inoue, S., Koppert, K., Brossmer, R., Inoue, Y.: Substrate specificity of rainbow trout testis CMP–3-deoxy-D-*glycero*-D-*galacto*-nonulosonic acid (CMP-Kdn) synthetase – Kinetic studies of the reaction of natural and synthetic analogues of nonulosonic acid catalyzed by CMP-Kdn synthetase 236: 852
Teraoka, H., see Matsuda, S.
Teraoka, Y., see Morino, S.
Tesfa-Selase, F., Drabble, W. T.: Specific binding of DnaA protein to a DnaA box in the *guaB* gene of *Escherichia coli* K12 241: 411
Tesoriere, G., see Giuliano, M.
Tesser, G. I., see Rietman, B. H.
Tessitore, A., see Toniato, E.
Tetaud, E., see Waitumbi, J. N.
Teusink, B., see Richard, P.
Tewari, K. K., see Tuteja, N.
Thauer, R. K., see Harms, U.
Thauer, R. K., see Harms, U.
Thauer, R. K., see Hochheimer, A.
Thauer, R. K., see Klein, A. R.
Thauer, R. K., see Vaupel, M.
Thauer, R. K., see Vorholt, J. A.
Then Bergh, K., see Litzka, O.
Thevelein, J M., see de Winde, J. H.
Theyssen, H., see Neuhofen, S.
Thiede, B., see Vladimirov, S. N.
Thiel, G., see Cibelli, G.
Thiel, G., see Cibelli, G.
Thiel, G., see Petersohn, D.
Thiele, C., see Gimpl, G.
Thömmes, P., Marton, R. F., Cotterill, S.: Isolation and characterisation of dhel II, a DNA helicase from *Drosophila melanogaster* embryos stimulated by *Escherichia coli*-type single-stranded-DNA-binding proteins 235: 152
Thöny, B., see Kluge, C.
Thöny-Meyer, L., Künzler, P., Hennecke, H.: Requirements for maturation of *Bradyrhizobium japonicum* cytochrome c_{550} in *Escherichia coli* 235: 754
Tholl, D., Ober, D., Martin, W., Kellermann, J., Hartmann, T.: Purification, molecular cloning and expression in *Escherichia coli* of homospermidine synthase from *Rhodopseudomonas viridis* 240: 373
Thomas, D., see Le Cahérec, F.
Thomas, J. O., see Goytisolo, F. A.
Thomas, P. G., see Lay, V. J.
Thomasset, M., see Lambert, M.
Thompson, C. J., see Brodbeck, M.
Thompson, J., see Kromer, B.
Thomson, L. M., see Wilson, S. B.
Thondorf, I., see Brandt, W.
Thorley, B. R., see Milland, J.
Thornton, J. M., see Viles, J. H.
Tief, K., Hahne, M., Schmidt, A., Beermann, F.: Tyrosinase, the key enzyme in melanin synthesis, is expressed in murine brain 241: 12
Tiivel, T., see Kuznetsov, A. V.
Tikkanen, J. M., see Van Dorst, J. A. L. M.
Timmis, K. N., see Prucha, M.
Timpl, R., see Grässel, S.
Timpl, R., see Kohfeldt, E.
Timpl, R., see Sasaki, T.
Tinton, S. A., Chow, S. C., Buc-Calderon, P. M., Kass, G. E. N.: Adenosine stimulates calcium influx in isolated rat hepatocytes 238: 576
Tippmer, S., Bossenmaier, B., Häring, H.: Bradykinin induces tyrosine phosphorylation in human foreskin fibroblasts and 293 cells transfected with rat B2 kinin receptor 236: 953
Tisch, D., Halpern, M., Marciano, D., Kloog, Y., Aviram, I.: Activation of signaling pathways in HL60 cells and human neutrophils by farnesylthiosalicylate 242: 529
Tölö, H., see Sareneva, T.
Töpfer-Petersen, E., see Reinert, M.
Toh, T.-H., see Hanlon, S. P.
Toh-e, A., see Tsurumi, C.
Tokmakov, A. A., Sahara, S., Sato, K.-I., Nishida, E., Fukami, Y.: Phosphoregulatory tyrosine of *Xenopus* mitogen-activated protein kinase is out of the reach of the enzyme catalytic center after autophosphorylation – Biochemical evidence for conformational changes upon phosphorylation 241: 322
Toku, S., Tanaka, T.: A characterization of transcriptional regulatory elements in chicken ribosomal protein L37a gene 238: 136

Tomarev, S. I., Piatigorsky, J.: *Review.* Lens crystallins of invertebrates – Diversity and recruitment from detoxification enzymes and novel proteins 235: 449
Tompa, P., see Sánchez, C.
Tonacchera, M., Cetani, F., Costagliola, S., Van Sande, J., Refetoff, S., Vassart, G.: Functional characteristics of a variant thyrotropin receptor 238: 490
Tonegawa, T., see Sugiura, T.
Tonello, F., see Morante, S.
Toniato, E., Flati, V., Cifone, M. G., Grosso, E. D., Roncaioli, P., Cilenti, L., Tessitore, A., Lista, F., Frati, L., Gulino, A., Martinotti, S.: Involvement of an arachidonic-acid-dependent pathway in the interferon-β-mediated expression of C202 gene in Ehrlich-ascites-tumor cells 235: 91
Toone, E. J., see Gupta, D.
Torrekens, S., see Vanhooren, J. C. T.
Tossi, A., see Storici, P.
Totsuka, A., Fukazawa, C.: Functional analysis of Glu380 and Leu383 of soybean β-amylase – A proposed action mechanism 240: 655
Totty, N. F., see Tanveer, A.
Toyama, H., see Frébort, I.
Traber, P. G., see Lambert, M.
Tran-Dinh, S., Beganton, F., Nguyen, T.-T., Bouet, F., Herve, M.: Mathematical model for evaluating the Krebs cycle flux with non-constant glutamate-pool size by ^{13}C-NMR spectroscopy – Evidence for the existence of two types of Krebs cycles in cells 242: 220
Tran-Dinh, S., Bouet, F., Huynh, Q.-T., Herve, M.: Mathematical models for determining metabolic fluxes through the citric acid and the glyoxylate cycles in *Saccharomyces cerevisiae* by ^{13}C-NMR spectroscopy 242: 770
Tranum-Jensen, J., see Weller, U.
Trautwein, A. X., see Meyer-Klaucke, W.
Treviño, C., see Hassel, I.
Tricot, C., see Nguyen, V. T.
Troalen, F., see Couture, L.
Troalen, F., see Krebs, D.
Troalen, F., see Sourgen, F.
Troeberg, L., Pike, R. N., Morty, R. E., Berry, R. K., Coetzer, T. H. T., Lonsdale-Eccles, J. D.: Proteases from *Trypanosoma brucei brucei* – Purification, characterisation and interactions with host regulatory molecules 238: 728
Trojanek, J., Ek, P., Scoble, J., Muszyńska, G., Engström, L.: Phosphorylation of plant proteins and the identification of protein-tyrosine kinase activity in maize seedlings 235: 338
Trombetta, G., see Grazi, E.
Trombetta, G., see Magri, E.
Trommer, W. E., see Neuhofen, S.
Trouard, T. P., see Morein, S.
Trowbridge, I. S., see Buchegger, F.
Trueb, B., see Zumbrunn, J.
Trus, M., see Cohen, H.
Tryggvason, K., see Groffen, A. J. A.
Tschesche, H., see Knäuper, V.
Tsetlin, V. I., see Hucho, F.
Tshisuaka, B., see Stephan, I.
Tsolas, O., see Kondili, K.
Tsolas, O., see Vareli, K.
Tsuda, H., see de Beer, T.
Tsuda, M., Sei, Y., Ohkubo, T., Yamamura, M., Kamiguchi, H., Akatsuka, A., Tsuda, T., Tachikawa, H., Yamamoto, M., Shinohara, Y.: The defective secretion of a naturally occurring α-1-antichymotrypsin variant with a frameshift mutation 235: 821
Tsuda, T., see Tsuda, M.
Tsugita, A., see Iwadate, H.
Tsuji, H., see Ajiro, K.
Tsuji, Y., see Kurata, S.-I.
Tsukada, J., see Ogawa, R.
Tsukada, K., see Matsuda, S.
Tsukamoto, Y., see Nakagawa, H.
Tsuno, H., see Frébort, I.
Tsurumi, C., Shimizu, Y., Saeki, M., Kato, S., DeMartino, G. N., Slaughter, C. A., Fujimuro, M., Yokosawa, H., Yamasaki, M.-o., Hendil, K. B., Toh-e, A., Tanahashi, N., Tanaka, K.: cDNA cloning and functional analysis of the p97 subunit of the 26S proteasome, a polypeptide identical to the type-1 tumor-necrosis-factor-receptor-associated protein-2/55.11 239: 912
Tsuruo, T., see Yamaji, R.
Tsvetkov, L., Russev, G.: Decreased rates of replicon initiation in mammalian cells 237: 489
Tucker, G. A., see Jones, C. G.
Tucker, H. M., Gerard, R. D.: Sequence requirements in the reactive-center loop of plasminogen-activator inhibitor-1 for recognition of plasminogen activators 237: 180
Tuckwell, D. S., Reid, K. B. M., Barnes, M. J., Humphries, M. J.: The A-domain of integrin α2 binds specifically to a range of collagens but is not a general receptor for the collagenous motif 241: 732
Tugwood, J. D., see Lambe, K. G.
Tunlid, A., see Rosén, S.
Tunlid, A., see Rosén, S.
Tuominen, J., see Sillanaukee, P.
Turano, C., see Altieri, F.
Turk, V., see Kopitar, G.
Turner, D. L., Salgueiro, C. A., Catarino, T., LeGall, J., Xavier, A. V.: NMR studies of cooperativity in the tetrahaem cytochrome c_3 from *Desulfovibrio vulgaris* 241: 723
Turnowsky, F., see Bergler, H.
Turpaev, K. T., Zakhariev, V. M., Sokolova, I. V., Narovlyansky, A. N., Amchenkova, A. M., Justesen, J., Frolova, L. Y.: Alternative processing of the tryptophanyl-tRNA synthetase mRNA from interferon-treated human cells 240: 732
Tuteja, N., Phan, T.-N., Tewari, K. K.: Purification and characterization of a DNA helicase from pea chloroplast that translocates in the 3′-to-5′ direction 238: 54
Tuzi, S., Naito, A., Saitô, H.: Temperature-dependent conformational change of bacteriorhodopsin as studied by solid-state ^{13}C NMR 239: 294
Tyynelä, J., see Hildén, P.

Ubbink, M., Lian, L. Y., Modi, S., Evans, P. A., Bendall, D. S.: Analysis of the ^{1}H-NMR chemical shifts of Cu(I)-, Cu(II)- and Cd-substituted pea plastocyanin – Metal-dependent differences in the hydrogen-bond network around the copper site 242: 132
Uchida, A., see Kawakami, Y.
Uchida, K., see Suzuki, M.
Udaka, N., see Kono-Sugita, E.
Udaka, S., see Inoue, H.
Udvardy, A.: *Review.* The role of controlled proteolysis in cell-cycle regulation 240: 307
Ueda, H., see Morino, S.
Ueda, M., see Kawachi, H.
Uesugi, S., see Morino, S.
Uhlén, M., see Jonasson, P.
Uhlmann, H., see Iametti, S.
Ulbrich-Hofmann, R., see Arnold, U.
Ullmann, P., Gondet, L., Potier, S., Bach, T. J.: Cloning of *Arabidopsis thaliana* glutathione synthetase (*GSH2*) by functional complementation of a yeast *gsh2* mutant 236: 662
Umar, A., Kunkel, T. A.: *Review.* DNA-replication fidelity, mismatch repair and genome instability in cancer cells 238: 297
Upcroft, J. A., see Brown, D. M.
Upcroft, P., see Brown, D. M.
Urban, P., see Doostzadeh, J.
Urbina, F., see Kjellberg, A.
Urge, L., see Bulet, P.

Vadas, P., Stefanski, E., Wloch, M., Grouix, B., Van Den Bosch, H., Kennedy, B.: Secretory non-pancreatic phospholipase A_2 and cyclooxygenase-2 expression by tracheobronchial smooth muscle cells 235: 557
Vainshtein, B. K., see Harutyunyan, E. H.
Valdez, B. C., see Li, Y.-P.
Valensin, G., Maccotta, A., Gaggelli, E., Grzonka, Z., Kasprzykowski, F., Kozlowski, H.: ^{1}H-NMR and ^{13}C-NMR investigation of complexes of Mn^{2+} with ocytocin analogues in ($^2H_6$)dimethylsulfoxide 240: 118
Valentini, G., De Gregorio, A., Di Salvo, C., Grimm, R., Bellocco, E., Cuzzocrea, G., Iadarola, P.: An essential lysine in the substrate-binding site of ornithine carbamoyltransferase 239: 397
Valeva, A., see Weller, U.
Van Beeumen, J. J., see Samyn, B.
Van Beeumen, J., see Spee, J. H.
van Berkel, T. J. C., see Bijsterbosch, M. K.
van Berkel, T. J. C., see Ziere, G. J.
van Berkel, W. J. H., see Fraaije, M. W.
van Berkel, W. J. H., see Seibold, B.
van Berkel, W. J. H., see van der Bolt, F. J. T.
Van Broeckhoven, C., see Hendriks, L.
Van Cauteren, T., see Benetollo, C.
van Dam, K., see Richard, P.
Van Damme, E. J. M., Barre, A., Rougé, P., Van Leuven, F., Peumans, W. J.: Characterization and molecular cloning of *Sambucus nigra* agglutinin V (nigrin b), a GalNAc-specific type-2 ribosome-inactivating protein from the bark of elderberry (*Sambucus nigra*) 237: 505
Van Damme, E. J. M., Barre, A., Rougé, P., Van Leuven, F., Peumans, W. J.: The NeuAc(α-2,6)-Gal/GalNAc-binding lectin from elderberry (*Sambucus nigra*) bark, a type-2 ribosome-inactivating protein with an unusual specificity and structure 235: 128

Van Damme, E. J. M., Briké, F., Winter, H. C., Van Leuven, F., Goldstein, I. J., Peumans, W. J.: Molecular cloning of two different mannose-binding lectins from tulip bulbs 236: 419
van de Bilt, H., see Bijsterbosch, M. K.
van de Kamp, M., see van den Hooven, H. W.
van de Kamp, M., see van den Hooven, H. W.
van de Leur, E., see Gatsios, P.
van de Ven, F. J. M., see Remerowski, M. L.
van de Ven, F. J. M., see van den Hooven, H. W.
van de Ven, F. J. M., see van den Hooven, H. W.
Van Den Bosch, H., see Vadas, P.
van den Brink, J. M., see Rosén, S.
van den Broeck, H. C., see Panneman, H.
van den Heuvel, L. P. W. J., see Groffen, A. J. A.
van den Hondel, C. A. M. J. J., see Rosén, S.
van den Hooven, H. W., Doeland, C. C. M., van de Kamp, M., Konings, R. N. H., Hilbers, C. W., van de Ven, F. J. M.: Three-dimensional structure of the lantibiotic nisin in the presence of membrane-mimetic micelles of dodecylphosphocholine and of sodium dodecylsulphate 235: 382
van den Hooven, H. W., Spronk, C. A. E. M., van de Kamp, M., Konings, R. N. H., Hilbers, C. W., van de Ven, F. J. M.: Surface location and orientation of the lantibiotic nisin bound to membrane-mimicking micelles of dodecylphosphocholine and of sodium dodecylsulphate 235: 394
van der Bolt, F. J. T., Vervoort, J., van Berkel, W. J. H.: Flavin motion in *p*-hydroxybenzoate hydroxylase – Substrate and effector specificity of the Tyr222→Ala mutant 237: 592
van der Kaaden, M. E., see Ziere, G. J.
van der Oost, J., see de Boer, A. P. N.
van der Spek, T. M., Arendsen, A. F., Happe, R. P., Yun, S., Bagley, K. A., Stufkens, D. J., Hagen, W. R., Albracht, S. P. J.: Similarities in the architecture of the active sites of Ni-hydrogenases and Fe-hydrogenases detected by means of infrared spectroscopy 237: 629
Van Dongen, W. M. A. M., see Spee, J. H.
Van Dorsselaer, A., see Goumon, Y.
Van Dorst, J. A. L. M., Tikkanen, J. M., Krezdorn, C. H., Streiff, M. B., Berger, E. G., Van Kuik, J. A., Kamerling, J. P., Vliegenthart, J. F. G.: Exploring the substrate specificities of α-2,6- and α-2,3-sialyltransferases using synthetic acceptor analogues 242: 674
Van Driessche, G., see Samyn, B.
Van Genesen, S. T., see Dirks, R. P. H.
van Gorkom, H. J., see Gast, P.
Van Hoef, B., see Lijnen, H. R.
Van Hoof, C., see Agostinis, P.
Van Horssen, A. M., see Braks, J. A. M.
Van Kuik, J. A., see Van Dorst, J. A. L. M.
Van Leuven, F., see Van Damme, E. J. M.
Van Leuven, F., see Van Damme, E. J. M.
Van Leuven, F., see Van Damme, E. J. M.
Van Leuven, F., see Vanhooren, J. C. T.
van Mierlo, C. P. M., see Steensma, E.
van Mourik, J. A., see Donath, M.-J. S. H.
Van Obberghen, E., see Baron, V.
Van Obberghen, E., see Ricort, J.-M.
Van Raalte, A. L. J., Demel, R. A., Verberkmoes, G., Breukink, E., Keller, R. C. A., De Kruijff, B.: Influence of the signal sequence and chaperone SecB on the interaction between precursor protein prePhoE and phospholipids 235: 207
Van Rietschoten, J., see Kharrat, R.
Van Sande, J., see Tonacchera, M.
van Sluis, C. A., see Stoorvogel, J.
van Spanning, R. J. M., see de Boer, A. P. N.
Van Veldhoven, P. P., see Croes, K.
Van Veldhoven, P. P., see Dieuaide-Noubhani, M.
Van Veldhoven, P. P., see Vanhooren, J. C. T.
van Venrooij, W. J., see Peek, R.
van Weely, S., see Bijsterbosch, M. K.
van Willigen, G., see Bekkers, A. C. A. P. A.
Van Zuylen, C. W. E. M., see De Beer, T.
Vandais, B., see Rigoulet, M.
Vandekerckhove, J., see De Corte, V.
Vandekerckhove, J., see Dieuaide-Noubhani, M.
Vanden Broeck, J., see Borovsky, D.
Vandermeers, A., see Gourlet, P.
Vanhooren, J. C. T., Fransen, M., de Béthune, B., Baumgart, E., Baes, M., Torrekens, S., Van Leuven, F., Mannaerts, G. P., Van Veldhoven, P. P.: Rat pristanoyl-CoA oxidase – cDNA cloning and recognition of its C-terminal (SQL) by the peroxisomal-targeting signal 1 receptor 239: 302
Vanhooren, J. C. T., see Dieuaide-Noubhani, M.
Vanloo, B., see Benetollo, C.
Vanloo, B., see Demoor, L.
Vannier, C., Huttner, W. B.: Expression of tyrosine-sulfated secretory proteins in *Xenopus laevis* oocytes – Differential export of constitutive and regulated proteins 239: 111
Vanoni, M. A., Verzotti, E., Zanetti, G., Curti, B.: Properties of the recombinant β subunit of glutamate synthase 236: 937
Vard, C., see Guillot, D.
Vareli, K., Tsolas, O., Frangou-Lazaridis, M.: Regulation of prothymosin α during the cell cycle 238: 799
Vargas-Rosso, O., see Rosso, J.-P.
Vašák, M., see Bogumil, R.
Vassart, G., see Tonacchera, M.
Vaupel, M., Dietz, H., Linder, D., Thauer, R. K.: Primary structure of cyclohydrolase (Mch) from *Methanobacterium thermoautotrophicum* (strain Marburg) and functional expression of the *mch* gene in *Escherichia coli* 236: 294
Vaupel, M., see Vorholt, J. A.
Vecchini, P., see Consalvi, V.
Vecchio, G., see Iametti, S.
Veeger, C., see Osman, A. M.
Veeger, C., see Spee, J. H.
Veerkamp, J. H., see Groffen, A. J. A.
Vega, M. C., Coll, M., Alemán, C.: Intrinsic conformational preferences of the Hoechst dye family and their influence on DNA binding 239: 376
Veglia, G., see D'Alagni, M.
Velours, J., see Chauvin, C.
Vento, R., see Giuliano, M.
Verberkmoes, G., see Van Raalte, A. L. J.
Vercellone, A., see Adam, O.
Verdier, J.-M., Ewart, K. V., Griffith, M., Hew, C. L.: An immune response to ice crystals in North Atlantic fishes 241: 740
Verhaert, P., see Borovsky, D.
Verheij, H. M., see Bekkers, A. C. A. P. A.
Verheij, H. M., see Mounier, C.
Verheij, H. M., see Simons, J.-W. F. A.
Veríssimo, P., Faro, C., Moir, A. J. G., Lin, Y., Tang, J., Pires, E.: Purification, characterization and partial amino acid sequencing of two new aspartic proteinases from fresh flowers of *Cynara cardunculus* L. 235: 762
Vervoort, J., see van der Bolt, F. J. T.
Verzotti, E., see Vanoni, M. A.
Vial, C., see Raimbault, C.
Vieille, C., see Armand, S.
Vieira, I., Sonnier, M., Cresteil, T.: Developmental expression of *CYP2E1* in the human liver – Hypermethylation control of gene expression during the neonatal period 238: 476
Viglino, P., see Esposito, G.
Vignais, P. M., see Zorin, N. A.
Vigneron, P., see Bacou, F.
Vignolo, P., see Pulgar, V.
Vihko, P., see Nokelainen, P.
Vihko, R., see Nokelainen, P.
Vilalta, I., Gliozzi, A., Prats, M.: Interfacial air/water proton conduction from long distances by *Sulfolobus solfataricus* archaeal bolaform lipids 240: 181
Vilardaga, J.-P., see Gourlet, P.
Vilaró, S., see Fernández-Novell, J. M.
Vilaró, S., see Serra, D.
Vilei, E. M., see Anagli, J.
Viles, J. H., Mitchell, J. B. O., Gough, S. L., Doyle, P. M., Harris, C. J., Sadler, P. J., Thornton, J. M.: Multiple solution conformations of the integrin-binding cyclic pentapeptide cyclo(-Ser-D-Leu-Asp-Val-Pro-) – Analysis of the (φ,ψ) space available to cyclic pentapeptides 242: 352
Villalaín, J.: Location of cholesterol in model membranes by magic-angle-sample-spinning NMR 241: 586
Villalba, M., see Batanero, E.
Villalba, M., see González de la Peña, M. A.
Villégier, A., see Merle, M.
Villeret, V., see Nguyen, V. T.
Vincendon, P., see Saudek, V.
Vincens, P., see Claros, M. G.
Vincent, J.-C., see Demmano, G.
Vincent, M., see Bouhss, A.
Vincent-Salomon, A., see Ferbus, D.
Vinogradov, E. V., Pantophlet, R., Dijkshoorn, L., Brade, L., Holst, O., Brade, H.: Structural and serological characterisation of two O-specific polysaccharides of *Acinetobacter* 239: 602
Vinogradov, E. V., see Sidorczyk, Z.
Vinther, A., Holm, A., Høeg-Jensen, T., Jespersen, A. M., Klausen, N. K., Christensen, T., Sørensen, H. H.: Synthesis of stereoisomers and isoforms of a tryptic heptapeptide fragment of human growth hormone and analysis by reverse-phase HPLC and capillary electrophoresis 235: 304
Vioque, A., see Pascual, A.
Virion, A., see Gorin, Y.
Virji, S., see Tanveer, A.
Vis, A.-J., see Nieboer, M.

Visser, J., see Kester, H. C. M.
Visser, J., see Panneman, H.
Vladimirov, S. N., Ivanov, A. V., Karpova, G. G., Musolyamov, A. K., Egorov, T. A., Thiede, B., Wittmann-Liebold, B., Otto, A.: Characterization of the human small-ribosomal-subunit proteins by N-terminal and internal sequencing, and mass spectrometry 239: 144
Vlassov, V. V., see Lavrovsky, Y.
Vliegenthart, J. F. G., see de Beer, T.
Vliegenthart, J. F. G., see De Beer, T.
Vliegenthart, J. F. G., see Van Dorst, J. A. L. M.
Völkel, H., Kurz, U., Linder, J., Klumpp, S., Gnau, V., Jung, G., Schultz, J. E.: Cathepsin L is an intracellular and extracellular protease in *Paramecium tetraurelia* – Purification, cloning, sequencing and specific inhibition by its expressed propeptide 238: 198
Völkel, S., Grieshaber, M. K.: Mitochondrial sulfide oxidation in *Arenicola marina* – Evidence for alternative electron pathways 235: 231
Vogel, P. D., see Neuhofen, S.
Vogelezang, C. J. M., see Ziere, G. J.
Volkmann, A., see Willbold, D.
von der Lieth, C.-W., see Krauter, G.
von Döhren, H., see Kleinkauf, H.
von Döhren, H., see Weßels, P.
Von Eichel-Streiber, C., see Schmidt, M.
von Figura, K., see Bresciani, R.
von Figura, K., see Punnonen, E.-L.
von Figura, K., see Selmer, T.
von Jagow, G., see Kraiczy, P.
von Jagow, G., see Link, T. A.
von Wettstein, D., see Willows, R. D.
von Willebrand, M., Jascur, T., Bonnefoy-Bérard, N., Yano, H., Altman, A., Matsuda, Y., Mustelin, T.: Inhibition of phosphatidylinositol 3-kinase blocks T cell antigen receptor/CD3-induced activation of the mitogen-activated kinase Erk2 235: 828
von Willebrand, M., see Tailor, P.
Vorholt, J. A., Vaupel, M., Thauer, R. K.: A polyferredoxin with eight [4Fe-4S] clusters as a subunit of molybdenum formylmethanofuran dehydrogenase from *Methanosarcina barkeri* 236: 309
Voss, R.-H., Ermler, U., Essen, L.-O., Wenzl, G., Kim, Y.-M., Flecker, P.: Crystal structure of the bifunctional soybean Bowman-Birk inhibitor at 0.28-nm resolution – Structural peculiarities in a folded protein conformation 242: 122
Vovelle, F., see Landon, C.
Vranken, W. F., Budesinsky, M., Martins, J. C., Fant, F., Boulez, K., Gras-Masse, H., Borremans, F. A. M.: Conformational features of a synthetic cyclic peptide corresponding to the complete V3 loop of the RF HIV-1 strain in water and water/trifluoroethanol solutions 236: 100
Vu-Dac, N., see Saladin, R.
Vuento, M., see Hildén, P.
Vuilleumier, S., Leisinger, T.: Protein engineering studies of dichloromethane dehalogenase/glutathione *S*-transferase from *Methylophilus* sp. strain DM11 – Ser12 but not Tyr6 is required for enzyme activity 239: 410
Waddleton, D. M., see Jackman, D. M.
Waelbroeck, M., see Gourlet, P.
Waelkens, E., see De Corte, V.
Wagner, R., see Beissinger, M.
Waite, J. H., see Inoue, K.
Waitumbi, J. N., Tetaud, E., Baltz, T.: Glucose uptake in *Trypanosoma vivax* and molecular characterization of its transporter gene 237: 234
Waku, K., see Sugiura, T.
Walden, P., see Pridzun, L.
Walter, K., see Bayer, M.
Walter, M. H., Liu, J.-W., Wünn, J., Hess, D.: Bean ribonuclease-like pathogenesis-related protein genes (*Ypr10*) display complex patterns of developmental, dark-induced and exogenous-stimulus-dependent expression 239: 281
Waltner, M., see Sjöling, S.
Wandrey, C., see Malissard, M.
Wang, A. H.-J., see Gao, Y.-g.
Wang, C. C., see Kanaani, J.
Wang, K., Spector, A.: α-crystallin stabilizes actin filaments and prevents cytochalasin-induced depolymerization in a phosphorylation-dependent manner 242: 56
Wang, Y., Hess, D., Hunziker, P. E., Kägi, J. H. R.: Separation and characterization of the metal-thiolate-cluster domains of recombinant sea urchin metallothionein 241: 835
Wang, Z.-K., see Zhu, A.
Ward, J. M., see Tanveer, A.
Waring, A., see Harwig, S. S. L.
Waring, M. J., see Bailly, C.
Warmerdam, G., see Spee, J. H.
Watała, C., Gwoździński, K., Pluskota, E., Dzieciątkowska, E., Cierniewski, C. S.: Microenvironmental changes in platelet membranes induced by the interaction of fibrinogen-derived peptide ligands with platelet integrins 235: 281
Watanabe, Y., see Nara, K.
Webb, T. J., see Chen, J.-H.
Webster, L. C., Apps, D. K.: Analysis of nucleotide binding by a vacuolar proton-translocating adenosine triphosphatase 240: 156
Webster, S. G., see Chung, J. S.
Webster, T. L., see Martinus, R. D.
Weech, P. K., see Pouliot, M.
Wehling, M., see Eisen, C.
Wehling, M., see Meyer, C.
Wehrli, E., see Ducret, A.
Weidle, U. H., see Magdolen, V.
Weijland, A., Neubauer, G., Courtneidge, S. A., Mann, M., Wierenga, R. K., Superti-Furga, G.: The purification and characterization of the catalytic domain of Src expressed in *Schizosaccharomyces pombe* – Comparison of unphosphorylated and tyrosine phosphorylated species 240: 756
Weiner, H., see Sjöling, S.
Weintraub, A., see Kjellberg, A.
Weintraub, A., see Knirel, Y. A.
Weisbeek, P., see Fisscher, U.
Weiss, K. R., see Heierhorst, J.
Weissenhorn, W., Eck, M. J., Harrison, S. C., Wiley, D. C.: Phosphorylated T cell receptor ζ-chain and ZAP70 tandem SH2 domains form a 1:3 complex *in vitro* 238: 440
Weldrick, D., see Steenkamp, D. J.
Weller, U., Müller, L., Messner, M., Palmer, M., Valeva, A., Tranum-Jensen, J., Agrawal, P., Biermann, C., Döbereiner, A., Kehoe, M. A., Bhakdi, S.: Expression of active streptolysin O in *Escherichia coli* as a maltose-binding-protein–streptolysin-O fusion protein – The N-terminal 70 amino acids are not required for hemolytic activity 236: 34
Welling, G. W., see Lasonder, E.
Welling-Wester, S., see Lasonder, E.
Weltrowska, G., see Carpenter, K. A.
Wenzl, G., see Voss, R.-H.
Werner, D., see Loeffler, H.
Werner, G. H., Jollès, P.: *Review*. Immunostimulating agents: what next? – A review of their present and potential medical applications 242: 1
Werner, T., see Eberhardt, S.
Werz, O., Steinhilber, D.: Selenium-dependent peroxidases suppress 5-lipoxygenase activity in B-lymphocytes and immature myeloid cells – The presence of peroxidase-insensitive 5-lipoxygenase activity in differentiated myeloid cells 242: 90
Wess, G., see Stengelin, S.
Wessels, J., see Kromer, B.
Weßels, P., von Döhren, H., Kleinkauf, H.: Biosynthesis of acylpeptidolactones of the daptomycin type – A comparative analysis of peptide synthetases forming A21978C and A54145 242: 665
Westerhoff, H. V., see de Boer, A. P. N.
Westerhoff, H. V., see Richard, P.
Westerhoff, H. V., see Rohwer, J. M.
Westermarck, J., see Lohi, J.
Weyland, C., see Stengelin, S.
Whelan, J., see Howitt, C. A.
White, G. F., see Higgins, T. P.
White, P. A., see Reddi, K.
White, S., see Buchegger, F.
White, T. W., see Bruzzone, R.
Whittle, J. R. S., see Doyle, W. A.
Widmalm, G., see Ansaruzzaman, M.
Widmalm, G., see Kjellberg, A.
Więckowski, M. R., see Schönfeld, P.
Wieland, T., Meyer Zu Heringdorf, D., Schulze, R. A., Kaldenberg-Stasch, S., Jakobs, K. H.: Receptor-induced translocation of activated guanine-nucleotide-binding protein α_i subunits to the cytoskeleton in myeloid differentiated human leukemia (HL-60) cells 239: 752
Wieland, T., see Meyer zu Heringdorf, D.
Wierenga, R. K., see Weijland, A.
Wieruszeski, J.-M., see Plancke, Y.
Wiesmüller, K.-H., see Fleckenstein, B.
Wiesmüller, K.-H., see Pridzun, L.
Wijdenes, J., see Müller-Newen, G.
Wijffels, G., Fitzgerald, C., Gough, J., Riding, G., Elvin, C., Kemp, D., Willadsen, P.: Cloning and characterisation of angiotensin-converting enzyme from the dipteran species *Haematobia irritans exigua*, and its expression in the maturing male reproductive system 237: 414
Wijmenga, S. S., see Steinebach, V.
Wikström, M., Forsén, S., Drakenberg, T.: Backbone dynamics of a domain of protein L which binds to immunoglobulin light chains 235: 543
Wikström, M., see Majander, A.
Wikström, M., see Rosén, S.

Wildegger, G., see Sticht, H.
Wiley, D. C., see Weissenhorn, W.
Wilhelm, O., see Magdolen, V.
Wilke, T., see Punnonen, E.-L.
Wilkes, B. C., see Carpenter, K. A.
Wilkins, C. P., see Kazlauskaite, J.
Wilkinson, S. G., see Haseley, S. R.
Wilkinson, S. G., see Haseley, S. R.
Will, H., see Grötzinger, T.
Willadsen, P., see Wijffels, G.
Willbold, D., Volkmann, A., Metzger, A. U., Sticht, H., Rosin-Arbesfeld, R., Gazit, A., Yaniv, A., Frank, R. W., Rösch, P.: Structural studies of the equine infectious anemia virus *trans*-activator protein 240: 45
Wille, U., Seyfang, A., Duszenko, M.: Glucose uptake occurs by facilitated diffusion in procyclic forms of *Trypanosoma brucei* 236: 228
Willems, P. H. G. M., see Hermans, S. W. G.
Williams, G. T., see Hale, A. J.
Williams, K. L., see Zachara, N. E.
Williams, S. G., see Wyborn, N. R.
Williams, S., see Tailor, P.
Williamson, R. A., Natalia, D., Gee, C. K., Murphy, G., Carr, M. D., Freedman, R. B.: Chemically and conformationally authentic active domain of human tissue inhibitor of metalloproteinases-2 refolded from bacterial inclusion bodies 241: 476
Willows, R. D., Gibson, L. C. D., Kanangara, C. G., Hunter, C. N., von Wettstein, D.: Three separate proteins constitute the magnesium chelatase of *Rhodobacter sphaeroides* 235: 438
Wilschut, J., see Huckriede, A.
Wilson, K. S., see Harutyunyan, E. H.
Wilson, M. E., see Perry, M. B.
Wilson, M., see Reddi, K.
Wilson, S. B., Davidson, G. S., Thomson, L. M., Pearson, C. K.: Redox control of RNA synthesis in potato mitochondria 242: 81
Wilton, D. C., see Gordon, R. D.
Winckler, T., see Geier, A.
Winderickx, J., see de Winde, J. H.
Winfrey, R. J. Jr, see Coughlan, S. J.
Winkler, H., see Meyer-Klaucke, W.
Winnen, R., see Schüssler, P.
Winter, H. C., see Van Damme, E. J. M.
Winther, J. R., see Ramos, C.
Wissenbach, U., see Murakami, M.
Witholt, B., see Nieboer, M.
Wittmann-Liebold, B., see Vladimirov, S. N.
Witzemann, V., see Raditsch, M.
Wloch, M., see Vadas, P.
Wlodawer, A., see Lubkowski, J.
Wlodawer, A., see Powell, D. J.
Wölfl, J., Dagher, M.-C., Fuchs, A., Geiszt, M., Ligeti, E.: *In vitro* activation of the NADPH oxidase by fluoride – Possible involvement of a factor activating GTP hydrolysis on Rac (Rac-GAP) 239: 369
Wohlfarth, T., see Mücke, U.
Wohlleben, W., see Brodbeck, M.
Wohn, K.-D., see Ständker, L.
Wojtczak, L., see Schönfeld, P.
Wolf, H., see Beissinger, M.
Wollborn, U., see Carr, M. D.
Wollmer, A., see Kalai, M.
Wollmer, A., see Raffetseder, U.
Worm, K., see Gärtner, W.
Wray, V., see Prucha, M.
Wright, E. L., see Rivière, M.
Wright, N. A., see Otto, W. R.
Wright, P. E., see Morikis, D.
Wu, J., see Bag, J.
Wu, X., see Gailly, P.
Wu, Z.-c., see Singh, B.
Wüllrich-Schmoll, A., Kilimann, M. W.: Structure of the human gene encoding the phosphorylase kinase β subunit (*PHKB*) 238: 374
Wünn, J., see Walter, M. H.
Wüthrich, M., see Jacob, R.
Wyborn, N. R., Mills, J., Williams, S. G., Jones, C. W.: Molecular characterisation of formamidase from *Methylophilus methylotrophus* 240: 314
Wypych, J., see Mendiaz, E. A.

Xavier, A. V., see Turner, D. L.
Xodo, L. E., see Alunni-Fabbroni, M.
Xu, K., see Lam, B. K.

Yagi, M., see Yoshida, N.
Yahi, N., see Lutz, N. W.
Yakubenko, V. P., see Makogonenko, E. M.
Yamada, K., see Takenaka, M.
Yamagami, K., see Yasumasu, S.
Yamagata, H., see Inoue, H.
Yamaji, R., Okada, T., Moriya, M., Naito, M., Tsuruo, T., Miyatake, K., Nakano, Y.: Brain capillary endothelial cells express two forms of erythropoietin receptor mRNA 239: 494
Yamamoto, M., see Tsuda, M.
Yamamoto, S., see Takakura-Yamamoto, R.
Yamamoto, T., see Iijima, H.
Yamamura, H., see Qin, S.
Yamamura, M., see Tsuda, M.
Yamasaki, M.-o., see Tsurumi, C.
Yamashita, A., see Sugiura, T.
Yamazaki, K., see Yasumasu, S.
Yanaka, N., Kotera, J., Taguchi, I., Sugiura, M., Kawashima, K., Omori, K.: Structure of the 5′-flanking regulatory region of the mouse gene encoding the clearance receptor for atrial natriuretic peptide 237: 25
Yang, H. J., see Harwig, S. S. L.
Yaniv, A., see Willbold, D.
Yano, H., see von Willebrand, M.
Yano, M., see Niwa, Y.
Yao, S., see Kuklenyik, Z.
Yarden, O., see Ostersetzer, O.
Yasuda, H., see Ajiro, K.
Yasumasu, I., see Yasumasu, S.
Yasumasu, S., Shimada, H., Inohaya, K., Yamazaki, K., Iuchi, I., Yasumasu, I., Yamagami, K.: Different exon–intron organizations of the genes for two astacin-like proteases, high choriolytic enzyme (choriolysin H) and low choriolytic enzyme (choriolysin L), the constituents of the fish hatching enzyme 237: 752
Yasuoka, A., Abe, K., Arai, S., Emori, Y.: Molecular cloning and functional expression of the α1A-adrenoceptor of Medaka fish, *Oryzias latipes* 235: 501
Yokochi, T., see Helander, I. M.
Yokokawa, Y., see Odani, S.
Yokosawa, H., see Kumano, G.
Yokosawa, H., see Tsurumi, C.
Yokota, S., see Yoshinari, S.
Yokoyama, S., see Kim, D.-M.
Yokozaki, H., see Nesterova, M.
Yonezawa, N., see Katsumata, T.
Yoshida, N., Sakai, Y., Isogai, A., Fukuya, H., Yagi, M., Tani, Y., Kato, N.: Primary structures of fungal fructosyl amino acid oxidases and their application to the measurement of glycated proteins 242: 499
Yoshida, T., Minamikawa, T.: Successive amino-terminal proteolysis of the large subunit of ribulose 1,5-bisphosphate carboxylase/oxygenase by vacuolar enzymes from French bean leaves 238: 317
Yoshida, T., see Hagishita, T.
Yoshinari, S., Yokota, S., Sawamoto, H., Koresawa, S., Tamura, M., Endo, Y.: Purification, characterization and subcellular localization of a type-1 ribosome-inactivating protein from the sarcocarp of *Cucurbita pepo* 242: 585
Yoshizawa, M., see Muraosa, Y.
Young, J. D.-E., see de Fátima Horta, M.
Younghusband, B., see Jackman, D. M.
Yuda, M., Hirai, M., Miura, K., Matsumura, H., Ando, K., Chinzei, Y.: cDNA cloning, expression and characterization of nitric-oxide synthase from the salivary glands of the blood-sucking insect *Rhodnius prolixus* 242: 807
Yun, S., see van der Spek, T. M.
Yutani, K., see Hiraga, K.

Zachara, N. E., Packer, N. H., Temple, M. D., Slade, M. B., Jardine, D. R., Karuso, P., Moss, C. J., Mabbutt, B. C., Curmi, P. M. G., Williams, K. L., Gooley, A. A.: Recombinant prespore-specific antigen from *Dictyostelium discoideum* is a β-sheet glycoprotein with a spacer peptide modified by O-linked *N*-acetylglucosamine 238: 511
Zahn, J. A., Arciero, D. M., Hooper, A. B., DiSpirito, A. A.: Cytochrome *c′* of *Methylococcus capsulatus* Bath 240: 684
Zakeri, Z., see Karasavvas, N.
Zakhariev, V. M., see Turpaev, K. T.
Zakharova, O. D., see Nevinsky, G. A.
Zanetti, G., see Corrado, M. E.
Zanetti, G., see Piubelli, L.
Zanetti, G., see Vanoni, M. A.
Zanoni, L., see Parente, D.
Zanotti, F., see Papa, S.
Zappacosta, F., see Schininà, M. E.
Zappia, V., see Cacciapuoti, G.
Zaragoza, P., see González-Barroso, M. M.
Zaremberg, V., Moreno, S.: Analysis of the mechanism of activation of cAMP-dependent protein kinase through the study of mutants of the yeast regulatory subunit 237: 136
Zatti, A., see Gabellini, N.
Zeidler, W., Schirmer, N. K., Egle, C., Ribeiro, S., Kreutzer, R., Sprinzl, M.: Limited proteolysis and amino acid replacements in the effector region of *Thermus thermophilus* elongation factor Tu 239: 265
Zeikus, J. G., see Armand, S.
Zenouaki, I., see Bouhaouala-Zahar, B.
Zeppezauer, M., see Hemmingsen, L.
Zetterberg, A., see Rydlander, L.
Zhang, C., see Hensgens, C. M. H.

Zhang, J. Q., Luo, G., Herrera, A. H., Paterson, B., Horowits, R.: cDNA cloning of mouse nebulin – Evidence that the nebulin-coding sequence is highly conserved among vertebrates 239: 835
Zhang, W., La Mar, G. N., Gersonde, K.: Solution ^{1}H-NMR structure of the heme cavity in the low-affinity state for the allosteric monomeric cyano-met hemoglobins from *Chironomus thummi thummi* – Comparison to the crystal structure 237: 841
Zhao, D., McCaffery, P., Ivins, K. J., Neve, R. L., Hogan, P., Chin, W. W., Dräger, U. C.: Molecular identification of a major retinoic-acid-synthesizing enzyme, a retinaldehyde-specific dehydrogenase 240: 15
Zhao, J., see Mühlenhoff, U.
Zheng, J., see Schäfer, H.
Zheng, M., see Nakagawa, H.
Zhu, A., Wang, Z.-K.: Expression and characterization of recombinant α-galactosidase in baculovirus-infected insect cells 235: 332
Zhuang-Jackson, H., see Gaillard, J.
Ziegler, E., see Rydlander, L.
Ziere, G. J., van der Kaaden, M. E., Vogelezang, C. J. M., Boers, W., Bihain, B. E., Kuiper, J., Kruijt, J. K., van Berkel, T. J. C.: Blockade of the α_2-macroglobulin receptor/low-density-lipoprotein-receptor-related protein on rat liver parenchymal cells by the 39-kDa receptor-associated protein leaves the interaction of β-migrating very-low-density lipoprotein with the lipoprotein remnant receptor unaffected 242: 703
Zimmermann, F. K., see Müller, S.
Zimmermann, R., see Klappa, P.
Zimmermann, W., see Kromer, B.
Zitoun, C., see Mithieux, G.
Zorin, N. A., Dimon, B., Gagnon, J., Gaillard, J., Carrier, P., Vignais, P. M.: Inhibition by iodoacetamide and acetylene of the H-D-exchange reaction catalyzed by *Thiocapsa roseopersicina* hydrogenase 241: 675
Zuber, H., see Ducret, A.
Zuber, H., see Hu, Q.
Zumbrunn, J., Trueb, B.: A zyxin-related protein whose synthesis is reduced in virally transformed fibroblasts 241: 657
Zumft, W. G., see Dreusch, A.
Zweckstetter, M., see Kohfeldt, E.
Zwilling, R., see Morante, S.
Zych, K., see Sidorczyk, Z.

Keyword index

abrin-a B-chain domain 240: 564
abscisic acid 241: 193
acarbose 238: 561; 241: 787
accuracy 240: 526
acetaldehyde 240: 30
acetate metabolism 242: 770
3-acetyl group formation 239: 85
acetyl xylan esterase 237: 553
acetylcholinesterase 238: 538
N-acetylglucosamine 237: 476; 238: 511
N-acetylglucosaminono-1,5-lactone oximes 237: 476
N-acetylglucosaminyltransferase III 238: 853
acetylhydrolase 236: 48
N-acetylleucinylleucinyl-2-aminohexanol 240: 713
O-acetylserine (thiol)-lysate 236: 272
acidic region 240: 365
Acinetobacter 239: 602
Acinetobacter baumannii 237: 229; 237: 266
actin 239: 165; 241: 25; 241: 901; 242: 56
actin-fragmin kinase 241: 901
trans-acting factors 236: 373; 238: 400
actin polymerization 239: 752
Actinobacillus actinomycetemcomitans 242: 682
actinomycin 237: 164
activated protein C 242: 477
activating transcription factor 2 237: 532
activation 235: 187; 240: 63; 240: 365
activator protein-1 241: 393
active center 240: 692
active site 236: 947; 238: 308; 239: 220; 241: 675; 242: 51
acute promyelocytic leukemia 238: 554
acyl-carrier protein 237: 221
acyl-CoA hydrolase 239: 526
acyl-CoA synthetase 242: 186
acylglycerol 235: 73
adaptation 238: 613
adaptins 240: 570
adduct 240: 30
(6-4) adduct 235: 359
adenine nucleotide 241: 895; 241: 909
adenosine 238: 576
adenosine deaminase 239: 248
adenosine kinase 241: 564
adenosine-analog resistance 241: 564
adenosinetriphosphatase 237: 318; 240: 156; 240: 600; 241: 280; 241: 338;
adenosinetriphosphatase-inhibitor protein 240: 461
adenovirus 237: 660
adenylate cyclase 237: 619
adenylate kinase 241: 403
adenylosuccinate synthase 239: 487
adherens-type cellular junctions 235: 103
adhesion 236: 682; 238: 173
adipogenesis 239: 1
adipose differentiation 239: 509
adjuvant 242: 1
A-domain 241: 732
ADP analog 236: 862
ADP/ATP carrier 239: 759; 240: 387; 241: 895
ADP-ribosylation factor 242: 104
ADP-ribosyl cyclase 239: 177
α_{1A}-adrenoceptor 235: 501
β_3-adrenoceptor 239: 509
adrenodoxin 239: 818
Adr1p 238: 181
Aeromonas trota 238: 160
affinity 241: 303
affinity chromatography 236: 656
affinity labeling 236: 862; 236: 996; 239: 397
affinity modulation 241: 254
aggregin 236: 862
AIDS 240: 491; 241: 682
alanine 236: 128
alanine–glyoxylate aminotransferase 241: 374
Alcaligenes eutrophus 235: 351; 237: 674
Alcaligenes eutrophus JMP 134 237: 350; 237: 357
alcohol dehydrogenase 235: 690; 236: 563; 236: 571; 237: 698
alcohol dehydrogenase (class III) 237: 496
aldehyde dehydrogenase 235: 449; 240: 15
aldehyde oxidation 236: 155
aldolase 242: 293
aldolase C 237: 311
aldose reductase 235: 444; 242: 86
aldosterone 237: 514
Alicyclobacillus acidocaldarius 242: 51
alkaline phosphatase 236: 579; 238: 259; 240: 485
allatotropin 239: 588
allele 242: 148
allergen 237: 827; 239: 281; 241: 772
allergy 239: 281
allosteric 236: 283
allosteric activation 237: 476
allosteric regulation 241: 363
alternative oxidase 235: 231
alternative processing 240: 732
alternative splicing 235: 366; 236: 837; 237: 833; 238: 410
alternative transcription-initiation site 241: 374
alternative translation-initiation site 241: 374
Alzheimer 237: 6; 238: 698; 239: 850
Amadori rearrangement 242: 499
amine oxidase 237: 584; 238: 683
amine oxidase (copper-containing) 237: 255
amino acid sequence 238: 381; 239: 310; 239: 726; 240: 262; 240: 628; 241: 121; 242: 235;
aminoacylation 241: 814
aminoacyl-tRNA synthetase 240: 223
α-aminoadipyl-cysteinyl-valine 242: 264
1-aminocyclopropane-1-carboxylate (ACC) oxidase 242: 228
5-aminolevulinate acid synthase 240: 112
5-aminolevulinic acid dehydratase (porphobilinogen synthase) 236: 600
8-amino-7-oxopelargonate synthase 236: 301
2-amino-3-oxopropionic acid 238: 341
aminophospholipid asymmetry 240: 798
aminophospholipid exposure 239: 647
aminophospholipid translocase 240: 798
aminotransferase 240: 150; 241: 1
ammonia metabolism 236: 937
ammonia oxidation 240: 684
AMP 237: 159
AMP-activated kinase 235: 736
AMP-activated protein kinase 237: 800
AMP binding 240: 468
amphibian skin 242: 788
amphipathic helix 236: 100; 239: 74
amphipathic protein 238: 418
α-amylase 238: 561; 241: 787
α-amylase inhibitor 239: 67
β-amylase 240: 655
amyloid 236: 491
amyloid P component 239: 850
βA4 amyloid mutation 237: 6
βA4 amyloid precursor protein 237: 6
amylose 241: 787
Anabaena 240: 173; 241: 750
anaerobic 238: 661
anaerobic cyclization 239: 85
anaerobiosis 239: 759
analog 238: 97
anandamide (*N*-arachidonoylethanolamine) 240: 53
ancrod 237: 113
angiostatin 236: 682
angiotensin-converting enzyme 237: 414
angiotensin type-2 receptor 239: 558
1,5-anhydrofructose 240: 23; 242: 832
1,5-anhydroglucitol 240: 23; 242: 832
8-anilinonaphthalene 1-sulfonate 241: 484
anionic lipids 235: 267
anionic phospholipid 241: 879
Annelida 238: 538
annexin 242: 506
annexin I 238: 777
anoxia tolerance 241: 83
antenna complex/polypeptide 238: 381
antennapedia 242: 372
anthracycline 237: 653; 240: 331; 241: 879
antibacterial activity 240: 143
antibacterial peptide 235: 516; 236: 263; 238: 64; 240: 302; 241: 330
antibiotic 240: 302; 242: 736
anti-(boar seminal plasma protein) 242: 636
antibody 236: 510; 236: 609; 241: 627; 242: 428
antibody fragment 241: 468
anticancer drug design 240: 331
α-1-antichymotrypsin deficiency 235: 821
anticoagulant 237: 778
antifreeze protein 241: 740
antigen 238: 270
antigen processing 235: 404
antigenic region 235: 275
antimicrobial 237: 303; 237: 575
antimicrobial activity 235: 267
antimicrobial peptide 238: 769; 240: 352; 240: 532; 242: 788
antioxidant 239: 655
anti-peptide antibody 241: 186; 241: 322
antisense 239: 33
apamin-sensitive potassium channel 242: 491
apolipoprotein 239: 451
apolipoprotein AI 239: 74
apolipoprotein AII 242: 657
apolipoprotein CII 237: 545
apoprotein(a) 236: 373
apoptosis 236: 1; 236: 207; 236: 533; 236: 729
apparent equilibrium constant 240: 1
aquaporin 241: 707
Arabidopsis 241: 193
Arabidopsis enzyme structure 241: 849
Arabidopsis thaliana 236: 662
arachidonic acid 235: 91; 235: 480; 236: 533; 239: 326; 241: 872
N-arachidonoylphosphatidylethanolamine 240: 53
Archaea 236: 189; 237: 35
Arenicola marina 235: 231

arginase gene 236: 500
arginine NH^{η} proton interactions 238: 435
argininosuccinate synthetase 236: 56
aromatic hydroxylase 237: 592
aromatic hydroxylation 240: 232
arsenicals 240: 592
ART-2 retroposon 240: 83
aryl-hydrocarbon hydroxylase 242: 512
aryl-hydrocarbon receptor 237: 642
arylsulfatase 238: 341
ascidian larvae 240: 485
L-asparaginase 241: 201
asparagine 239: 501
aspartate 70 235: 36
aspartate aminotransferase 240: 751
L-aspartate oxidase 239: 418; 239: 427
aspartic protease 237: 719
aspartyl protease 235: 762
Aspergillus 240: 738
Aspergillus nidulans 235: 289; 235: 297; 238: 675
Aspergillus niger 237: 255; 237: 719; 240: 518
Aspergillus terreus GP1 242: 499
astacin 238: 744
astacin family 237: 752
Astragalus 239: 235
astrocyte 239: 742
atherogenesis 236: 48
ATP 236: 149; 237: 601
[ATP]/[ADP] ratio 235: 225
ATP analog 237: 247
ATP-binding-cassette transporter 239: 456
ATP-binding site 241: 133
ATP-dependent export 242: 201
ATP-dependent transport 241: 644
ATP synthase 236: 360; 240: 165
ATP synthesis 235: 769; 235: 779
A+T-rich 238: 221
attenuated-total-reflectance-Fourier-transform-infrared spectroscopy 240: 352
atypical 235: 36
autoactivation 239: 692
autoantigen 236: 649
autocrine growth 236: 523
autoimmune disorder 237: 86
autonomously replicating sequence 239: 487
autophagy 235: 564; 236: 163; 237: 454
autophosphorylation 239: 208; 240: 756; 241: 322
Avena sativa 236: 978
Aves 240: 262
axonal regeneration 241: 468
azide binding 235: 49
azide inhibition 240: 165
Azospirillum brasilense 236: 937
Azotobacter vinelandii 236: 240
azurin 242: 132

B23 237: 153
B cell 242: 435
B_6 enzyme 236: 1025
B_2 receptor 241: 498
B1 repetitive sequence 236: 482
Bacillus brevis 237: 719
Bacillus cereus 239: 105
Bacillus pasteurii 239: 61
Bacillus subtilis 238: 287
backbone dynamics 235: 629
bactenecin 240: 532
bacteria 236: 871; 237: 468
bacterial adherence 236: 904
bacterial cytochrome-*c* biogenesis 235: 754
bacterial expression 237: 295; 241: 468
bacterial photosynthesis 236: 405
bacterial surface protein 235: 543; 236: 871
bacterial toxin 238: 418
bacteriochlorophyll 238: 280
bacteriochlorophyll *a* 239: 85
bacteriocin 235: 382; 235: 394
bacteriophage λ 242: 720
bacteriopheophytin 238: 280
bacteriorhodopsin 235: 526; 235: 769; 235: 779
baculovirus 235: 332; 239: 384; 240: 292; 242: 807
baculovirus expression 241: 827
baculovirus-expression system 238: 28
band 3 240: 394
band 3 protein 242: 293
barley 239: 67
barley protein 237: 240
basal transcription 236: 365
basement membrane 238: 813; 240: 443
basic fibroblast-growth factor 241: 827
basic helix-loop-helix 242: 512
basidiomycete 235: 54
B-cell development 241: 931
bcl-2 236: 1
benzodiazine 236: 155
benzopyridine derivative 236: 155
p-benzoylphenylalanine 235: 814
benzylsuccinate 238: 661
benzylsuccinate synthase 238: 661
bifunctional enzyme 239: 487
bikunin 236: 984
bilayer membrane 240: 454
bile acid 239: 887; 240: 660; 241: 744
bile pigment formation 235: 372
biliverdin reductase 235: 372
binding 239: 418
binding-protein bodies 239: 456
binding site 238: 240; 238: 714
binding specificity 238: 830
biochemical equations 240: 1
bioconversion 238: 495
biodegradation 236: 620
bioelectrochemistry 235: 167
bioenergetic 240: 181
biological response modifier 242: 1
biomembrane 241: 297; 241: 586
biosynthesis 236: 335; 239: 85; 240: 37; 242: 576; 242: 712
biotin biosynthesis 236: 301
bis-intercalation 240: 195
bisnaphthalimide 240: 195
black Mexican sweet maize cells 238: 737
blastula protease 10 238: 744
blood 236: 922
blood coagulation 237: 778; 240: 365
blood-group-A trisaccharide 239: 710
blue-copper protein 240: 342
B-Myb 235: 721
bone morphogenetic protein 2 241: 355
Bordetella pertussis 237: 619
bovine adrenal medulla 235: 516
bovine cDNA 240: 628
bovine mast cell 237: 100
bovine pancreatic trypsin inhibitor 236: 254; 237: 100
Bowman-Birk inhibitor 242: 122
bradykinin 236: 953; 241: 498
brain 238: 152; 241: 12
brain capillary endothelial cell 239: 494
branched construct 239: 74
branched fatty acid 239: 302
branching enzyme 242: 148
breast tissue 236: 991
brefeldin A 236: 1033
brominated detergent 241: 343
bromodeoxyuridine 237: 539; 242: 619
bulge 235: 120
butyric acid 240: 239
butyrylcholinesterase 235: 36
byssus 239: 172

c-*fos* 236: 476; 238: 582
C23 237: 153
C8166 cells 239: 248
C5a receptor 235: 82
^{13}C enrichment 238: 470
CAAT/enhancer-binding protein 239: 624
cadmium 236: 662; 242: 132
Caenorhabditis elegans 237: 367
caged nucleotide 240: 134
calbindin-D9k gene promoter 236: 778
calcineurin 238: 391
calcium 238: 166; 238: 576; 239: 98; 241: 948
calcium/calmodulin 238: 391; 242: 807
calcium binding 240: 427; 242: 249; 242: 256
calcium-binding protein 238: 418; 241: 265
calcium channel 236: 820
calcium-channel gene structure 236: 138
calcium-channel β subunit 236: 138
calcium dependence 240: 454
calcium-dependent Cl^- current 235: 501
calcium influx 241: 498
calcium mobilization 236: 443
calcium oxalate 236: 984
calcium sensitization 239: 326
calcium signaling 239: 132
calcium store 239: 611
calcium toxicity 239: 611
calcium transients 236: 1003
calcium transport 239: 611; 239: 897
calmodulin 239: 98; 242: 454
calmodulin binding 237: 619
calorimetry 237: 205; 239: 33; 240: 1; 240: 63
calpain 239: 647; 241: 948
calpain inhibitor 235: 534
calpastatin 241: 948
calreticulin 239: 611
cAMP 235: 789; 236: 163; 236: 171; 237: 819; 238: 576; 239: 208; 239: 509; 242: 550
cAMP-dependent protein kinase 237: 611
cAMP pathway 242: 506
cAMP phosphodiesterase 237: 136
cAMP-response element 238: 591
cAMP-response-element-binding protein 236: 171
cAMP-responsive-element-binding protein 239: 52
cAMP-responsive-element-binding protein 1 237: 532
Campylobacter fetus 239: 434
cancer 238: 297
Candida albicans 240: 37; 242: 29
Candida tropicalis 238: 845
cannabinoid 237: 704; 240: 53
cannabinoid receptor CB2 237: 704
cap binding 239: 597
capillary electrophoresis 235: 304; 239: 850
capped RNA 237: 171
Capsicum 241: 291
carbamoyl-phosphate-binding site 239: 397

carbamoyl-phosphate synthetase 236: 189
carbohydrate 238: 561; 242: 320
carbohydrate antigens 236: 318
carbohydrate chains 235: 199
carbohydrate composition 240: 628
carbohydrate structure 237: 113; 240: 448
carbon dioxide activation 242: 228
carbon monoxide 240: 576
carbonic anhydrase 242: 387
carbonic anhydrase 1 236: 670
carbonyl reduction 238: 484; 241: 744
carboxylesterase 236: 814
carboxypeptidase 235: 574; 242: 387
carcinoma cells 236: 476
Carcinus maenas 240: 532
cardosins 235: 762
carnitine acetyltransferase 238: 845
carnitine palmitoyltransferase I gene transcription 235: 789
γ-carotene 236: 115
ζ-carotene desaturase 236: 115
carotenogenesis gene 241: 291
carp 236: 887
cartilage 240: 789
cartilage matrix protein 236: 970
casein kinase 1 242: 519
casein kinase 2 241: 272
catabolite repression 241: 633
catalase-peroxidase 235: 192
catalytic activity 240: 747
catalytic function 236: 68
catalytic mechanism 235: 641; 236: 109
catecholamine 239: 519
cathelicidin 238: 769; 240: 532
cathepsin L 238: 198
cathepsin L substrates 240: 443
cathepsin S 236: 558
cation radical 237: 45
cationic liposome 237: 660
Ca^{2+}-transporting ATPase 238: 807; 239: 98
Ca^{2+}-transporting ATPase inhibitor 239: 647
CCAAT-binding protein 238: 675
CCAAT/enhancer-binding protein 236: 500
CD14 236: 457
CD26 239: 248
CD38 239: 177
CD46 238: 221
Cdc2 238: 152
Cdc2 kinase 237: 685
Cdc2/H1 kinase 241: 923
Cdk-activating kinase (CAK) 237: 460
cDNA 235: 138; 235: 683; 237: 25; 238: 653; 238: 813; 239: 835; 240: 323; 242: 822
cDNA cloning 235: 128; 235: 471; 236: 419; 236: 970; 239: 310; 241: 309; 242: 793
cDNA library 235: 574
cDNA sequence 235: 173; 236: 450; 237: 367; 237: 373; 241: 6
Cdx-2 homeobox protein 236: 670
cecropin 236: 263
cell adhesion 241: 254
cell-cell communication 235: 238
cell cycle 236: 352; 237: 460; 237: 539; 237: 653; 238: 799; 240: 307; 241: 805;
cell-cycle inhibitor 237: 854
cell differentiation 241: 386; 242: 90
cell envelope 241: 682
cell extract 239: 881
cell invasion 239: 239
cell lines 238: 400
cellobiohydrolase II (*Trichoderma reesei*) 240: 584
cellobiose/cellotriose transport 242: 332
cello-oligosaccharide hydrolysis 240: 584
cell specific 236: 895
cell-surface glycoprotein 238: 511
cell swelling 235: 564
cellular differentiation 239: 572
cellular stress 236: 796
cellulose-binding domain 237: 553
cell vesicle 240: 508
cell wall 235: 248; 235: 601; 239: 259
centrin 238: 121
Centruroides noxius 242: 235
ceramide 236: 738; 238: 214; 241: 47
ceramide analog 236: 729
ceramide stereoisomers 236: 729
ceratotoxin 241: 330
cGMP 240: 380; 241: 498
cGMP-dependent protein kinase 236: 632
ζ-chain phosphorylation 238: 440
channel 238: 1; 238: 623
channel blocker 240: 416
channel formation 241: 594
channeling 239: 675
chaperone 235: 114; 236: 60; 237: 611; 238: 505
chaperonin 241: 538
characterization 238: 538; 242: 585
charge-transfer band 240: 239
chelatase 235: 438
chemical and enzymatic modification 240: 721
chemical modification 239: 764
chemical shift 237: 561; 242: 132
chemically modified nisin 241: 716
chemiluminescence 238: 737
chemolithotroph 242: 308
chicken 236: 491; 238: 136; 240: 323
chicken erythrocyte 237: 433
chimaerin 236: 820
chimeric enzyme 235: 601
chimeric transferrin receptor 235: 9
Chinese hamster ovary cells 240: 215
Chironomus thummi thummi 237: 841
chitin synthase 237: 476
Chlamydomonas 241: 581; 242: 779
Chlamydomonas reinhardtii 237: 792
chloramphenicol acetyltransferase 239: 881
chloride channel 240: 268
chloride conductance 240: 268
chlorin-type heme 235: 192
5-chloro-3-methylmuconolactone 237: 357
5-chloromuconolactone 237: 350
chlorophyll 235: 438
chlorophyll *b* reduction 242: 163
chlorophyll biosynthesis 237: 323
chloroplast 236: 272; 236: 932; 238: 54; 241: 121
chloroplast ATP synthase 236: 470
chloroplast development 237: 323
chloroplast protein import 238: 192
2-chloropropionic acid 235: 744
cholecystokinin 235: 73
cholecystokinin receptor 237: 768
cholesterol 235: 648; 236: 48; 241: 297; 241: 586
cholesterol binding 241: 941
cholesteryl-ester transfer protein 240: 699
cholesteryl-ester-transfer protein 236: 436
chondroitin ABC lyase 239: 871
chondroitin 4-sulfate 240: 789
chondroitin sulfate 241: 827
chondroitin sulfate D 239: 865; 239: 871
chondro-4-sulfatase 239: 865
chondro-6-sulfatase 239: 865
chromaffin granule 235: 516; 240: 508
chromatin assembly 240: 186
chromatin structure 240: 600
Chromatium vinosum 236: 689
chromatophore 236: 121
chromogranin 235: 275
chromogranin B 236: 171
chromophore-protein interaction 236: 978
chromosomal position 237: 367
chromosome decondensation 241: 923
chromosome localization 241: 805
chromosome mapping 235: 471
chromosome territories 240: 600
chymotrypsin inhibitor 241: 77
Cicadella viridis 241: 707
circular dichroism 236: 100; 236: 428; 238: 64; 238: 381; 238: 529; 239: 340; 240: 352; 240: 550; 240: 765; 241: 126; 241: 489; 241: 835; 242: 51; 242: 214; 242: 657
citric acid cycle 239: 197; 239: 742; 242: 220; 242: 770
c-Jun 235: 699
c-Jun N-terminal kinase 237: 819
class II aldolase 241: 243
class switching 240: 667
clathrin 236: 1033
clathrin-coated vesicles 240: 570
cloning 236: 482; 236: 450; 237: 668; 238: 613; 239: 469; 241: 201
clostridial neurotoxins 236: 877
Clostridium difficile toxin B 240: 707
Clostridium thermoaceticum 239: 686
clot 235: 424
Clp protease 236: 932
CMP-Neu5acyl synthetase 236: 852
^{13}C-NMR 237: 561; 239: 742; 242: 220
cobalamin 241: 149
codon usage 236: 234
coenzyme-binding motif 236: 571
coenzyme regeneration 239: 686
coenzyme specificity 239: 469
cofactor 237: 545
coffee bean 235: 332
collagen 241: 732
collagen VI 238: 333
collagen XVI 242: 576
collagenase 236: 517
colon 236: 670
color pigment 235: 248
Comamonas testosteroni 235: 690
combining site 239: 675
compartment 239: 720
compartmentation 241: 171
α-complementation 242: 720
complex I 241: 888
complex stoichiometry 242: 293
concanavalin A 242: 741
configuration of Xaa-Pro peptide bonds 235: 526
conformation 235: 699; 237: 575; 239: 294; 240: 45; 241: 38; 241: 756
conformational change 236: 1025; 240: 751
conformational preferences 239: 376
conformational substates 235: 660
conformational transition 235: 49
conformation-dependent ^{13}C chemical shift 239: 294
conjugate export pump 242: 201
connexon 238: 1
consensus sequence 240: 125
conserved epitope 242: 727

conserved residues 236: 723
constitutive activity 238: 490
constraint of the C-terminus 235: 526
contact residues 239: 668
control 235: 238
cooperativity 241: 723; 242: 813
coordination chemistry 238: 529
copper 236: 697
copper amine oxidase 237: 93
copper protein 237: 447
copper(I) luminescence 238: 698
copper(I)-thiolate cluster 238: 698
Coprinus cinereus 237: 691
copurifying RNA 235: 289
core promoter 237: 440
corepressor binding 235: 804
corrinoid 235: 653; 241: 149
corticosteroid hormone 239: 451
coupled *in vitro* transcription-translation system 236: 234
coupled transcription/translation 239: 881
covalent adduct 240: 331
covalent binding 241: 797
covalent modification 241: 619
C_5-pathway enzymes 237: 323
crab 240: 358
crayfish 236: 450
creatine analog 238: 446
creatine kinase 238: 446; 240: 134
Crithidia fasciculata 242: 557
cross-linking 235: 324; 242: 315; 242: 320; 242: 485
crossover-junction endonuclease 238: 77
cross-reaction 237: 786; 242: 727
cross-reinnervation 236: 539
cruciform-cutting endonuclease 1 (CCE1) 238: 77
Crustacea 240: 532
crustacean hyperglycemic hormone 240: 358
crystal packing 236: 144
crystal structure 236: 1025; 239: 220; 241: 201; 242: 122
crystallin 235: 449; 239: 23
α-crystallin 242: 56
crystallization 236: 144; 237: 71; 239: 190; 239: 501; 239: 805; 241: 453
cta genes 238: 287
C-terminus 237: 833
c-type heme 242: 695
C-type natriuretic peptide 242: 460
cucumber 235: 114
Cucumis sativus 241: 6
cultured fetal rat hepatocytes 235: 789
cultured hepatocytes 236: 56
cuticle 235: 138; 240: 336
cyanobacteria 235: 324; 236: 1010; 240: 173; 241: 17; 241: 750; 242: 799
cyclic ADP-ribose 239: 177
cyclic fatty acid 241: 691
cyclic pentapeptide 242: 352
cyclin 240: 307
cyclin B 238: 799
cyclin-dependent kinase 237: 460; 240: 307; 241: 805
cyclooxygenase 238: 529
cyclooxygenase-2 235: 557
cyclophilin 238: 166
cyclosporin A 239: 509
Cylindrotheca fusiformis 239: 259
Cynara cardunculus L. 235: 762
CYP1A1 237: 642
CYP2E1 238: 476
cystathionine 242: 264
cystatin 235: 534; 238: 728; 240: 609
cystatin superfamily 238: 769
cysteine 236: 272; 237: 870; 241: 114; 242: 627
cysteine-*S*-conjugate β-lyase 239: 460
cysteine endopeptidase 239: 310
cysteine-knot proteins 240: 622
cysteine mutants 235: 167
cysteine protease 236: 207; 238: 317; 238: 728
cysteine-protease inhibitor 235: 534; 240: 609
cysteine repeats 239: 132
cysteine residues 239: 764
cysteine rich 236: 827
cystic-fibrosis transmembrane regulator 240: 268
cytochalasin B 235: 670
cytochrome *a* biogenesis 238: 287
cytochrome *b* 235: 54
cytochrome bc_1 complex 237: 71; 242: 114
cytochrome *c* 241: 208
cytochrome *c'* 240: 684
cytochrome *c*1 241: 649
cytochrome c_4 242: 308
cytochrome *c*-551 236: 689
cytochrome-*c* oxidase 241: 83
cytochrome *P*-450 235: 660; 238: 495; 239: 124; 239: 403
cytochrome *P*-450 2C 241: 797
cytochrome *P*-460 240: 684
cytokeratin 18 fragment 241: 309
cytokine 235: 557; 236: 796; 236: 871; 239: 624
cytokine receptor 241: 355
cytolysin 241: 941
cytoplasmic domain 241: 254
cytoskeleton 235: 670; 238: 777; 239: 752; 241: 657
cytosolic complex 235: 114
cytosolic phospholipase A_2 236: 533; 238: 250; 238: 690
cytostatic drug 237: 489
cytotoxicity 237: 303; 241: 507

D1 protein 242: 799
damage 242: 799
daptomycin biosynthesis 242: 665
database 239: 773
deep-sea vents 236: 189
defensin 236: 395; 237: 86; 240: 302
degradation 236: 591; 238: 661
dehalogenase 235: 744
dehalogenation 237: 350
dehydratase 241: 858
3-dehydroecdysone 3β-reductase 242: 394
dehydroepiandrosterone 242: 641
dehydrogenase 236: 609; 240: 292; 241: 142; 241: 538
deletion mutant 238: 240
deletion mutations 242: 813
deletion variant 235: 821
denaturation 242: 601
denervation 236: 539
denitrification 242: 592
3-deoxy-D-*glycero*-D-*galacto*-nonulosonic acid (Kdn) analogs 236: 852
deoxyribonuclease 241: 572
dephosphorylation 239: 183
depolarization 235: 579; 236: 820
derepression 241: 93
Desulfovibrio gigas 242: 327
Desulfovibrio vulgaris flavodoxin 238: 423
desulfoviridin 238: 724
Desulfurolobus ambivalens 236: 92
detergent 239: 805
detoxication 238: 400
deuteration 242: 567
development 242: 550
Dewar valence isomer 235: 359
dexamethasone 236: 772
dextran sulfate 239: 692
diamine oxidase 241: 303
diatom 239: 259
diazepam-binding inhibitor 235: 516
dibasic site 236: 789
dibromomethane 239: 410
dichloromethane 239: 410
dichloromethane dehalogenase 239: 410
Dictyostelium 241: 70
Dictyostelium discoideum 238: 391; 238: 511
dienelactone 237: 350
dienelactone hydrolase 237: 357
dietary protein 239: 117
diethylpyrocarbonate 241: 611
differential-display PCR 241: 403
differential-pulse voltammetry 241: 552
differentiation 237: 642; 238: 400; 240: 443; 240: 485
2-difluoromethylornithine 237: 539
7,8-dihydro-β-carotene 241: 291
dihydrofolate reductase 235: 262; 238: 435
dihydropyridine receptor 237: 483
5,6-dihydroxyindole-2-carboxylic acid polymerization 236: 180
2,6-diisopropylphenol 241: 280
dimerization induction 238: 129
dimerization inhibition 238: 129
2,6-dimethoxyphenol 237: 424
dimethylsulfide 239: 391
dipeptidyl-peptidase I 238: 325
dipeptidylpeptidase II 235: 564
dipeptidyl-peptidase IV 236: 109; 239: 248
diphtheria toxin 241: 507
dipolar shift 237: 841
Diprion pini 238: 752
Diptera neuropeptide 237: 414
direct electrochemistry 241: 552
discriminant function 241: 779
dissimilatory sulfite reductase 238: 724
dissociation 236: 78; 237: 164
distance geometry 235: 382; 237: 188; 240: 540
disulfide bond 236: 412; 237: 447; 237: 575; 239: 214; 240: 622; 242: 75; 242: 627
disulfide bridge 236: 222; 240: 628
dityrosine 239: 124
DNA 235: 120; 236: 960; 242: 271
DnaA protein 241: 411
DNA binding 235: 721; 236: 911; 236: 991; 239: 376
DNA-binding mode 240: 91
DNA-binding protein 235: 585; 241: 101
DNA-binding site 240: 91; 242: 20
DNA crystallography 240: 331
DNA-dependent adenosinetriphosphatase 238: 54
DNA-dependent protein kinase 241: 931
DNA footprinting 240: 195
DNA helicase 238: 54
DnaK 237: 318
DNA ligase 237: 691
DNA major groove 240: 195
DNA repair 242: 20
DNA replication 237: 539
DNA-replication fidelity 238: 297

DNA sequence 236: 240
DNA synthesis 237: 489
DNA topoisomerase I 236: 389; 237: 367
n-dodecyl β-D-maltoside 241: 343
Dolichos biflorus lectin 239: 710
domain fusions 235: 601
domain movement 240: 751
domains 237: 205; 239: 333
dominant negative mutant 242: 839
Dopa oxidase 241: 12
dorsal unpaired median neurons 241: 525
down-regulation 242: 428
drosocin gene 241: 699
Drosophila 235: 152
drug-DNA complex 240: 331
drug-DNA interaction 240: 195
drug reduction 241: 155
drug targets 235: 345
dye-affinity chromatography 240: 518
dynamics 235: 238; 239: 294
dystrophin 235: 103

ecdysone 240: 336; 242: 394
ecdysteroid 241: 744
EF-hand 240: 280
EF-hand Ca^{2+}-binding protein 238: 121
egg 240: 448
elastase 238: 333
elderberry 235: 128; 237: 505
electrical stimulation 236: 539
electrochemistry 241: 208
electron microscopy 236: 1010; 242: 41
electron self-exchange 238: 346
electron transfer 236: 465; 237: 399; 237: 519; 239: 403; 240: 342
electron transport 238: 495; 240: 173
electron-dense granule 242: 327
electron-transfer system 242: 308
electropermeabilization 238: 737
electrophoresis 239: 773
electrophysiology 241: 525
electrospray mass spectrometry 238: 822; 240: 756
electrospray-ionization MS 242: 741
electrostatic charge 240: 699
electrostatic steering 240: 252
ELISA 237: 188; 239: 842
elongation factor 1 237: 685
elongation factor 2 236: 149
elongation factor Ts 236: 222
elongation factor Tu 236: 222; 239: 265
embryo 238: 744
enamel cell 239: 611
enantiomer 240: 150
endocytic receptor 239: 132
endocytosis 236: 922
endoderm 240: 485
endoplasmic reticulum 235: 215; 235: 821; 239: 509
endoplasmic-reticulum retention 241: 254
endothelial cell 237: 668
endothelial liver cell 237: 344
endothelioma cell 241: 840
endothelium 238: 173
endotoxin 235: 557; 237: 468
energy conservation 241: 149
energy transduction 241: 723
energy transfer 241: 484
enolase 236: 78
enoyl-[acyl-carrier-protein] reductase (FabI) 242: 689
enoyl-CoA hydratase 240: 660
entatic state 242: 387
enteropathogenic *Escherichia coli* 239: 532
envenomization 242: 727
enzymatic synthesis 242: 674
enzyme 238: 613
enzyme characterization 237: 584
enzyme evolution 236: 563
enzyme inhibition 241: 611
enzyme inhibitor 241: 114
enzyme kinetics 235: 173; 236: 115; 236: 723
enzyme nomenclature 237: 1
enzyme regulation 240: 781
enzyme targeting 238: 70
enzymogenesis 236: 563
enzymology 237: 323
epidermal-growth factor 235: 97
epididymis 235: 466; 236: 827
epithelial cancer cells 235: 97
epithelial cell 239: 638
epitope 239: 842; 240: 245
epitope mapping 239: 479; 240: 622
epitope structure 241: 309
epoxide 235: 91
EPR 235: 167; 235: 192; 239: 403; 240: 239; 241: 432; 242: 695
equilibrium dialysis 239: 737
equine infectious anaemia virus protease 241: 664
equine infectious anemia virus 240: 45
equine spermadhesin 242: 636
Erk2 235: 828
Erwinia 241: 291
erythrocyte 235: 648; 241: 644
erythrocyte membrane 242: 293
erythropoietin 239: 494
erythropoietin receptor 239: 494
Escherichia coli 235: 754; 236: 558; 237: 58; 238: 760; 241: 411; 242: 689; 242: 712
Escherichia coli K12 239: 810
Escherichia coli O157 241: 594
ESR 236: 436; 240: 78
estradiol 17β-dehydrogenase 235: 180
estrogen 236: 482
estrous cycle 235: 444
ethanol dehydrogenase 241: 849
ether-linked phospholipids 235: 73
ether lipid liposomes 239: 857
1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide 242: 485
ethylene 242: 228
N-ethylmaleimide 237: 870; 240: 156
etioplast 242: 163
evolution 235: 424; 236: 689
evolutionary relationships 236: 662
exchange 242: 352
exchanger 237: 483; 239: 897
exon acquisition 238: 410
exon/intron organization 235: 54
exopeptidase 237: 393
exopolygalacturonase 240: 738
expression 237: 768; 238: 198; 238: 647; 239: 558; 242: 280; 242: 428
expression cloning 236: 662; 240: 104
expression in *Escherichia coli* 238: 653
expression profile 241: 699
extended X-ray absorption fine structure 235: 606; 236: 697; 239: 61
extracellular matrix 240: 427; 242: 576
extracellular-signal-regulated kinase 237: 819

F_{420} 239: 93; 237: 35
F_{420}-dependent alcohol dehydrogenase 239: 93
F_{420}-dependent glucose-6-phosphate dehydrogenase 239: 93
F actin 236: 1003
facilitated diffusion 236: 228
factor V 237: 778
factor VII 235: 310
factor VIII 240: 365
factor X 235: 310
factor Xa 242: 477
factor XII (Hageman factor) 239: 692
FAD 239: 418; 239: 427; 239: 662
FALL-39 237: 86
familial hypercholesterolemia 239: 214
familial hypertrophic cardiomyopathy 235: 317
FAO hepatoma cells 237: 660
farnesyl transferase 236: 847
farnesylcysteine 242: 529
farnesylthiosalicylate 242: 529
Fas 236: 533
fast-atom-bombardment MS 238: 357; 239: 905
fast kinetics 236: 922
fatty acid 235: 789; 236: 328; 239: 445; 240: 387; 242: 186
fatty-acid-binding protein 238: 368
fatty-acid biosynthesis 242: 689
fatty-acid synthase 240: 323
fatty-acid transporter 238: 368
fatty-acyl-CoA ester 235: 799
ferredoxin 236: 92; 236: 465; 237: 35; 237: 399; 237: 726
ferredoxin-$NADP^+$ reductase 238: 192
ferredoxin:thioredoxin oxidoreductase 241: 121
ferric hemoproteins 235: 49
ferritin 236: 450; 241: 64
F_0F_1 ATP synthase 235: 769; 235: 779; 240: 461; 241: 895
fiber type 236: 814
fibroblast-growth factor 239: 23
fibromodulin 242: 402
fibronectin 242: 352
fifty four homologue (Ffh) 238: 760
filamentous fungus 235: 248
filamentous phage 238: 706
fish 236: 887; 238: 591; 240: 143
fish eggs 235: 199
fission yeasts 236: 847
flavin-containing monooxygenases 235: 683
flavin hydroquinone anion 239: 662
flavin mobility 237: 592
flavin pK_a 238: 790
flavodoxin 235: 167; 235: 324; 239: 190
flavoenzyme 241: 155
flavoprotein 239: 427; 239: 662
flavoprotein assembly 238: 192
flavoprotein hydroxylase 239: 469
flesh of pumpkin 242: 585
fleshfly 237: 279
flexibility 235: 699; 241: 546
flow cytometry 237: 539; 238: 325
fluidity 236: 436
fluorescence 241: 462
fluorescence detection 235: 256
fluorescence properties 237: 619
fluorescence quenching 235: 281; 241: 343
fluorescence-energy transfer 235: 180
fluorescence titration 235: 180
fluorescent nucleotides 237: 247
fluoride 239: 369
fmdA 240: 314
fmdB 240: 314

focal-adhesion kinase 235: 495; 236: 953
folding 237: 719; 240: 615
follitropin 239: 52; 240: 262
food allergy 237: 827
foot protein 239: 172
footprinting 237: 164
formaldehyde dehydrogenase 241: 849
formamidase 240: 314
formyl-peptide receptors 235: 670; 239: 752
Fourier-transform infrared spectroscopy 237: 629; 240: 134; 240: 550
fragments 237: 205; 239: 333
frameshift mutation 235: 821
freeze-resistant fish 241: 740
fructosyl amino acid oxidase 242: 499
fucosylated high mannose 236: 579
fucosylglycosphingolipid 239: 905
fumarate reductase 239: 427
function 241: 546
functional cloning 238: 391
functional convergence 241: 849
functional domain 242: 20
functional expression 237: 234
functional reconstitution 236: 228
functional specificity 238: 308
fungal lectin 238: 822; 238: 830
fungus 237: 255
fusion gene 241: 507
fusion peptide 242: 243
fusion protein 236: 34; 236: 656; 237: 545

galacto(gluco)mannan hydrolysis 240: 104
α-galactosidase 235: 332; 240: 104
β-galactosidase 242: 720
β-1,4-galactosyltransferase 239: 340
galU 235: 173
ganglioside 238: 647; 239: 105; 241: 47
gap junction 238: 1
gapC gene 239: 42
gastrointestinal hormone 242: 467
gastrotropin 239: 887
Gaucher's disease 237: 344
G+C content 237: 159
gene 236: 214; 237: 279; 239: 172; 240: 323
gene activation 240: 98
gene cloning 235: 744
gene cluster 236: 373
gene evolution 238: 410; 241: 221
gene expression 235: 138; 235: 677; 237: 323; 237: 367; 239: 451; 239: 624; 240: 336; 240: 738; 241: 83; 241: 393; 242: 191; 242: 467
gene induction 241: 507
gene overexpression 242: 264
gene-promoter system 238: 853
gene/protein structure 235: 508
gene regulation 236: 360; 236: 500; 236: 670; 238: 368; 238: 582; 238: 591; 241: 64; 242: 839
gene-regulatory protein 238: 675
gene structure 235: 501; 236: 60; 237: 496; 237: 752; 238: 374; 240: 83; 240: 477
gene transfer 235: 486; 237: 660
genetic engineering 239: 138
genome 237: 25
genome instability 238: 297
genomic cloning 238: 325
genomic regulation 239: 572
genomic structure 238: 853; 242: 446
geranylgeranyl transferase 239: 362
Giardia duodenalis 241: 155
Gibberella fujikuroi 239: 720
Glanzmann thrombasthenia 240: 280
globular domain 242: 619
α-1,4-glucan lyase 242: 832
glucocorticoid 236: 638
glucocorticoid metabolism 238: 484
glucocorticoid receptor 242: 839
glucokinase 236: 214; 240: 518
gluconeogenesis 238: 207
glucose 237: 234; 242: 537
glucose assay 238: 785
glucose dehydrogenase 237: 128
glucose metabolism 242: 220
glucose pentakis(phosphate) 242: 327
glucose 6-phosphate 238: 570
glucose-6-phosphatase 235: 799
glucose-6-phosphate dehydrogenase 235: 613
glucose-phosphotransferase system 235: 225
glucose repression 238: 181
glucose transport 237: 234
glucose uptake 236: 228
GLUT4 236: 1033
GLUT translocation 239: 17
glutamate 241: 171
glutamate dehydrogenase 235: 345; 235: 677; 239: 679
glutamate receptor 240: 416
glutamate synthase 236: 937
glutamine 236: 56; 242: 537
glutamine synthetase 242: 839
glutathione 235: 64; 236: 697; 238: 623; 238: 838
glutathione conjugate 241: 644; 242: 201
glutathione peroxidase 238: 838; 242: 90
glutathione reductase 235: 345; 239: 655
glutathione *S*-transferase 235: 449, 239: 410; 241: 484; 242: 301
glutathione *S*-transferase fusion protein 238: 38
glutathione synthetase 236: 662
glutathione-dependent formaldehyde dehydrogenase 237: 496
glutathione-mixed disulfide 237: 433
glycan structure 235: 508
glycated protein 242: 499
glyceraldehyde-3-phosphate dehydrogenase 235: 641; 238: 173; 238: 807; 239: 42
glycerophosphoinositol 241: 386
glycine decarboxylase 236: 27
Glycine max 240: 609; 240: 655
Glycine max (L.) Merr 241: 221
glycogen 236: 772; 238: 570; 240: 23; 242: 832
glycogen metabolism 239: 317
glycogen phosphorylase 236: 772; 239: 150
glycogen synthase 236: 772; 238: 570
glycogenolysis 240: 23; 242: 832
glycogen-storage disease 238: 374
glycolipid 237: 454
glycolytic enzymes 239: 675
glycopeptide 242: 320
glycopeptide synthesis 238: 64
glycopeptidolipid 238: 270
glycoprotein 240: 448; 242: 674
glycoprotein 120 237: 64
glycoprotein 120 (gp120) V3 regions 237: 188
glycoprotein D 240: 209
glycoprotein glycan 241: 229
glycoprotein IIb 240: 280
glycoprotein IIb/IIIa 237: 205; 238: 70
N-glycosidase 235: 159
glycosylation 236: 457; 242: 741
glycosylphosphatidylinositol 238: 259
glycosylphosphatidylinositol protein 238: 259
glycosyltransferase 238: 647
glycyl-tRNA synthetase 241: 814
glyoxylate cycle 242: 770
gonadotropin 242: 608
gonadotropin-releasing hormone 242: 36
Grb2 237: 736
green alga 242: 779
G-rich oligonucleotides 238: 143
GroEL 241: 538
growth factor 239: 8
growth hormone 238: 591
growth inhibition 235: 486
growth-hormone factor 1/pituitary transcriptional activator 1 238: 591
growth-hormone receptor 239: 479
growth-inhibitory factor 238: 698
GTP 236: 149
GTP activation 240: 637
GTP hydrolysis 239: 265
GTP-binding protein 237: 833; 239: 362; 239: 369
guaBA operon 241: 411
guanidine derivative 238: 446
guanidinium chloride 239: 679; 241: 462; 242: 601
guanine-nucleotide exchange 237: 685
guanine-nucleotide-binding-regulatory-protein coupling 235: 82
guanylyl cyclase 240: 380
guide RNA/pre-mRNA chimaera 240: 721

Haematobia irritans 237: 414
α-haemolysin 238: 418
Hafnia alvei 237: 635
hairpin conformation 236: 960
half-cystine pairing 242: 491
half-of-the-sites reactivity 237: 93
haloaromatic biodegradation 239: 469
Harderian gland 238: 104
hatching enzyme 237: 752
H^+/ATP stoichiometry 235: 779
H^+-ATPase 235: 225
^1H-^{13}C heteronuclear multiple-bond correlation 241: 602
head-activator receptor 235: 814
heart 241: 909
heart mitochondria 241: 895
heat denaturation 237: 106
heat-labile enterotoxin 236: 412
heat shock 240: 98
heat-shock protein 237: 653; 240: 78; 242: 56
heat-stress trancription factor 236: 911
helicase 235: 152
Heliobacillus mobilis 242: 695
Heliothis virescens 236: 263
helix 242: 657
helix-clamp motif 242: 98
helix-turn-helix motif 241: 101
hematopoietin-receptor family 238: 714
heme 239: 759; 240: 112
heme A biosynthesis 238: 287
heme attachment 235: 754
heme *c* 235: 690
heme-cavity structure 237: 841
heme-copper oxidase 242: 592
heme oxidation 235: 372
heme oxygenase 235: 471; 239: 566; 240: 112
heme protein 237: 212; 239: 391; 240: 380
hemicellulase 237: 553; 240: 104
hemofiltrate 241: 557
hemoglobin 237: 841; 242: 779
hemoglobin β-chain 240: 30

hemolysin 240: 646
hemolysin B 239: 456
hemolysin from enterohemorrhagic *Escherichia coli* O157 241: 594
hemolysis 240: 454
heparin 239: 850
heparin binding 237: 295
hepatitis B virus 239: 579; 242: 243
hepatocellular carcinoma cells 242: 36
hepatocyte 236: 163; 236: 214; 236: 772; 240: 713; 241: 393; 242: 339; 242: 537
hepatocyte nuclear factor 236: 500
hepatocyte nuclear factor-1α-dimerization cofactor 241: 858
hepatocyte-growth factor 236: 476
hepatocyte-growth factor/scatter factor 236: 476
hepatoma 236: 579
herpes simplex virus 1 240: 209
heterocyclic ring cleavage 240: 576
heterogeneity 242: 363
heterologous association 242: 293
heterologous expression 239: 340
heteronuclear NMR 235: 629
heteronucleus 241: 440
heteroplasmy 235: 593
hexokinase 240: 518; 241: 633
hexose transporter 236: 228
Δ^4hexuronate-2-sulfatase 239: 865
Heymann nephritis 239: 132
high pressure 236: 254
highly sulfated N-linked glycan 238: 357
high-potential iron-sulfur protein 236: 405
high-resolution solid-state ^{13}C-NMR 239: 294
His-Asp pair 236: 947
histidine modification 241: 611
histidine-tag purification 238: 28
histidyl-tRNA synthetase 241: 133
histone H3 241: 923
histone H1 242: 67
histone H5 242: 619
HL-60 235: 670; 236: 614; 239: 572; 239: 752; 242: 90; 242: 529
^{1}H-NMR 235: 199; 237: 383; 239: 871; 240: 789
Hoechst 33258 239: 376
Hoechst family 239: 376
HOG1 236: 796
homeodomain protein 236: 670; 236: 778
homeodomain structure 241: 101
homologous recombination 242: 20
homology modeling 237: 279
homospermidine 240: 373
homospermidine synthase 240: 373
homotrimer 242: 576
hopanoid 241: 865
Hordeum vulgare 242: 163
ω-hordothionin 239: 67
hormone 235: 444; 242: 550
hormone-binding site 237: 759
hormone-receptor interaction 241: 627
horse seminal plasmaprotein-7 242: 636
horseradish peroxidase 236: 714; 238: 785; 241: 462
horseshoe crab 242: 822
host factor 239: 384
HPLC 235: 304; 239: 144; 240: 584
HT-29 cells 237: 454; 238: 470
human 235: 683; 236: 128
human β_2-adrenoceptor 241: 417
human B-cell lymphoblastic leukemia 235: 431
human bone morphogenetic protein 237: 295
human cancer cells 235: 486
human cDNA 236: 827
human cell-surface antigen 238: 631
human chorionic gonadotropin 241: 229
human eIF-4E 239: 597
human erythrocytes 240: 394
human factor XII 238: 240
human growth hormone 235: 304
human hepatitis D virus 237: 712
human hepatoma 238: 400
human immunodeficiency virus 239: 248; 240: 45
human immunodeficiency virus 1 236: 100; 237: 64; 237: 383; 240: 491; 240: 765
human immunodeficiency virus 1 reverse transcriptase 235: 256; 240: 774; 242: 98
human isoenzymes 235: 173
human leukocyte antigen DRB1*0101 240: 71
human 5-lipoxygenase 235: 416
human liver 238: 476
human neutrophil 241: 265
human oligosaccharide structure 237: 76
human plasma 236: 837
human platelets 238: 70
human retinoblastoma 236: 523
human ribosomal proteins 239: 144
human serum transferrin 242: 387
H-12-V dodecapeptide 235: 281
hybrid protein 240: 556
hydra 235: 814
hydration 235: 262
hydrazido inhibitors 237: 93
hydrogen activation 237: 629
hydrogen exchange 237: 212
hydrogen peroxide 240: 807; 242: 301
hydrogen peroxide assay 238: 785
hydrogenase 237: 629
hydrogenase processing 235: 351
hydrogen-deuterium exchange 241: 675
hydrolase 238: 599
hydrophilic peptide 241: 77
hydrophobic peptide 241: 489
1*H*-3-hydroxy-4-oxoquinaldine 2,4-dioxygenase (decyclizing, CO-forming) 240: 576
1*H*-3-hydroxy-4-oxoquinoline 2,4-dioxygenase (decyclizing, CO-forming) 240: 576
3-hydroxy fatty acid 239: 702
2-hydroxyacid oxidation 238: 790
3-hydroxyacyl-CoA dehydrogenase 240: 660
3-hydroxy-4(1*H*)-quinolone(derivatives) 240: 576
hydroxylamine oxidation 240: 684
hydroxylase 240: 674
hydroxylase component 241: 552
7-hydroxylation 242: 641
para-hydroxylation 241: 215
hydroxymethylglutaryl-CoA reductase 237: 800
hydroxyproline-rich glycoprotein 239: 259
hydroxysteroid dehydrogenase 241: 744
11β-hydroxysteroid dehydrogenase 238: 484
17-hydroxysteroid dehydrogenases 236: 482
Hymenoptera 238: 752
hyosophorin 238: 357
hyp genes 235: 351
hyperglycemia 242: 86
hypermethylation 238: 476
hyperphenylalaninemia 240: 477
hyperthermoacidophilic 236: 92
hyperthermophile 236: 189; 239: 679
hyperthermophiles 240: 274
Hyphomicrobium 241: 1
hypoxia 235: 622
hypoxically inducible mRNA 241: 403

ice-binding immunoglobulin 241: 740
ice-nucleating activity 241: 740
icosanoids 235: 242
I-domain 241: 732
ileal transport 239: 887
ileal-lipid-binding-protein cloning 239: 887
imaginal disc 240: 443
immunity 236: 200
immunoassays 240: 622
immunoglobulin 235: 543; 240: 556
immunomodulator 242: 1
immunopharmacology 242: 1
immunoprecipitation 242: 576
immunoscintigraphy 235: 275
immunostimulant 242: 1
immunosuppression 241: 47
import 235: 750
in situ hybridization 236: 970; 239: 588
inactivation 241: 215
inclusion bodies 236: 558
inclusive-action mechanism 240: 655
indole-3-acetaldehyde dehydrogenase 242: 648
indole-3-acetic acid 242: 648
inducer binding 235: 804
inducible nitric-oxide synthase 237: 668
induction 237: 668
inflammation 236: 638; 238: 599
influx 238: 576
infraciliary lattice 238: 121
in-frame deletions 235: 351
infrared spectroscopy 235: 660; 236: 254
ingenol ester 242: 417
inhibition 235: 750; 239: 418; 240: 765; 241: 249
inhibitor 237: 393; 238: 446; 238: 561; 239: 229; 240: 239; 242: 477
inhibitor-2 242: 793
inhibitor assay 235: 574
inhibitor susceptibility 241: 664
inhibitory guanine-nucleotide-binding protein 235: 670; 239: 752
initiation 236: 747
initiation factor 236: 40
initiation of translation 238: 845
initiation/promotion 242: 417
initiator-like element 236: 365
inner medulla 240: 268
inorganic pyrophosphatase 236: 121
myo-inositol monophosphatase 240: 435
myo-inositol-1(or 4)-monophosphatase 240: 288
inositol trisphosphate 236: 443
inositolphospholipid 3-kinase 238: 350
insect 235: 138; 236: 200; 237: 698; 238: 64; 240: 336; 241: 707; 242: 807
insect cells 235: 332; 237: 768
insect immunity 241: 330; 241: 699
insertion into thylakoid membranes 242: 288
insulin 236: 40; 236: 214; 236: 523; 236: 1033; 238: 214; 239: 17; 241: 533; 242: 435; 242: 550
insulin-like growth factor 239: 558
insulin-like growth factor I 236: 523
insulin receptor 241: 186
insulin-promoter factor 1 242: 435
integrase 240: 765
integration 241: 70
integrin 237: 205; 241: 254; 241: 557; 241: 732

integrin αIIbβ3 235: 281
integrin α5β1 237: 76
interaction with the bc_1 complex 237: 792
intercellular-adhesion molecule-1 238: 173
intercellular communication 238: 1
interfacial catalysis 239: 105
interferon 235: 404; 236: 895; 238: 554; 240: 667; 240: 732
interferon-β 235: 91
interferon-γ 242: 191
interferon-responsive gene 240: 732
interferon-stimulated genes 238: 554
inter-α-inhibitor 236: 984
interleukin-1 236: 207; 236: 517; 242: 544
interleukin-1 mutated proteins 238: 308
interleukin-1β 238: 308
interleukin-1β-converting enzyme 236: 207
interleukin-4 240: 667
interleukin-4 receptor 240: 252
interleukin-4 variants 240: 252
interleukin-6 236: 638; 236: 871; 239: 624; 241: 56
interleukin-6 receptor 236: 837; 238: 714
interleukin-8 235: 26
interleukin-13 240: 667
intermediate 239: 679; 240: 615
intermediate metabolism 239: 526
internalization 236: 200
intestine 236: 778; 236: 789
intestine rats 237: 16
intracellular recycling 237: 809
intracellular/extracellular cleavage 236: 789
intramolecular chaperone 241: 750
intramolecular disulfide 240: 352
intrinsic fluorescence 237: 247
intron retention 240: 83
intron-less gene 237: 752
invertebrate 235: 449; 235: 622; 242: 822
in vitro protein synthesis 239: 881
in vitro selection 237: 712
in vitro transcription 237: 440
in vivo phosphorylation 241: 901
ion channel 240: 143; 240: 454; 240: 646
ionic strength 238: 346; 241: 797
iron chelation 241: 403
iron metabolism 236: 922
iron regulation 239: 197
iron-responsive element 241: 64
iron-sulfur 241: 440
iron-sulfur cluster 236: 465; 237: 71; 237: 406; 239: 818
iron-sulfur flavoprotein 236: 937
iron-sulfur molybdenum flavoprotein 238: 862
iron-sulfur protein 236: 309; 237: 399; 237: 629; 237: 726; 238: 346; 242: 156
iron/zinc 241: 178
islet 242: 435
isocitrate-dehydrogenase kinase/phosphatase 237: 247
isocyclic ring 238: 280
isocyclic ring E 239: 85
isoenzyme selectivity 238: 446
isoform 235: 304; 236: 457; 239: 897; 240: 358
isolated organelle 237: 601
isomerase cDNA 237: 240
isomerase gene 237: 240
isopenicillin N synthase 242: 736
isoprenoid 236: 847; 239: 302
isotope-exchange reaction 236: 301
isotopomer 239: 742
isozyme 235: 366; 236: 571; 238: 790
isozyme emergence 236: 563

juvenile hormone 239: 588
juvenile-hormone-binding protein 242: 741

K_d value 240: 774
72-kDa gelatinase 239: 239
keratan sulfate 242: 402
keratan-sulfate-like N-linked glycan 238: 357
ketogenesis 237: 16
KH domain 241: 425
kidney 236: 128; 240: 268
kinase 238: 690; 240: 570
kinetic analysis 240: 692; 240: 738
kinetic constants 235: 713
kinetics 235: 49; 237: 164; 237: 234; 237: 476; 237: 876; 238: 613; 239: 229; 239: 692; 240: 209; 240: 223; 240: 292; 240: 435; 240: 615; 241: 215; 241: 243; 241: 787
kininogen 235: 534
Ki-*ras* promoter 238: 143
kiwi fruit 242: 228
Klebsiella 241: 602
Klebsiella pneumoniae 237: 221; 237: 272; 237: 786
Krox-24 237: 704
Kunitz module 238: 333
Kunitz-type protease inhibitor 235: 310
Kupffer cell 237: 344
Ku protein 241: 931
kyninogen 238: 769
kynureninase 239: 460
kynurenine pathway 239: 460
kyphoscoliotic (ky) 241: 916

La (SS-B) 236: 649
laccase 235: 508
lactase-phlorizin hydrolase 236: 789
lactate dehydrogenase 235: 613; 240: 274
lactoferrin 241: 303
β-lactoglobulin 237: 106
laminin 238: 813
lanthionine-containing polypeptide 235: 382; 235: 394
lantibiotic 239: 156; 241: 716
large-dense-core vesicles 236: 877
2-*O*-lauroylsucrose 241: 343
lazabemide 236: 996
leaf senescence 238: 317
Leber's hereditary optic neuropathy 239: 201
lectin 235: 128; 236: 419; 237: 505; 242: 320
leghemoglobin 237: 212
legume lectins 239: 675
Leishmania 242: 410
lens 235: 449
lens differentiation 239: 23
Leu-Asp-Val 242: 352
leukemia-inhibitory factor 241: 507
leukotriene 238: 250; 238: 606
leukotriene A_4 235: 416; 238: 599
leukotriene B_4 238: 599
leukotriene C_4 242: 201
leukotriene-biosynthetic enzymes 239: 572
Leydig cell 239: 8
Lhcb4 238: 112
ligand binding 236: 1025; 237: 809
ligand-gated ion channel 239: 539
ligand-receptor interaction 237: 743
light-harvesting complex of photosystem II trimers 242: 288
light-stress protein 236: 591
lignin degradation 237: 45
lignin peroxidase 237: 45
limb bud 237: 295
LIM domain 241: 657
limited proteolysis 237: 862; 241: 221; 241: 835
linear dichroism 240: 91
linear epitope 240: 209
^{7}Li-NMR 240: 288
linoleic acid 238: 549
linoleoyl-CoA 238: 104
lipid 237: 468; 238: 368; 240: 181; 241: 682; 242: 657
lipid A 237: 272
lipid-bilayer membrane 240: 646; 241: 594
lipid binding 239: 74
lipid body 241: 6
lipid hydroperoxide 235: 416
lipid metabolism 241: 386
lipid monolayer 235: 207; 235: 267
lipid-protein interaction 235: 207; 239: 294
lipid traffic 237: 454
lipid transfer 240: 713
lipooligosaccharide 238: 270
lipopeptide 241: 682; 242: 665
lipophosphoglycan 242: 410
lipopolysaccharide 236: 200; 236: 457; 236: 871; 237: 229; 237: 266; 237: 272; 237: 468; 237: 635; 237: 786; 238: 160; 239: 434; 239: 566; 239: 602; 240: 245; 242: 682
lipoprotein 236: 436; 240: 699; 242: 332
lipoprotein assembly 240: 713
lipoprotein lipase 237: 545
lipoprotein lipase/apolipoprotein CII complex 237: 545
lipoprotein remnants 242: 703
liposome 240: 352
lipoxygenase 238: 549; 241: 6; 241: 297
5-lipoxygenase 238: 250; 242: 90
lipoylation 236: 27
liver 235: 677; 235: 799; 236: 163; 236: 638; 238: 576; 239: 451; 239: 726; 241: 417; 242: 550; 242: 703
localization 236: 847; 238: 538
localization and regulation of protein kinase Cα 239: 796
long interspersed nuclear element (LINE element) 241: 70
long-chain-acyl–CoA synthetase 238: 104
low-density-lipoprotein receptor 239: 214
low-density-lipoprotein-receptor-related protein 242: 703
low-density-lipoprotein-receptor superfamily 239: 132
low-frequency stimulation 236: 814
luciferase assay 238: 853; 242: 446
luciferase family 242: 186
lurlene 241: 581
lutropin 240: 262
lutropin/choriogonadotropin receptor 239: 8; 241: 627
lutropin-releasing hormone 242: 36
lycopene 236: 115
lycopene cyclase 241: 291
lymphocyte 242: 90
Lyn-catalyzed Tyr phosphorylation 240: 394
Lyn substrate identification 235: 18
Lyn tyrosine kinase 236: 352
lysine residues 236: 470
lysophospholipase 238: 690
lysosomes 235: 564
lysozyme 237: 86

M13 gene V protein 238: 706
α_2-macroglobulin 242: 822
macrophage 239: 566
macrophage foam cells 236: 48
Madin-Darby canine kidney cell 239: 638
magic-angle spinning 241: 586
magnesium 235: 438; 240: 223
magnesium activation 236: 121
magnesium binding 242: 249; 242: 256
magnetization transfer 235: 262
maize 235: 338; 241: 121
major histocompatibility complex 235: 404; 236: 249; 240: 71
major intrinsic protein 241: 707
malaria 235: 345; 239: 655; 242: 104
malate dehydrogenase 236: 947; 240: 789
male reproductive system 237: 414
malonate decarboxylase 237: 221
maltodextrin 241: 787
mammal 242: 206
mammalian cells 237: 288
mammalian fertilization 240: 448
mammary carcinoma 236: 318
Manduca sexta 239: 588
manganese(II) 240: 118
manganese and phosphate ion binding 239: 220
manganese-independent activity 237: 424
manganese peroxidase isoenzyme 237: 424
mannan 240: 37
mannose 6-phosphatase 238: 669
mannose 6-phosphate 238: 669
mannose 6-phosphate receptor 237: 809
mannose receptor 237: 344
mannose transporter 239: 810
mannose-terminated glucocerebrosidase 237: 344
α-mannosidase II 242: 446
α-mannosidase II^x 242: 446
mannosyltransferase 240: 37
mapping 239: 773
mass spectrometry 236: 689; 237: 113; 237: 862; 238: 769; 239: 773; 240: 215; 241: 77; 241: 716; 241: 835; 242: 608
mathematical modeling 239: 742
matrix degradation 239: 239
matrix metalloprotease 235: 187; 239: 239; 241: 476
matrix-assisted-laser-desorption ionization MS 237: 635; 238: 259; 239: 144; 241: 133; 242: 191
maturation 241: 895
maurotoxin 242: 491
mechanism 236: 706
medfly 241: 330
mediator 239: 686
meiosis 237: 691
meiotic cell division 237: 685
Mek 235: 828
melanogenesis 236: 180
melanoma growth-stimulatory activity 235: 26
membrane 237: 303; 237: 876; 239: 156; 241: 879; 242: 372
membrane association 236: 412
membrane-binding site 239: 726
membrane hydrolysis 238: 7070
membrane interaction 235: 382
membrane iron transporter 238: 463
membrane mimetic 241: 756
membrane protein 239: 805; 241: 691; 242: 41
membrane topology 239: 810
membrane-type matrix metalloprotease-1 239: 239
4-mercaptohistidine 242: 557
3-mercaptopicolinate 238: 207
mesotocin receptor 237: 759
metabolic flux 242: 220; 242: 770
metabolic inhibitors 235: 225
metabolism 236: 128
metabolite channeling 236: 626
metal binding 240: 288; 242: 387
metal effect 241: 178
metal substitution 239: 818
metalloenzyme 240: 288; 241: 675
metalloprotease 236: 877; 237: 159; 238: 744; 241: 368
metalloprotein 235: 372; 236: 843
metallothionein 238: 698
metallothionein gene expression 242: 36
metal-site structure 241: 546
metamorphosis 235: 138; 240: 336
[Met5]enkephalin-Arg-Phe 240: 540
methane monooxygenase 241: 552
methanogenic Archaea 235: 653; 236: 294; 236: 309; 239: 93; 241: 149; 242: 156
methanol oxidase 238: 181
Methanosarcina 236: 309
Methanosarcina barkeri 235: 653; 237: 35
methanotroph 240: 684
methenyltetrahydromethanopterin cyclohydrolase 236: 294
methionine synthase 236: 294
methylation 235: 585; 238: 160; 241: 77
3-methylcholanthrene 242: 512
3-methyldienelactone 237: 357
3-methylmaleylacetate 237: 357
4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone 238: 484
3-*O*-methyl-D-rhamnose 239: 434
N^5-methyltetrahydromethanopterin:coenzyme M methyltransferase 239: 857
Methylococcus capsulatus 240: 684
Methylophilus methylotrophus 240: 314
methylotroph 236: 620; 241: 1
5′-methylthioadenosine phosphorylase 239: 632
methyltransferase 235: 653; 239: 235; 241: 149
mevalonate 239: 720
$m^7G(5')ppp$ 239: 597
micelle 241: 756
microfibril 240: 427
microfilament 241: 901
microperoxidase 241: 215
microperoxidase-8 240: 232
microsomal triacylglycerol-transfer protein 240: 713
microsomes 235: 799
microtubule 241: 765
microtubule-associated protein 2 241: 765
Micrurus 238: 231
milk-clotting enzymes 235: 762
Miller-Dieker lissencephaly protein (LIS 1) 240: 400
minichromosome maintenance (Mcm) proteins 235: 144
minor-groove-binding drugs 239: 376
mismatch repair 238: 297
mistranslation 241: 476
mitochondria 235: 593; 235: 750; 236: 609; 237: 288; 237: 601; 237: 792; 238: 495; 238: 623; 238: 845; 239: 445; 240: 98; 240: 165; 240: 292; 240: 387; 240: 461; 241: 83; 241: 171; 241: 649; 241: 779; 241: 888; 242: 81
mitochondrial DNA 239: 201
mitochondrial hydroxymethylglutaryl-CoA synthase 237: 16
mitochondrial processing peptidase 242: 114
mitochondrial protein import 241: 374; 236: 856
mitochondrial ribonuclease P 235: 289
mitochondrial ribonuclease P RNA 235: 297
mitochondrial RNA synthesis 237: 601
mitochondrial-genome-transmission gene (*MGT1*) 238: 77
mitogen-activated protein kinase 235: 97; 236: 476; 236: 796; 237: 704; 241: 315; 241: 322
mitogen-activated-kinase pathways 242: 171
mitogen-activated-protein-kinase cascade 238: 214
mitosis 241: 923
mode of action 235: 394; 236: 263; 239: 156
model membrane 240: 181
modeling 236: 128; 242: 372
modified oligonucleotide 241: 572
Mössbauer spectroscopy 241: 432
molecular chaperone 237: 318; 240: 98
molecular cloning 240: 373; 242: 712
molecular dynamics 235: 26; 236: 254
molecular-dynamics calculation 240: 540
molecular-dynamics simulations 240: 751
molecular evolution 235: 601; 237: 698; 237: 759
molecular modeling 236: 960; 239: 710
molecular motion 237: 561
molluscan immunity 240: 302
molybdenum cofactor 238: 862
molybdenum enzyme 236: 309; 237: 406; 242: 156
molybdenum-center activation by oxidation 239: 782
molybdenum-containing hydroxylase 236: 155
molybdopterin 236: 309; 242: 156
molybdopterin cytosine dinucleotide 238: 862
molybdopterin guanine dinucleotide 237: 406
monoamine oxidase 236: 996; 242: 41
monoclonal antibody 235: 275; 238: 631; 241: 309
monocyte 242: 339
monomeric allosteric 237: 841
monomers 236: 78
monomethyl sulfate 236: 620
monooxygenase 237: 592; 238: 287
monooxygenation 236: 620
morphology 242: 171
mouse 236: 482; 237: 25; 237: 496; 242: 280
mouse brain microsome 242: 641
mouse liver microsome 242: 641
mRNA 236: 56; 236: 747; 236: 814; 242: 537
mRNA cap structure 239: 597
mRNA expression 241: 805
mRNA-protein complexes 237: 143
mRNA stability 239: 117; 240: 112
mRNA translation 236: 649
MUC1 236: 318
mucin 236: 318
muconolactone isomerase 237: 350
multicatalytic proteinase 235: 404
multidrug resistance 239: 796
multidrug-resistance protein 241: 644; 242: 201
multienzyme 242: 665
multienzyme systems 236: 335

multifunctional protein 242: 315
multiheme cytochrome 241: 723
multimeric peptide 239: 74
multimeric protein form 238: 28
multiple inhibition 240: 692
multiple interleukin-1 receptors 238: 308
multiple-sulfatase deficiency 238: 341
multiprotein subunit 235: 289
Munc-18-2 239: 638
murine fibrinolysis 241: 840
muscle 235: 317; 236: 539; 236: 887; 239: 835
muscle contraction 239: 165; 241: 25
muscle denervation 238: 807
muscle metabolic state 238: 807
mussel 239: 172
mustard allergy 237: 827
mutagenesis 235: 120; 236: 389; 236: 465; 236: 723; 236: 789; 237: 180; 239: 445; 239: 675; 242: 51; 242: 249; 242: 256; 242: 271
mutant 241: 193
mutation 238: 490; 239: 98; 239: 214
mutation analysis 242: 186
mutator phenotype 238: 297
Myc 241: 249
mycelium 237: 691
mycobacteria 238: 270
Mycobacterium 239: 93
Mycobacterium avium 241: 682
myeloid cells 239: 572
myeloid-differentiation antigen 236: 457
myeloid-related protein 241: 265
myoglobin 235: 622
myopathy 241: 916
myosin 236: 539; 239: 165; 239: 317
myosin heavy chain 236: 887; 241: 916
myosin light chain 241: 916
myosin subfragment-1 241: 25
Mytilus 239: 172; 240: 302

Na^+/K^+-exchanging ATPase α1 subunit gene 237: 440
NAD^+ glycohydrolase 239: 177
NAD^+/NADH-binding site 239: 782
NADH dehydrogenase 239: 201; 240: 173; 241: 888;
NADH oxidase 241: 155
NADH: ubiquinone oxidoreductase 237: 128; 241: 83
NAD(P)H: flavin oxidoreductase 237: 870
NADPH 235: 262
NADPH binding 235: 180
NADPH oxidase 239: 369; 240: 807; 242: 529
NADPH protection against cold inactivation 235: 180
napin 242: 214
native full-length fibroblast-growth factor 241: 453
natriuretic peptide 237: 25
natural resistance 235: 54
ndk gene 239: 208
nebulin 239: 835
negatively charged surface 238: 240
neonatal period 238: 476
nephrolithiasis 236: 984
nerve-growth factor 235: 579; 236: 360
Neu5Ac analogs 236: 852
neurite-growth inhibitor 241: 468
neuroendocrine 236: 60; 238: 505
neuromuscular activity 236: 814
neuronal-type differentiation 236: 820
neuron-specific transcription 237: 311
neuropeptides 239: 588
neurotoxic phospholipase A_2 240: 83
α-neurotoxin 238: 231
neutral protease 241: 368
neutralization 239: 842
neutralizing antibody 237: 64; 242: 727
neutrophil 236: 1003; 238: 250; 241: 303; 242: 529
neutrophil collagenase 235: 187
N-glycan 242: 446
N-glycosylation 239: 340; 242: 191
nickel 237: 629; 239: 61; 241: 178
nickel-affinity chromatography 236: 389
nickel incorporation 235: 351
Nicotiana alata 242: 75
nicotinamide nucleotide 239: 737; 241: 162
nicotinic acetylcholine receptor 239: 539
[NiFe]hydrogenase 241: 675
nigrin b 237: 505
nisin 235: 267; 239: 156; 241: 716
nisin mutant peptides 235: 267
nitric oxide 238: 173; 240: 380; 241: 498
nitric-oxide reductase 242: 592
nitric-oxide synthase 242: 807
nitrogenase 237: 399
p-nitrophenylalanine 235: 814
nitrous-oxide reductase 237: 447
N-linked oligosaccharide 238: 853
N-linked sugar chains 236: 579
NMR 235: 26; 235: 120; 235: 359; 235: 382; 235: 394; 235: 543; 235: 622; 235: 804; 236: 85; 236: 92; 236: 100; 236: 395; 236: 405; 236: 697; 236: 706; 236: 911; 236: 960; 237: 188; 237: 212; 237: 575; 237: 726; 238: 423; 238: 435; 238: 346; 239: 532; 239: 905; 240: 37; 240: 45; 240: 118; 240: 540; 240: 584; 241: 229; 241: 440; 241: 586; 241: 602; 241: 716; 241: 723; 241: 756; 242: 271; 242: 352; 242: 372; 242: 557; 242: 682
NMR diffusion 241: 489
Nomenclature Committee of the International Union of Biochemistry and Molecular Biology 237: 1
non-esterified fatty acids 236: 436; 240: 699
non-haem oxygenase 242: 736
non-histone proteins 240: 600
non-nucleosidic inhibitor 242: 98
non-ribosomal peptide synthesis 236: 335
non-structural protein 3 237: 611
non-substrate ligand 241: 484
normal red cells 235: 549
nrdB mutants 237: 58
N-terminal and internal amino acid sequencing 239: 144
N-terminal proteolysis 238: 317
N-terminal sequence of 5-aminolevulinic acid dehydratase 236: 600
nuclear dots 238: 554
nuclear envelope 241: 32
nuclear factor κB 239: 624; 242: 544
nuclear localization 236: 991
nuclear-localization signal 235: 736
nuclear matrix 236: 352
nuclear-matrix proteins 236: 814
nuclear proteins 235: 144
nuclear relaxation 241: 440
nuclear transport 241: 32
nuclear tyrosine kinase 236: 352
nucleic acid amplification 235: 256
nucleic-acid-binding protein 241: 425
nucleocapsid protein 238: 129
nucleolin 237: 153
nucleophile 240: 150
nucleophosmin 237: 153
nucleoplasmin 240: 186
nucleoside-diphosphate kinase 239: 208
nucleotide 240: 156
nucleotide binding 240: 78; 241: 363
nucleotide exchange 236: 222
nucleotide pyrophosphatase 241: 338
nucleotide sequence 237: 100; 240: 373; 241: 564
nucleotide-binding protein 237: 247
nucleotide-binding sites 240: 165
nucleus 242: 67

O antigen 237: 229; 237: 266; 237: 635; 237: 786
O-antigen serology 240: 245
O-glycosylation 235: 431; 236: 318; 238: 511
O-linked polysaccharide 239: 532
O-linked sugar chain 235: 431
O-specific polysaccharide 239: 434
ocytocin analogue 240: 118
Ole e 3 241: 772
Olea europaea 241: 772
olfaction 236: 632
olfactory receptor 238: 28
oligomerization 236: 34; 237: 809
oligonucleotides 239: 33
oligopeptidase 238: 728
oligosaccharide 242: 608
oligosaccharide structure 235: 199
olive pollen 241: 772
omeprazole 237: 642
oncogenes 236: 1
oncomodulin 242: 249; 242: 256
oncostatin M 241: 56
oocyte S150 extract 240: 186
opioid 241: 756
optical 242: 695
organelle-specific acylation 238: 104
organization 236: 68
ornithine carbamoyltransferase 236: 283; 239: 397
Oryza sativa 239: 310
Oryzias latipes 235: 501
osmolyte 242: 86
osmotic pressure 239: 165; 241: 25
osmotic stress 236: 56
osteocalcin 238: 97
ostrich 240: 262
overexpression 236: 27; 236: 115; 236: 240; 237: 584; 239: 501; 241: 691; 242: 760
ovothiol A 242: 557
oxidant stress 236: 443; 238: 166
oxidase 242: 736
oxidation 238: 623; 242: 301
α-oxidation 240: 674
β-oxidation 239: 302; 240: 660
oxidative inactivation 235: 416
oxidative phosphorylation 239: 201; 240: 165; 241: 280
oxidative stress 237: 433; 238: 737; 239: 655; 242: 544
oxidoreductase 239: 391
oxidoreduction 236: 937
oxime inhibitor 236: 1025
2-oxoacid dehydrogenase 237: 674
5-oxo-icosanoids 236: 1003
6-oxopiperidine 2-carboxylate 242: 264
oxygen 235: 622
oxygen-binding protein 242: 779

oxygen evolution 237: 519; 242: 485
oxygen transfer 240: 232
OZF 236: 991

^{31}P solid-state NMR 235: 262
^{31}P-^{13}C coupling 238: 470
p13^{suc1} 238: 152
P19 teratocarcinoma cells 240: 15
p21-activated kinase 242: 171
p21^{WAF1} 237: 854
p36^{syk}-catalyzed Tyr phosphorylation 240: 394
p72^{syk} 240: 400
p97 subunit 239: 912
p130 Src substrate 236: 953
PA28 236: 510
Pacifastacus leniusculus 236: 450
palmitoyl-CoA 238: 104
palmitoyl-CoA inhibition 242: 689
pancreas 239: 117; 242: 435
pancreatic acini 235: 73
pancreatic carcinoma 242: 467
pancreatic spasmolytic polypeptide 235: 64
pancreatic-type phospholipase A_2 241: 872
Paracoccus denitrificans 242: 592
parallel evolution 241: 849
paramagnetic 236: 92; 242: 132
Paramecium 238: 121
Paramecium tetraurelia 238: 198
parasite 239: 905
parathymosin 242: 67
partition coefficient 241: 879
parvalbumin 236: 814; 237: 561; 242: 249; 242: 256
paxillin 235: 579
PC12 235: 579
PCR 237: 373; 237: 712
PCS60 240: 468
P388D$_1$ macrophage 235: 480
pdh genes 237: 674
pea (*Pisum sativum*) 235: 574; 237: 373
pea (*Pisum savitum*) 237: 854
peach tree 239: 702
Pelobacter acidigallici 237: 406
penicillin biosynthesis 238: 675; 242: 736
Penicillium janthinellum AKU3413 242: 499
Penicillium simplicissimum 235: 192
pentose-phosphate pathway 240: 592
peptidase 237: 1; 238: 599
peptidase activity 238: 453
peptide 235: 699; 236: 249; 236: 335; 237: 303; 237: 619; 239: 850; 240: 30; 241: 948; 242: 657
peptide antibiotic 238: 325
peptide conformation 241: 489
peptide libraries 236: 249
peptide mapping 241: 627
peptide synthesis 237: 188; 241: 533
peptide synthetase 236: 335; 242: 264; 242: 665
peptide-affinity chromatography 237: 854
peptide-ligand binding 237: 318
peptidylprolyl isomerase 236: 428
Per-Arnt-Sim domain 242: 512
perforin 238: 637
perfringolysin O 241: 941
peripheral anionic site 235: 36
peripheral cannabinoid receptor 237: 704
periplasm 235: 754
perlecan 241: 827
peroxidase 235: 192
peroxisomal protein import 241: 374
peroxisome 238: 845; 239: 302; 240: 468; 240: 660; 240: 674
peroxisome proliferator 235: 242; 235: 789; 239: 526
peroxisome-proliferator-activated receptor 235: 242; 239: 1
persicomycin 239: 702
perturbed angular correlation 241: 546
pH 235: 564; 238: 549
phage display 242: 720
Phanerochaete chrysosporium 237: 45
pharmacology 241: 525
Phaseolus vulgaris L. 239: 281
phenobarbital 238: 207
phenol oxidase 235: 508
phenylalanine activation 242: 813
phenylalanine hydroxylase 241: 858; 242: 813
phenylalanyl-tRNA synthetase 240: 526
phenylhydrazine 236: 714; 238: 683
pheromone 241: 581
phorbol ester 240: 747; 242: 417
4β-phorbol 12-myristate 13-acetate 236: 614
phorbol-ester-responsive element 236: 614
phorbol-12-myristate-13-acetate–responsive element 241: 393
phosphatase 238: 613; 238: 690; 240: 600
phosphatase 2A 235: 97
phosphatase substrate specificity 236: 548
phosphate binding 235: 641
phosphatidylcholine 236: 738
phosphatidylinositol 238: 538
phosphatidylinositol 4,5-bisphosphate 238: 777; 240: 707
phosphatidylinositol 3-kinase 235: 828; 237: 736; 239: 17
phosphatidylinositol 4-kinase 235: 549
phosphatidylinositol 3,4,5-trisphosphate 238: 350
phosphatidylserine vesicle 240: 540
phosphocalmodulin 239: 98
phosphocellulose-column chromatography 237: 440
phosphodiesterase 240: 53
phosphodiesterase I 241: 338
phospho*enol*pyruvate 235: 225
phospho*enol*pyruvate carboxykinase 238: 207; 242: 537
phosphofructokinase 236: 626
phosphoglucomutase 235: 103
6-phosphogluconate dehydrogenase 240: 592
phospholamban 236: 85
phospholipase 237: 819
phospholipase A_2 235: 480; 235: 557; 237: 778; 238: 70; 238: 231; 241: 297; 241: 386
phospholipase C 239: 105
phospholipase D 240: 707
phospholipid 235: 648; 238: 830; 241: 586
phospholipid hydrolysis 238: 70
phospholipid hydroperoxide 238: 838
phospholipid remodeling 235: 480
phospholipid synthesis 241: 691
phospho-oligosaccharide biosynthesis 242: 410
5-phosphoribosyl 1-diphosphate 240: 637
2′-(5″-phosphoribosyl)-3′-dephospho-CoA 237: 221
phosphorylase kinase 238: 374
phosphorylated tyrosyl residues 235: 18
phosphorylation 235: 338; 236: 40; 238: 453; 238: 613; 238: 690; 239: 439; 241: 265; 241: 338; 242: 56; 242: 428
phosphorylation mapping 240: 756
phosphotransferase system 239: 810
photoaffinity labeling 235: 814; 236: 149; 237: 514; 237: 768; 239: 887; 241: 644; 242: 619
photochemically modified oligomer 235: 359
photoisomerization 235: 359
photolabeling 240: 215
photoreduction 239: 427
photosynthesis 236: 1010; 237: 519; 238: 112; 238: 280; 239: 805
photosystem I 235: 324; 236: 465; 237: 519
photosystem II 237: 519; 242: 288; 242: 485; 242: 799
phycobiliprotein 236: 1010
phycobilisome 236: 1010
phycocyanobilin 236: 978
Physarum polycephalum 241: 901
phytanic acid 236: 328; 240: 674
phytochrome 236: 978
pigment–protein interaction 238: 381
pituitary adenylate-cyclase-activating polypeptide 239: 349
pituitary adenylate-cyclase-activating-polypeptide receptor 239: 349
placenta 236: 365; 242: 280
plant 235: 215; 242: 75
plasmin 236: 682; 236: 904
plasminogen 236: 373; 236: 904; 241: 840
plasminogen-activator inhibitor 237: 180; 241: 38
plasminogen-activator inhibitor 1 241: 393; 241: 557
plasminogen-activator inhibitor 2 241: 93
plasmin(ogen)-binding protein 239: 42
Plasmodium falciparum 239: 655; 241: 805; 242: 104
Plasmodium falciparum enzymes 235: 345
plasmon resonance 240: 252
plastocyanin 235: 585; 242: 132
plastoquinone 241: 581
platelet calcium 239: 647
platelet-activating factor 236: 48
platelet-derived growth factor 235: 495; 239: 17
platelet-derived microparticles 239: 647
platelets 236: 862
Pleurotus eryngii 237: 424
Pleurotus ostreatus 235: 508
PM3 236: 109
p85Mcm 235: 144
pmel 17 236: 180
^{31}P-NMR 235: 648; 238: 470
pokeweed antiviral protein 235: 159
poly(A)-binding protein 237: 143
polyamine 240: 416
poly(deoxypyrimidine) 238: 38
poly(glutamic acid, tyrosine) 242: 519
polyhedrin-promoter-binding protein 239: 384
polylysine 241: 186
polymerase processivity 242: 98
polymorphism 238: 490
polymorphonuclear leukocyte 236: 517
polymyxin 237: 272
polypeptide 7B2 236: 60; 238: 505
polyphosphate 242: 327
polysaccharide 238: 160; 241: 602; 242: 682
polysaccharide structure 240: 245
polysomes 236: 383
pore-forming peptide 236: 263
pore-forming protein 238: 637
pore-forming toxins 236: 34
post-translational modification 237: 460; 239: 144
potassium 237: 318

pp200 235: 495
precursor 235: 207
precursor conformation 238: 192
precursor processing 238: 325
precursor tRNA processing 241: 17
precytochrome b_2 236: 856
pregnancy-associated plasma protein-A 237: 159
pregnancy-specific glycoprotein 236: 365; 242: 280
pregnenolone 242: 641
presequence 239: 259
pre-steady-state kinetics 241: 572
pre-tRNA 242: 747
primary structure 236: 843; 237: 433; 238: 822
processed pseudogene 237: 496
processing 236: 558; 242: 214; 242: 747
processing of precursor $tRNA^{His}$ 235: 289
processing signal 236: 856
prochlorophyte 241: 865
Prochlorothrix 241: 865
proenkephalin-A-derived fragments 235: 516
proenzyme 236: 558
proenzyme maturation 238: 505
profilin 238: 777
progesterone 237: 514; 239: 726
programmed cell death 241: 47; 241: 297
progress curves 240: 584
pro-haemolysin 238: 418
prohormone convertase PC2 238: 505
proinsulin 236: 656
proliferating-cell nuclear antigen 237: 854
proliferation 235: 64; 238: 799
proline 241: 171
trans-proline 241: 516
proline-directed protein kinase 241: 765
prolyl isomerase 241: 516
prolyl *cis/trans* isomerization 235: 526; 241: 516
promoter 236: 60; 236: 373; 238: 582; 239: 579; 240: 323; 241: 552
promoter expression 236: 887
promoter structure 241: 649
proof-reading mechanism 240: 526
propeptide 238: 198; 242: 29
propeptide-mediated folding 241: 750
propidium 235: 36
6-propionyl-2-(dimethylamino)naphthalene 241: 462
prosequence 237: 719
prostacyclin 235: 242
prostaglandin E_2 236: 517; 241: 872
prostaglandin-endoperoxide synthase 241: 872
prostaglandin-G/H synthase 238: 529
prostate-specific antigen 238: 88
prostate-specific-antigen–protein-C-inhibitor complex 238: 88
protease 236: 1; 236: 591; 237: 1; 241: 619
protease regulation 237: 383
proteasome 236: 510; 238: 453; 239: 912
proteasome activation 236: 510
protegrin 237: 575
protein 241: 229
protein biosynthesis 236: 222
protein-bound water 238: 423
protein-carbohydrate interaction 239: 710
protein C inhibitor 238: 88
protein characterization 241: 772
protein charge 241: 208
protein-complex formation 240: 781
protein conformation 240: 134; 241: 546
protein degradation 235: 404; 236: 932; 239: 509
protein-detergent interaction 241: 343
protein dielectric 241: 208
protein disulfide-isomerase 235: 18; 237: 447; 242: 315
protein dynamics 235: 543
protein engineering 238: 221
protein expression 235: 754; 241: 162
protein family 236: 571
protein folding 235: 613; 236: 978; 239: 214; 241: 516; 242: 29; 242: 122
protein G 240: 556
protein import 237: 288; 241: 779; 242: 114
protein kinase 235: 736; 237: 460; 242: 454
protein kinase A 235: 486; 237: 136
protein kinase C 235: 549; 236: 40; 240: 747; 242: 417
protein kinase C isozymes 239: 796
protein kinase CK2 241: 272
protein kinase Cμ 242: 428
protein-kinase specificity 237: 800
protein L 240: 556
protein LG 240: 556
protein modeling 238: 333
protein module 240: 125
protein NMR 241: 101
protein phosphatase-1 239: 317
protein phosphatase 238: 391; 239: 183; 239: 326; 241: 193; 242: 793
protein phosphatase-2A 236: 548; 238: 214
protein phosphorylation 236: 352; 237: 611; 240: 747
protein P1.1Mcm 235: 144
protein primary structure 237: 100
protein processing 242: 114
protein-protein interaction 236: 626; 237: 153; 240: 63; 242: 41; 242: 485
protein purification 236: 806; 237: 383; 242: 665

protein refolding 241: 476
protein-RNA interaction 241: 17
protein sequencing 237: 862
protein solution structure 236: 911
protein stability 241: 516
protein structure 235: 26; 236: 996; 237: 726; 239: 197; 241: 221
protein synthesis 235: 677; 239: 272
protein tertiary structure 241: 453
protein translocation 238: 760
protein transport 242: 29
protein-tyrosine kinase 235: 18; 235: 338; 236: 443; 240: 400
protein-tyrosine kinase ZAP-70 238: 440
protein-tyrosine phosphorylation 236: 200
protein-tyrosine-phosphatase 236: 548
protein unfolding 236: 254
protein X 236: 68
Proteis penneri 240: 245
proteoglycan 242: 402
proteoglycan synthesis 237: 295
proteoliposomes 235: 769; 235: 779
proteolysis 236: 682; 236: 932; 237: 6; 240: 307; 240: 365; 240: 427; 241: 38
proteolytic enzyme 237: 1
proteophosphoglycan 242: 410
prothoracic gland 242: 394
prothrombinase complex 237: 778
prothymosin α 238: 799
proton conduction 240: 181
proton pump 236: 121
proton translocation 239: 737; 241: 162
protonophoric activity 240: 387
proto-oncogene 242: 467
protoporphyrin 235: 438
pseudogene 238: 374
pseudoknot structure 237: 712
Pseudomonas syringae pv. *persicae* 239: 702
pterin molybdenum cofactor 239: 391; 239: 782
pump 237: 483
purification 235: 215; 236: 837; 237: 768; 240: 143; 241: 243; 242: 585; 242: 747; 242: 760
purine salvage 239: 764
purine/cytosine permease 239: 439
purine-nucleoside phosphorylase 239: 229; 239: 632
purinergic receptor 236: 862
putP 239: 732
pyridine nucleotide 238: 623
pyridine nucleotide transhydrogenase 241: 611
pyridoxal 5′-phosphate 236: 272; 236: 301; 236: 470; 239: 150
pyridoxal-5′-phosphate-dependent enzymes 239: 460
pyridylethylation 242: 627
pyrimidine 236: 609
pyrimidine biosynthesis 240: 637
pyrimidine salvage 240: 637
Pyrococcus 236: 189
pyroglutamate 240: 358
pyrophosphatase 239: 138; 239: 220
pyrophosphate hydrolysis 236: 121
pyrroloquinoline quinone 235: 690
pyruvate decarboxylase 237: 373
pyruvate dehydrogenase 237: 674
pyruvate kinase M gene 235: 366
pyruvate-dehydrogenase complex 236: 68; 237: 674
pyruvate : ferredoxin oxidoreductase 237: 35
6-pyruvoyltetrahydropterin synthase 240: 477

quaternary structure 240: 274; 242: 41
quinaldine 4-oxidase 236: 155
quinoprotein 235: 690; 238: 683

R2 ribonucleotide reductase 237: 58
Rab 239: 362
Rab protein 237: 833
rabbit reticulocyte 237: 171
Rac-guanosinetriphosphatase-activating protein, fluoride, neutrophil granulocytes 239: 369
γ-radiation 237: 489
Raf 235: 828
rainbow trout testis CMP–3-deoxy-D-*glycero*-D-*galacto*-nonulosonic acid (CMP-Kdn) synthetase 236: 852
Rana temporaria 242: 788
Ras 236: 847; 241: 249; 241: 315
RAS2 237: 136
ras pathway 241: 386
Ras/cAMP pathway 241: 633
Ras-related protein 237: 833
rat 236: 163; 238: 207
rat liver 236: 579; 239: 526
rat liver mitochondria 241: 280
rat ovary 235: 444
rate constant 237: 180; 240: 252
reaction center 238: 280
reaction mechanism 236: 301; 240: 232; 240: 781
reactive-center loop 241: 38

reassociation 241: 538
RecA 240: 91; 242: 20
RecA assembly 240: 91
receptor 235: 750; 237: 25; 238: 97
receptor-associated protein (39 kDa) 242: 703
receptor binding 239: 558
receptor structure 235: 82
recombinant 240: 292
recombinant enzyme 236: 609
recombinant glycoprotein 237: 113; 242: 608
recombinant human erythropoietin 239: 494
recombinant protein 241: 619
recombinant-protein expression 238: 790
recombinant sea urchin metallothionein 241: 835
recombination 238: 77
reconstituted high-density lipoprotein 239: 74
reconstitution 235: 769; 242: 288
recovery 236: 591
recycling 236: 1033
redox control 242: 81
redox potential 235: 167; 239: 662; 241: 208
redox-Bohr 241: 723
reduction 242: 301
refeeding 238: 570
refinement 239: 220
refolding 236: 656; 241: 538
Refsum's disease 236: 328; 240: 674
regulation 235: 683; 236: 214; 236: 747; 237: 642; 238: 453; 238: 476; 239: 8; 241: 909
regulatory element 239: 579
regulatory subunit 237: 136
relaxation 237: 561; 240: 118
relaxin 241: 533
renal development 242: 86
renal tubular cell 242: 339
renaturation 236: 558; 239: 679
repeats 235: 593
repeats in toxin 240: 454; 241: 594
repetitive DNA 241: 70
replication 235: 120; 235: 593; 238: 54
replication origin 238: 38
replicon initiation 237: 489
repression 236: 895
repressor 241: 93
residual structure 240: 435
residue-variability pattern 236: 563
resonance-Raman spectroscopy 238: 529
respiration 241: 909
respiratory chain 241: 280
respiratory control 242: 592
respiratory inhibitor 237: 128
responsiveness 236: 632
reticuloplasmin 235: 215
retinaldehyde 240: 15
retinaldehyde dehydrogenase 240: 15
retinoic acid 236: 328; 240: 15
13-*cis*-retinoic acid 240: 699
retinoid-X receptor 236: 328
retropseudogene 240: 477
retrotransposon 241: 70
retroviral-RNA dimerization 238: 129
Rev 240: 491
reverse micelle 238: 549
reverse phosphate transfer 241: 322
reversible denaturation 240: 435
review 236: 747
RF V3 loop 236: 100
RGDS sequence 235: 281
D-rhamnose 239: 434
rheumatoid arthritis 241: 56
Rhizobium 235: 744
Rho 240: 707
Rho-binding kinase 242: 171
Rho guanosine triphosphatase 242: 171
rhodanese 236: 240
Rhodobacter 235: 438
Rhodobacter sphaeroides 239: 805
Rhodocyclus tenuis 238: 381
Rhodoferax fermentans 236: 405
Rhodopseudomonas viridis 240: 373
rhodopsin 238: 613
Rhodospirillum rubrum 239: 737; 241: 162
ribC gene 242: 712
riboflavin synthase 242: 712
3-(β-D-ribofuranosyl)purine 239: 229
ribonuclease 237: 171; 237: 862; 239: 272; 239: 281; 241: 572; 242: 75; 242: 627; 242: 747
ribonuclease P 241: 17
ribonuclease-refolding inhibition 242: 315
ribonucleoprotein complexes 236: 649
ribonucleotide reductase 241: 363
ribosomal protein 236: 383
ribosomal-protein gene 238: 136
ribosomal protein L37a 238: 136
ribosome 235: 613; 239: 183; 239: 265; 241: 32
ribosome-inactivating protein 235: 128; 235: 159; 237: 505; 239: 272; 242: 585
ribosome recognition 235: 159
ribozyme 237: 712
ribulose-bisphosphate carboxylase/oxygenase 238: 317
ricin 235: 159
Rieske iron-sulfur protein 237: 792; 237: 71
RNA binding 239: 197
RNA fragmentation 235: 297
RNA polymerase III 237: 440
RNA processing 237: 601
RNA recognition motif 238: 38
RNA-RNA interaction 238: 129
RNA synthesis 242: 81
rosy mutant strains of *Drosophila melanogaster* 239: 782
rotenone 241: 888
rRNA processing 242: 206
rubredoxin 238: 346
ryanodine receptor 240: 408

S30 extract 236: 234
S100 242: 454
S100 protein 241: 265
2S albumin 242: 214
18S rRNA 242: 206
23S rRNA 235: 613
26S protease 238: 453
Saccharomyces cerevisiae 239: 439; 238: 77; 239: 340; 239: 759
241: 633; 242: 29; 242: 220; 242: 747; 242: 770
salivary gland 236: 827; 242: 807
salmonid fish 242: 363
salt-bridge 236: 85
Sambucus nigra 235: 128; 237: 505
sarcomere assembly 235: 317
Sarcophaga peregrina 240: 443
sarcoplasmic reticulum 240: 408
satellite DNA 238: 752
scanning calorimetry 239: 333
Scenedesmus obliquus 236: 600
Schistosoma 241: 64
Schistosoma mansoni 238: 838
Schizosaccharomyces pombe 240: 756
scoliosis 241: 916
scorpion 236: 395
scorpion toxin 242: 235; 242: 491; 242: 727
scorpion α-toxin 238: 653
Scyliorhinus caniculus 235: 199
sea urchin 238: 744
SecB 235: 207; 238: 760
second messenger 236: 632
secondary metabolism 238: 675
secondary structure 238: 822; 240: 134; 240: 721; 241: 229
secondary-structure prediction 236: 428; 241: 126
secondary transport 239: 732
second-derivative spectroscopy 236: 78
Sec1-related protein 239: 638
secretin 239: 349
secretin analogues 239: 349
secretin receptors 239: 349
secretion 236: 877; 239: 111; 239: 356; 242: 191
secretogranin II 236: 171; 239: 111
secretory 236: 827
secretory trypsin inhibitor 239: 117
seed germination 235: 574; 239: 310; 241: 286
seed storage globulin 241: 221
selectin 242: 402
selenium accumulation 239: 235
selenocysteine 238: 838
self-incompatibility 242: 75; 242: 627
self-organization 235: 238
self-stacking 240: 508
self-sustained sequence replication 235: 256
semen 235: 424; 235: 466
semenoclotin 235: 424
semenogelin 235: 466; 238: 48; 238: 88
semiempirical calculations 236: 109
seminal coagulum 238: 48
seminal plasma 238: 48; 238: 88
seminal plasma protein 242: 636
seminal vesicle 235: 466; 238: 48
semi-synthetic D-amino-acid oxidase 238: 519
Semliki Forest virus 237: 288
Sendai virus 236: 895
sensory neurons 236: 360
sequence 235: 683; 237: 255; 237: 279; 241: 201
sequence alignment 239: 469
sequence analysis 236: 689; 239: 197
sequence comparison 235: 744
sequence determination 241: 525
sequence similarity 235: 297; 240: 125
sequence-specific single-stranded-DNA-binding protein 239: 487
serine esterase 237: 553
serine hydroxymethylase 236: 294
serine pathway 241: 1
serine phosphorylation 236: 85
serine protease 236: 109; 240: 550
serine protease inhibitor 236: 638
serine/threonine kinase 238: 152
serine/threonine protein phosphatase 241: 765
serology 239: 602
serpin 235: 821; 237: 180; 240: 550; 241: 38
Sertoli cell 239: 52
sex attractant 241: 581
sex-specific peptide 241: 330
sheep liver 241: 142
Shigella flexneri 237: 786
short-chain alcohol dehydrogenase 236: 144
short-chain dehydrogenase/reductase 241: 744
short-circuit current 235: 64
sialyltransferase 238: 647; 242: 674

sickle red cells 235: 549
signal amplification 238: 440
signal peptidase 239: 509
signal peptide 242: 114
signal sequence 235: 207
signal transduction 235: 91; 235: 338; 235: 495; 236: 632; 236: 729; 238: 350; 238: 440; 242: 544
signaling 235: 238
signal-recognition particle 54 kDa 238: 760
silent nucleotide substitution 238: 221
silver protein 236: 180
similarity 241: 303
Sin a 1, recombinant allergen 237: 827
single-stranded-DNA-binding protein 235: 152; 238: 38; 238: 706
site-directed mutagenesis 235: 82; 235: 486; 235: 713; 236: 714; 236: 947; 236: 996; 237: 399; 237: 447; 237: 592; 237: 743; 237: 800; 237: 870; 238: 490; 239: 265; 239: 410; 239: 418; 239: 597; 239: 732; 240: 342; 240: 655; 241: 363; 241: 941; 242: 228
skeletal muscle 241: 909
skin mucus 240: 143
small GTP-binding protein 241: 286
small intestine 238: 368
small ribosomal subunits 236: 649
smooth muscle 239: 317; 239: 326
smooth muscle cell 235: 557
smooth-muscle myosin phosphatase 239: 326
SNF1 235: 736
sodium channel 242: 235
sodium cholate 235: 648
sodium dodecylsulfate micelle 241: 489
sodium–ion translocation 239: 857; 241: 149
Solanum commersonii 242: 148
Solanum tuberosum 242: 148
solid-state magic-angle-sample-spinning NMR 235: 526
solubilization 238: 28; 240: 807
soluble receptors 236: 837
soluble transforming-growth-factor-β receptor type II 241: 355
solution structure 235: 721; 238: 423; 238: 706; 241: 440
somatomedin-B peptide 241: 557
sorbitol 241: 142; 242: 86
soybean 240: 609
soybean seed 240: 655
soybean trypsin inhibitor 241: 77
Sp1 237: 311; 239: 827; 241: 649;
Sp100 238: 554
species-specific inhibition 241: 114
specificity 237: 180; 242: 320; 242: 477
spectroscopy 235: 699; 238: 785
sperm decondensation 240: 186
sperm-protein–DNA interactions 240: 186
sphingolipid 236: 729; 237: 819
sphingomyelin 236: 738; 237: 454
sphingomyelinase 236: 738
spider toxin 240: 416
spin label 235: 394
spin labeling 235: 281
spinach ferredoxin 239: 818
spinach ferredoxin·NADP$^+$ reductase 239: 662
spin-labeled nucleotide 240: 78
Spirometra erinacei 239: 905
splice variant 240: 628
Spodoptera littoralis 242: 394
spongiotrophoblast 242: 280
spore-wall synthesis 239: 124
sporulation 239: 124
squalene-hopene cyclase 242: 51
Src-homology-2-domain-containing protein-tyrosine phosphatases 237: 736
Src protein-tyrosine kinase 240: 756
Src-related tyrosine kinase 236: 548
stability 240: 274; 241: 215
stabilization 242: 56
standard transformed enthalpy of reaction 240: 1
standard transformed Gibbs energy of reaction 240: 1
staphylococcal protein A 236: 656
Staphylococcus aureus 236: 904
Staphylococcus cureus lipase 242: 760
Staphylococcus hyicus lipase 242: 760
starch 242: 148
Ste6 239: 456
steady-state kinetics 241: 572
stem-cell factor 239: 842
stereoisomers 235: 304
stereospecific 240: 150
steroid dehydrogenase 236: 144
steroid-biotin conjugates 237: 514
steroidogenic enzyme 239: 8
S-thiolation 237: 433
stoichiometry 236: 68; 240: 78
stopped-flow kinetics 239: 403
storage protein 242: 214
Streptococcus equisimilis 239: 42
streptokinase 239: 333
streptolysin O 236: 34
Streptomyces coelicolor 239: 208; 241: 178
Streptomyces griseus 236: 843
Streptomyces reticuli 242: 332
stress response 240: 98
stress-activated protein kinase 236: 796; 241: 315
striated muscle 242: 363
stringent response 240: 637
stromelysin 2 235: 187
structural alteration 241: 462; 241: 564
structural analysis 237: 635
structural characterization 242: 608
structure 236: 395; 236: 491; 237: 272; 237: 303; 237: 468; 239: 532; 240: 30; 240: 550; 241: 827
structure/activity relationship 237: 128; 242: 417
structure/function 239: 842
structure/function analysis 238: 714
structure/function relationship 235: 713; 241: 533
subcellular localization 242: 585
subcellular organelles 239: 526
subsite structure 240: 738
substance P 240: 215
substrate 239: 229
substrate specificity 237: 592; 238: 647; 241: 664; 242: 674; 242: 760
substrate-binding site 236: 571; 239: 764
subtilisin 235: 629
subtilisin-like protease 241: 750
γ subunit 236: 470
subunit composition of 5-aminolevulinic acid dehydratase 236: 600
β-subunit isoforms 236: 138
subunit structure 237: 373
subunit-interaction domains 236: 138
α' subunit of CK2 241: 272
β subunit of CK2 241: 272
N-succinimidyl 3-(2-pyridyldithio)propionate conjugation 240: 564
suckling rat 237: 16
sugar kinase 241: 564
sugar sensing 241: 633
suicide inactivation 236: 714
suicide inhibition 241: 797
sulfatase 236: 620
sulfated glycoconjugate 238: 830
sulfated hexasaccharide 239: 865; 239: 871
sulfated oligosaccharide 240: 789
sulfate-reducing bacteria 239: 190
sulfation 242: 402
sulfhydryl group 237: 106
sulfide oxidation 235: 231
Sulfolobus solfataricus 239: 632
sulfophilin 239: 111
sulfur 236: 272
superoxide anion 236: 1003
superoxide dismutase 238: 785; 241: 178
supramolecular assembly 240: 508
suramin 240: 592; 241: 355
surface plasmon resonance 238: 777; 239: 52; 240: 209
surface protein 236: 904
Symphyta 238: 752
synapsin I 236: 171; 237: 311; 239: 827
synaptic transmission 240: 508
synaptobrevin II 239: 827
Synechococcus sp. PCC 7002 235: 324
Synechocystis 6803 241: 17
synovial cell 236: 517
synovial lining cell 241: 56
synthesis 240: 150
synthetic adenosinetriphosphatase-inhibitor peptides 240: 461
synthetic peptide 238: 706; 240: 765
synthetic-peptide library 240: 71

T-cell activation 237: 736
T-cell-receptor ζ chain 238: 440
T-complex 235: 114
T-hapten 238: 830
T7 DNA polymerase 235: 713
T7 RNA polymerase 236: 234; 239: 881
3T3-F442A adipocytes 237: 660
3T3-L1 cells 235: 736
tachykinin receptor 240: 215
targeting sequence 241: 779
targeting signal 237: 792; 239: 302
Tat 240: 45; 240: 491
TATA box 236: 778
TATA-box-less promoter 236: 365
tautomerism 242: 271
teleost 237: 752
temperature dependence 241: 368
terbium binding 240: 280
terbium luminescence 240: 435
terpenoid 239: 720
terrestrial amphibians 237: 759
tertiary-structure validation 241: 126
testis maturation 242: 793
tetraantennary glycan 238: 357
tetracycline promoter 241: 468
tetrahydrobiopterin 240: 477; 241: 858
tetrapyrrole biosynthesis 236: 600
thermal stability 242: 363
thermal unfolding 237: 862
thermodynamics 239: 33; 240: 63
thermophilic 239: 150; 239: 501
thermophilic aminoacyl-tRNA synthetase 241: 814
thermostability 236: 249; 241: 243
thermostable enzyme 239: 632
Thermotoga maritima 237: 726; 240: 274

Thermus 239: 150
Thermus aquaticus 241: 243
Thermus thermophilus 241: 814
thiazolidinedione 239: 1
Thiobacillus ferrooxidans 242: 308
Thiocapsa roseopersicina 241: 675
thiol 241: 142
thiol-activated toxin 236: 34
thiol-directed reagent 239: 764
γ-thionin 239: 67
thioredoxin 235: 713; 240: 781
thioredoxin/glutaredoxin 241: 363
thiosulfonates 241: 114
three-dimensional molecular model 238: 714
three-dimensional structure 239: 190; 239: 539; 242: 235
thrombin 242: 477
thumb subdomain 242: 98
thylakoid membranes 236: 591
thymidine kinase 241: 126
thymidylate synthase 236: 294
thymosin 237: 86
thyroglobulin 240: 125
thyroglobulin type-1 repeat 240: 125
thyroid 242: 506
thyroid hormone 239: 509; 240: 807
thyroid-stimulating hormone 240: 622
thyroid-transcription-factor-1 homeodomain 241: 101
thyrotropin 240: 807; 242: 506
thyrotropin receptor 238: 490
tienilic acid 241: 797
tissue extracts 238: 470
tissue factor 241: 403
tissue-factor-pathway inhibitor 235: 310
tissue inhibitor of metalloprotease 241: 56
tissue inhibitor of metalloprotease-2 241: 476
tissue-polypeptide-specific antigen 241: 309
tissue-type plasminogen activator 237: 532
titin 242: 454
titin/connectin 235: 317
tobacco 235: 585
tobacco-specific nitrosamines 238: 484
toluene 238: 661
topaquinone 237: 255; 237: 584; 238: 683
topoisomerase II 237: 653
total parenteral nutrition 235: 64
toxin 236: 395; 239: 702
toxin oligomer 240: 646
transacylase 240: 53
transbilayer phospholipid movement 240: 798
transcription 235: 242; 235: 471; 235: 593; 236: 171; 236: 778; 236: 895; 238: 752; 239: 384; 239: 827
transcription factor 236: 500; 238: 582; 238: 637; 242: 460; 242: 467
transcription factor E2F 238: 799
transcription inhibition 238: 143
transcription regulation 241: 649
transcriptional activation 239: 1
transcriptional control 237: 16; 241: 411
transcriptional regulation 236: 614; 236: 820; 238: 637; 240: 408; 242: 156
transcriptional-regulatory element 238: 136
transfected Ltk^- cells 238: 463
transferred nuclear Overhauser enhancement 239: 710
transferrin 236: 922
transferrin gene 239: 52
transferrin receptor 236: 614; 238: 463
transferrin recycling 238: 463
transferrin-binding site 235: 9
transformation 241: 249
transformation-sensitive protein 241: 657
transforming growth factor-β 241: 355; 242: 460
transframe protein p6* 237: 383
transgenic *Drosophila* 241: 699
transgenic mice 241: 12; 241: 417
transglutaminase 235: 424
transglycosylation 236: 706
transhydrogenase 239: 737; 241: 162; 241: 611
transhydroxylase 237: 406
transient transfection 237: 288
transient-state kinetics 239: 675
transit peptide 241: 779
transition state 242: 601
translation 236: 40; 236: 747; 239: 265
translation rate 238: 221
translational control 236: 383; 237: 143
translational inhibitor 242: 339
translocation 238: 250; 238: 570; 240: 747
transmembrane 239: 897
transport 239: 445; 241: 171
transthyretin 236: 491
trefoil peptide 235: 64
trehalase 240: 692
trehalose 6-phosphate 240: 518
trehalose transport 237: 876
triacylglycerol 235: 480
trichloroacetic-acid-soluble protein 242: 339
Trichoderma reesei 237: 553; 240: 104
trihydroxyphenylalanine quinone cofactor 237: 93
triiodothyronine-binding protein 242: 315
triosephosphate isomerase 241: 114
triplex 238: 582
triplex DNA 238: 143
triterpenoid 241: 865
tRNA identity 241: 814
tRNA synthetase 239: 501
$tRNA^{Lys3}$ 240: 774
$tRNA^{Lys3}$ affinity reagent 240: 774
tropomyosin 242: 363
trp operator 242: 567
Trp repressor 235: 804; 242: 567
Trypanosoma brucei 236: 228; 238: 728; 240: 592; 240: 721
Trypanosoma vivax 237: 234
trypanosome 241: 888
trypsin 237: 279; 238: 333; 239: 117
trypsinogen 242: 601
tryptase 237: 100
tryptase inhibitor 241: 619
tryptase TL_2 237: 64
tryptic digestion 240: 564
tryptophan 235: 804; 239: 156; 241: 941; 242: 288
tryptophan fluorescence 242: 813
tryptophan metabolism 239: 460
tryptophan synthase 240: 63; 240: 615
tryptophanyl-tRNA synthetase 240: 732
tulip 236: 419
Tulipa 236: 419
tumor invasion 237: 743
tumor marker 235: 275
tumor-necrosis factor 236: 533; 236: 738; 241: 93
tumor-necrosis factor-α 235: 431; 238: 214
tumor-related antigen 238: 631
tumour suppressors 236: 1
tungsten enzyme 242: 156
twitchin 242: 454
two-hybrid system 236: 626; 239: 362
two subsites 240: 692
type-1 copper site 240: 342
type-1 tumor-necrosis-factor receptor 239: 912
type II membrane protein 238: 631
tyrosinase 241: 12
tyrosine hydroxylase 241: 12; 241: 432
tyrosine kinase 241: 186
tyrosine phosphorylation 235: 495; 235: 549; 235: 579; 236: 953; 241: 322; 242: 519
tyrosylprotein sulfotransferase 239: 111

U_{III} uterine stromal cell line 241: 872
U13 small nucleolar RNA 242: 206
U20 small nucleolar RNA 242: 206
ubiquinone 237: 128; 239: 201
ubiquitin 239: 912; 240: 307
UDPglucose pyrophosphorylase 235: 173; 236: 723
ultraviolet-B 242: 799
UMP 240: 637
uncoating adenosinetriphosphatase 240: 570
uncoupling 240: 387
uncoupling protein 239: 445
unfolding kinetics 242: 601
unique-site elimination 237: 800
5′ untranslated region 237: 159
unwinding enzyme 238: 54
upstream open reading frame 238: 410
upstream stimulatory factor 241: 249
uptake of glucose 242: 332
urease 239: 61
uridine phosphorylase 239: 632
urokinase-type plasminogen activator 237: 743; 241: 840
urokinase-type-plasminogen-activator receptor 237: 743
uronic-acid-rich protein 236: 984
uroporphyrinogen III 235: 653
Ustilago maydis 242: 648
uteroferrin 238: 669
utrophin 235: 103

V3 loop 237: 64
vacuolar 240: 156
vacuolar enzyme 238: 317
vanadate 241: 923
variable subunit 241: 121
variant bone morphogenetic protein 2 237: 295
vascular smooth muscle 239: 558
V(D)J recombination 241: 931
vector 242: 372
Veillonella atypica 238: 862
venom 238: 231
veratryl alcohol 237: 45; 237: 424
very-late p10 and p29 gene promoters 239: 384
vesicle 242: 332
vesicle transport 239: 362; 239: 638
Vibrio 241: 368
Vibrio cholera biotype El Tor 240: 646
Vibrio cholerae 238: 160
vimelysin 241: 368
viologen 239: 686
Vipera ammodytes 240: 83
vision 238: 613
vitamin D 238: 97
vitronectin 236: 682; 241: 557
voltage-dependent calcium channel 236: 138
voltage-gated potassium channel 242: 491
Volvox carteri 238: 341
von Willebrand factor 241: 732

water producing 241: 155
water-soluble fragment 237: 71
water transport 237: 759
western blot 239: 602
wheat embryo 241: 286
wheat germ 236: 383
Wolinella succinogenes 241: 201
wortmannin 235: 828

xanthine dehydrogenase 238: 862; 239: 782
xanthophyll proteins 238: 112
xenobiotic-responsive element 242: 512
Xenopus oocyte 235: 501; 237: 685; 241: 707
Xenopus laevis oocyte 239: 111
X-ray 239: 190
X-ray absorption fine structure 241: 432
X-ray absorption near-edge structure 236: 697
X-ray absorption spectroscopy 235: 606
X-ray diffraction 236: 144
X-ray structure 236: 27; 237: 393; 238: 561; 241: 453
xylo-oligosaccharides 236: 706
xylose-DNA 239: 33
xylose isomerase 237: 240
β-xylosidase 236: 706

Y79 cells 236: 523
yeast 236: 626; 237: 136; 237: 876; 238: 181; 238: 495; 239: 124; 239: 138; 241: 619
yeast complementation 241: 193
yeast plasma membrane 239: 439; 240: 798
yeast protein Cdc47 235: 144

zebrafish (*Danio rerio*) 241: 272
zif268/egr-1 237: 311
zif 268/egr-1 239: 827
zinc 239: 177; 241: 142
zinc-containing aminopeptidases 236: 843
zinc endopeptidase 235: 606
zinc enzyme 237: 393
zinc-finger protein 235: 372; 235: 471; 236: 991; 239: 827
zinc mesoporphyrin 240: 112
zinc pheophorbide 242: 163
zona pellucida 240: 448
zonal distribution (cartilaginous tissues) 236: 970
zona-pellucida-binding protein 242: 636
zucchini 240: 570
zyxin 241: 657